







Table 6(a) Population by Five Year Age Group and Gender

Number and Relative Proportion (%): 2012 - 2014

Bangalore

	Male	es	Fema	ales
Age Group	Number	%	Number	%
00-04	1047051	7.67	995806	7.87
05-09	979324	7.17	922860	7.30
10-14	970974	7.11	915577	7.24
15-19	1025930	7.51	977072	7.72
20-24	1493189	10.93	1432897	11.33
25-29	1703047	12.47	1642678	12.99
30-34	1465156	10.73	1251900	9.90
35-39	1237322	9.06	1074061	8.49
40-44	917200	6.72	765400	6.05
45-49	757768	5.55	686701	5.43
50-54	563579	4.13	526021	4.16
55-59	460749	3.37	447262	3.54
60-64	396579	2.90	379731	3.00
65-69	257924	1.89	248546	1.96
70-74	172047	1.26	160355	1.27
75+	210150	1.54	222822	1.76
Total	13657989	100.00	12649689	100.00

Area(Sq.Km): 741.0

Figure 6(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2014












Table 6(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2014 Males %= Relative Proportion of Cancers of All Sites

Bangalore

IOD 40	64-	00.04	0F 00	40.44	4E 40	20.24	25-29	20.24	0F 00	40-44	45-49	50-54	55-59	60-64	65-69	70.74	75.	Links	Total	0/
ICD-10 C00	Site Lip	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54 4	3	6	65-69	70-74	75+ 1	Unkn	Total 19	% 0.14
C01-C02	Tongue				1	6	10	28	29	49	51	76	72	78	67	46	43		556	4.21
C03-C06	Mouth			-	1.	2	9	21	44	48	62	72	83	68	69	32	45	1	556	4.21
consequence of the consequence o	CONTRACTOR OF THE PARTY OF THE			-				0.1	6	2	100	12	7	9	4	32	200	31	95,655	0.34
C07-C08	Salivary Gland	-	-	2	1	1	1	4	ь	14094	3	26		5-000	75500	ACREM	2		45	900000000
C09	Tonsil	-	-	1	-		1	1		11	4	15	15	33	13	15	13	1	123	0.93
C10	Oth. Oropharynx		2			1	8	3	1	4	8	11	26	29	21	11	11	. *	128	0.97
C11	Nasopharynx	1	1	1	6	1	5	1	2	8	7	5	10	6	5	2	5	-	66	0.50
C12-C13	Hypopharynx		=	-	-	3	5	3	7	8	19	36	57	75	74	37	60	:20	384	2.90
C14	Pharynx Unspecified	2	*		*	2	1	12	1	- 2	2	14	8	8	4	2	9	-	49	0.37
C15	Oesophagus	2	1	1	្ន	1	1	6	6	15	40	74	105	136	123	87	114	2	712	5.39
C16	Stomach	-	2	2	1	7	12	21	22	43	75	90	119	141	148	113	119	1	914	6.91
C17	Small Intestine	-	•	-	•	1	2	1	1	4	3	4	4	5	8	4	5	-	42	0.32
C18	Colon					1	6	24	25	25	22	36	44	59	73	64	75	1	455	3.44
C19-C20	Rectum	1	1	=		10	15	19	14	16	23	54	45	62	66	38	56		420	3.18
C21	Anus & Anal Canal			-		2	1	in	4	1	2	4	5	4	3	5	2		33	0.25
C22	Liver	5		5		2	7	4	15	6	28	33	69	85	120	81	103	1	564	4.27
C23-C24	Gallbladder etc.	-	9	1	1	1	9	4	8	5	16	19	28	37	23	27	19	190	189	1.43
C25	Pancreas	-		-	-	8	9	6	6	8	10	30	28	29	48	33	31	196	229	1.73
C30-C31	Nose, Sinuses etc.		1	1		1	2		3	5	5	3	4	4	5	6	3	190	43	0.33
C32	Larynx	2	1	1	_	2	4	12	7	13	23	38	65	61	79	47	49	120	386	2.92
C33-C34	Lung etc.	1	1	1	3	3	8	15	30	33	63	127	185	230	260	180	194	1	1335	10.10
C37-C38	Other Thoracic Organs	- 4		1	3	4	2	3	4	1	1	4	9	3	5	6	3	12	49	0.37
C40-C41	Bone	7	6	7	20	11	3	8	14	6	7	10	19	8	3	9	3	(2)	141	1.07
C43	Melanoma of Skin	- N	2	50		1	-	1	177	1	5	2	4	6	2	2	3		27	0.20
C44	Other Skin	- 8		1	2	4	4	4	4	6	4	9	16	12	15	10	17		108	0.82
C45	Mesothelioma	- 5			-	13.55	(ASS))):55	15.78	1	17.75	9	10	1	1	10		(四)	3	0.02
14700-11700					1		- 5						- 5	- 1	1	1			3	
C46	Kaposi Sarcoma	-		ē	200.0	40	-	40	47	20	40	40	44	- 04		2002	40			0.02
C47+C49	Conn. & Soft Tissue	6	1	5	16	16	8	13	17	20	19	12	11	24	11	10	13		202	1.53
C50	Breast	-	-			1	2	4	7	6	8	12	19	13	12	14	9		107	0.81
C60	Penis	-	-	1	1	×	1	4	4	4	8	8	12	16	12	6	13		90	0.68
C61	Prostate		# 2	- 0			1	12		3	8	16	53	132	152	161	317	4	847	6.41
C62	Testis	1	1	1	1	9	12	13	6	3	2	1	2	1	-		3	-	56	0.42
C63	Other Male Genital	- 1	- 4	-	-		- 4	2	1	-	-	-		- %	- 14	- 14	-		2	0.02
C64	Kidney etc.	10	6	4	-	4	4	5	4	12	13	29	36	26	24	24	22	-	219	1.66
C65	Renal Pelvis		2	4	2		12	1	2	-	-		2	2	1	~	1	12	7	0.05
C66	Ureter	-	-	-	-	•	•	•	•	•	•		1	•	-	2	-		3	0.02
C67	Bladder	-		-	1	1	1	4	14	9	18	20	26	41	44	32	88	-	299	2.26
C68	Uns.Urinary Organs		ē		-	6	=	17.	17				8	2	15	3	2	17	7	0.05
C69	Eye	5	×	1	*	1	8	1	2	8	1	2	2	2	1	:	1	1.5	19	0.14
C70-C72	Brain, Nervous System	17	11	17	11	18	18	32	33	39	39	46	64	54	45	33	27	170	504	3.81
C73	Thyroid		*	2	1	9	23	27	24	17	21	28	26	27	22	20	22	196	269	2.03
C74	Adrenal Gland	-	-	-		-	1			1	1		2	1	-	-	-		6	0.05
C81	Hodgkins Disease	1	7	13	8	12	10	8	6	16	8	13	7	15	9	5	2		140	1.06
C82-C85	NHL	1	9	11	13	14	18	21	25	33	39	55	63	48	47	50	55	2	504	3.81
C88	Malig Imn.Prol D	2	=	=	-	2	¥	12	14	1	×	2	(2)	- 2	(4	=	-	120	1	0.01
C90	Multiple Myeloma	1	2	1	-	1	2	1	4	5	12	19	22	39	41	37	37	- 4	224	1.69
C91	Lymphoid Leuk.	28	41	15	21	11	13	10	10	12	8	10	12	13	24	19	8	-	255	1.93
C92-C94	Myeloid Leukaemia	10	10	7	10	29	17	32	34	33	21	20	29	36	23	31	36	1	379	2.87
C95	Leukaemia Uns	3	4	1	4	8	1	1	3	4	2	1	3	4	6	4	4	100	53	0.40
C96	CMD,O&U LHM	J			(5.7)	3	1		3	-	-		2	1	1	2		- 57	7	0.05
O&U *	Other and Uns	13	17	4	19	23	31	43	51	93	100	135	162	187	194	139	231		1442	10.91
Jao		112	123	108	145	218	259	397	498	631	815	1197	1586	1879	1909	1453		45		
	All Sites	112	123	108	145	218	259	39/	498	031	815	1197	1566	18/9	1909	1453	1876	15	13221	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2014 Females %= Relative Proportion of Cancers of All Sites

Bangalore

ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	00 00	10 14	10 15	2021	20 20	1	50 05	1	-10 -15	1	1	2	1	2	1	OTHER	10	0.06
C01-C02	Tongue		-	- 59	1	3	4	9	6	8	12	24	19	28	13	10	19	- 2	153	0.97
C03-C06	Mouth		1	-		4	4	9	18	27	59	70	77	97	84	80	77	1	608	3.84
C07-C08	Salivary Gland			1	1	4	3	3	3	1	3	6	6	4	4	2	3	3	44	0.28
C09	Tonsil	- 3				4030	1	9	3	1	4	5	3	6	4	4	3	- 3	34	0.21
C10	100000000000000000000000000000000000000	- E	- 3 - 3	- 27 33				1	1	- 10	1	1	2	4	6	2	2	- 25 25	20	0.13
0.003.0497.7	Oth. Oropharynx		2				-	150		-	70		150%	9001	989	2	No.		500/2	100000000000000000000000000000000000000
C11	Nasopharynx		2	1	2	3	2	1	2	2	4	4	1	5	2	-	3		34	0.21
C12-C13	Hypopharynx		· ·	- 3	5	1	2	6	4	12	15	9	16	13	5	5	14		102	0.64
C14	Pharynx Unspecified	- 15	্র	15		2		2	2	7/	2	1	4	1	1	4	3	17	20	0.13
C15	Oesophagus		- 5	17	- 3	Ū.	2	7	9	19	48	50	67	76	80	67	96	2	523	3.30
C16	Stomach	-	17	35	5	8	10	11	32	33	42	50	77	58	70	55	73	17	519	3.28
C17	Small Intestine			8			1	3	5	4	2	8	2	6	3	150	1	17	30	0.19
C18	Colon		1	- 4		2	9	11	20	18	23	38	39	64	60	27	45		357	2.26
C19-C20	Rectum	(7)	170	8		7	19	12	23	19	29	28	38	30	45	27	37	1	315	1.99
C21	Anus & Anal Canal						2	1	1	1	5	4	5	7	8	2	6		42	0.27
C22	Liver	5	1	9.		3	*	6	2	9	19	14	37	35	27	25	31	(3)	214	1.35
C23-C24	Gallbladder etc.				1	1	2	3	10	9	13	19	41	42	38	23	19		221	1.40
C25	Pancreas	1.5		1	1	8	2	2	8	6	8	20	23	29	23	13	22	:7:	158	1
C30-C31	Nose, Sinuses etc.		7	· **	1	5	-	5	2	B	2	1	4	3	3	2	4	i in	27	0.17
C32	Larynx			1			-	1	3	2	11	7	4	8	7	6	11		61	0.39
C33-C34	Lung etc.	100		1		1	7	10	19	30	57	73	87	90	73	62	84	2	596	3.77
C37-C38	Other Thoracic Organs	1	:=:	1			1	1	1	4	2	(-	4	4	5	2	1	: :: :	27	0.17
C40-C41	Bone	1	5	11	14	6	10	3	9	6	3	11	6	6	7	2	6	35	106	0.67
C43	Melanoma of Skin	100	-	1 29	а	æ	=	1	1	8	3	1	i in	4	2	2	3	· ·	17	0.11
C44	Other Skin	1	-	1	1	2	2	3	2	10	6	10	5	16	7	6	21	1	94	0.59
C45	Mesothelioma						-		£	#	-	-	194	-	-	-	1	*	1	0.01
C46	Kaposi Sarcoma	190		1	-	1	-		×	н	1		-	-	1				4	0.03
C47+C49	Conn. & Soft Tissue	5	3	5	7	6	14	10	15	7	22	9	14	7	15	7	4		150	0.95
C50	Breast		-		3	25	78	161	306	417	534	612	678	575	435	285	313	1	4423	27.94
C51	Vulva					20	- 10	1	3	1	4	6	5	7	9	4	11	-	51	0.32
C52	Vagina	1		100		12		_	1	8	11	8	9	8	9	5	12	-	72	0.45
C53	Cervix Uteri			1		9	14	52	100	191	271	285	272	253	191	124	139	1	1903	12.02
C54	Corpus Uteri			- 4		2	4	16	25	26	54	75	113	123	92	42	36	12	608	3.84
C55	Uterus Unspecified				-		7	3	5	6	10	7	8	9	17	10	9		84	0.53
C56	Ovary etc.	1	2	7	11	17	34	33	61	86	99	113	158	161	116	64	54		1017	6.43
C57	Other Female Genital	- 8 o		- 1	22	1	1	33	01	00	1	1	1	2	1	1	34		9	0.06
1000000 1000000		19				- 1	2 70	-		-		- 14	157	- 200	- 1	- 1		1.90	100	
C58	Placenta				-	- 2	4	- 40	-	1	1	-	1	1	1		-		9	0.06
C64	Kidney etc.	5	4	5	1	1	8	10	4	2	9	14	11	15	10	8	10		117	0.74
C65	Renal Pelvis		-	•	-	-	-	-	-	2	1	-	-	-	-		1	-	4	0.03
C66	Ureter	-	-	- 2	-	-	-	-	-	2	=	1	1			-	-	-	2	0.01
C67	Bladder	2	-	- 52	-		-	2	4	2	5	11	14	14	12	9	10	14	85	0.54
C68	Uns.Urinary Organs	12		- 8	ä	1		0	1	2	1	-	1		-	1	14	12	3	0.02
C69	Eye	8		1		1	-	2	1	1	1	1	C=	2	1	-	3	-	22	0.14
C70-C72	Brain, Nervous System	10	14	10	A16	10	26	19	22	17	33	27	40	26	19	20	20	141	320	2.02
C73	Thyroid	-		5	9	36	58	68	73	57	61	55	51	34	34	21	29	2	593	3.75
C74	Adrenal Gland	1	12	72	12	1	1	2	2	4	2	1/2	-	-	-	1	12	12	8	0.05
C81	Hodgkins Disease	(2)	1	6	555	10	7	2	6	5	7	4	7	5	14	2	5	(2)	83	0.52
C82-C85	NHL	2	3	4	2	8	11	9	16	19	18	22	45	38	28	23	33	1	282	1.78
C88	Malig Imn.Prol D	-	2	- 2	~	~	-	3	25	1	2	-	1	-	-	-	2	- 2	2	0.01
C90	Multiple Myeloma	1	2	- 4	2	3	2	1	5	6	16	23	27	35	32	16	11	2	180	1.14
C91	Lymphoid Leuk.	22	22	5	6	4	6	3	9	5	10	11	3	9	3	5	7	-	130	0.82
C92-C94	Myeloid Leukaemia	12	4	4	8	14	18	19	18	12	24	18	26	15	21	15	23		251	1.59
C95	Leukaemia Uns	1	-	3			1		1	4	1		3	5	3	2	8	-	29	0.18
C96	CMD,O&U LHM		-		-	5.	-	5	2	1	5		_	95		15	-	-	1	0.01
O&U *	Other and Uns	9	5	6	14	18	24	29	53	60	77	97	122	128	117	93	200	1	1053	6.65
	All Sites	88	68	78		11.00	394	547	909	1163	1645	1855	2179	2110	1759	1188	1524		15828	
	-ludes the Oite-/IOD 4		277.00	1000	3000	1016	070	- Control of the Cont	200		ATOMORE	10000000						1502		

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 6(d) Average Annual Age Specific,Crude (CR),Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2014 Males Bangalore

	BECKE SHOULD BE	Virginia (September 1988)									Walley Street		Towns to see the		I CONTROL OF THE PARTY OF THE P		110000		10000	100000000000000000000000000000000000000
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	:=	=	₩.	19	120		=	(1-	0.1	0.5	0.7	0.7	1.5	Ç -		0.5	0.1	0.17	0.04	0.5
C01-C02		-		0.1	0.4	0.6	1.9	2.3	5.3	6.7	13.5	15.6	19.7	26.0	26.7	20.5	4.1	4.88	0.21	9.5
C03-C06		5	76	1,5	0.1	0.5	1.4	3.6	5.2	8.2	12.8	18.0	17.1	26.8	18.6	21.4	4.1	4.81	0.21	9.9
C07-C08	2		0.2	0.1	0.1	0.1	0.3	0.5	0.2	0.4		1.5	2.3	1.6	1.7	1.0	0.3	0.37	0.06	0.7
C09	12		0.1	1	12	0.1	0.1	-	1.2	0.5	2.7	3.3	8.3	5.0	8.7	6.2	0.9	1.17	0.11	2.3
C10	(a)	0.2	25	24	0.1	S	0.2	0.1	0.4	1.1	2.0	5.6	7.3	8.1	6.4	5.2	0.9	1.23	0.11	2.3
C11	0.1	0.1	0.1	0.6	0.1	0.3	0.1	0.2	0.9	0.9	0.9	2.2	1.5	1.9	1.2	2.4	0.5	0.55	0.07	1.0
C12-C13	15	-	₹3	-	0.2	0.3	0.2	0.6	0.9	2.5	6.4	12.4	18.9	28.7	21.5	28.6	2.8	3.72	0.19	5.8
C14	ie.	7	7	-		0.1	=	0.1	1.75	0.3	2.5	1.7	2.0	1.6	1.2	4.3	0.4	0.46	0.07	1.0
C15	- 2	0.1	0.1	-	0.1	0.1	0.4	0.5	1.6	5.3	13.1	22.8	34.3	47.7	50.6	54.2	5.2	6.96	0.26	10.9
C16	2	_	0.2	0.1	0.5	0.7	1.4	1.8	4.7	9.9	16.0	25.8	35.6	57.4	65.7	56.6	6.7	8.61	0.29	13.7
C17	12	- 4	- 40	84	0.1	0.1	0.1	0.1	0.4	0.4	0.7	0.9	1.3	3.1	2.3	2.4	0.3	0.38	0.06	0.6
C18	54	2	43	(-	0.1	0.4	1.6	2.0	2.7	2.9	6.4	9.5	14.9	28.3	37.2	35.7	3.3	4.19	0.20	5.7
C19-C20	0.1	0.1	40	7 <u>#</u>	0.7	0.9	1.3	1.1	1.7	3.0	9.6	9.8	15.6	25.6	22.1	26.6	3.1	3.82	0.19	6.0
C21			50		0.1	0.1	5	0.3	0.1	0.3	0.7	1.1	1.0	1.2	2.9	1.0	0.2	0.29	0.05	0.5
C22	0.5		0.5	-	0.1	0.4	0.3	1.2	0.7	3.7	5.9	15.0	21.4	46.5	47.1	49.0	4.1	5.56	0.24	6.7
C23-C24	-	-	0.1	0.1	0.1		0.3	0.6	0.5	2.1	3.4	6.1	9.3	8.9	15.7	9.0	1.4	1.79	0.13	3.2
C25	12		- 2		-	-	0.4	0.5	0.9	1.3	5.3	6.1	7.3	18.6	19.2	14.8	1.7	2.22	0.15	3.1
C30-C31	12	0.1	0.1	12	0.1	0.1	20	0.2	0.5	0.7	0.5	0.9	1.0	1.9	3.5	1.4	0.3	0.38	0.06	0.6
C32	12	0.1	0.1	1844	0.1	9	2	0.6	1.4	3.0	6.7	14.1	15.4	30.6	27.3	23.3	2.8	3.78	0.19	5.9
C33-C34	0.1	0.1	0.1	0.3	0.2	0.5	1.0	2.4	3.6	8.3	22.5	40.2	58.0	100.8	104.6	92.3	9.8	13.05	0.36	19.1
C37-C38	-	-	0.1	0.3	0.3	0.1	0.2	0.3	0.1	0.1	0.7	2.0	0.8	1.9	3.5	1.4	0.4	0.41	0.06	0.6
C40-C41	0.7	0.6	0.7	1.9	0.7	0.2	0.5	1.1	0.7	0.9	1.8	4.1	2.0	1.2	5.2	1.4	1.0	1.15	0.10	1.6
C43	-	-	-	-	0.1	-	0.1	_	0.1	0.7	0.4	0.9	1.5	0.8	1.2	1.4	0.2	0.24	0.05	0.5
C44			0.1	0.2	0.3	0.2	0.3	0.3	0.7	0.5	1.6	3.5	3.0	5.8	5.8	8.1	0.8	0.97	0.10	1.4
C45	- 6		2		-	-	2.0	-	0.1		- 110	2	0.3	0.4	_	2	0.0	0.03	0.02	0.1
C46	-	2		0.1	-	- 2	20	7942	0.1	74	2		0.0	0.4	0.6	21	0.0	0.03	0.02	0.1
C47+C49	0.6	0.1	0.5	1.6	1.1	0.5	0.9	1.4	2.2	2.5	2.1	2.4	6.1	4.3	5.8	6.2	1.5	1.62	0.12	2.6
C50	- 0.0	0.1	0.0	1.0	0.1	0.1	0.3	0.6	0.7	1.1	2.1	4.1	3.3	4.7	8.1	4.3	0.8	0.96	0.10	1.7
C60			0.1	0.1		0.1	0.3	0.3	0.4	1.1	1.4	2.6	4.0	4.7	3.5	6.2	0.7	0.82	0.09	1.4
C61			0.1	0.1		0.1	0.5	0.5	0.4	1.1	2.8	11.5	33.3	58.9	93.6	150.8	6.2	8.68	0.30	6.5
C62	0.1	0.1	0.1	0.1	0.6	0.7	0.9	0.5	0.3	0.3	0.2	0.4	0.3	30.9	95.0	1.4	0.4	0.33	0.05	0.3
C63	0.1	0.1	0.1	0.1	0.0	0.7	0.9	0.3	0.3	0.3	0.2	0.4	0.3			1.4	0.0	0.02	0.03	0.0
	552	0.6	0.4		-	0.2	0.3	355	1.3	4.7	5.1	7.0		9.3	13.9	10.5	1000	1000000	ESTATE	55 55
C64	1.0	0.6	0.4			0.2	38 100	0.3	-	1.7	5.1	7.8	6.6	102071		100000	1.6	2.05	0.14	3.3
C65			-		-		0.1	(4)	-	-		0.4	0.5	0.4	4.0	0.5	0.1	0.06	0.02	0.1
C66	~	-	*	0.4	0.4	0.4	- 0.0		4.0	- 0.4	- 0.5	0.2	40.0	47.4	1.2	44.0	0.0	0.03	0.02	0.0
C67	25	-	70	0.1	0.1	0.1	0.3	1.1	1.0	2.4	3.5	5.6	10.3	17.1	18.6	41.9	2.2	2.84	0.17	3.5
C68	0.5		0.4	-	- 0.4		0.4	- 0.0		- 0.4	5	0.4	0.5	0.4	1.7	1.0	0.1	0.07	0.03	0.1
C69	0.5		0.1	7	0.1		0.1	0.2	7	0.1	0.4	0.4	0.5	0.4	40.5	0.5	0.1	0.17	0.04	0.2
C70-C72	1.6	1.1	1.8	1.1	1.2	1.1	2.2	2.7	4.3	5.1	8.2	13.9	13.6	17.4	19.2	12.8	3.7	4.27	0.20	7.2
C73	12	-	0.2	0.1	0.6	1.4	1.8	1.9	1.9	2.8	5.0	5.6	6.8	8.5	11.6	10.5	2.0	2.13	0.14	3.7
C74	19800	la de la companione de	<u>≅</u> 3	(4)	(E)	0.1	200	(a)	0.1	0.1	957050	0.4	0.3	(2	yangi	- E	0.0	0.05	0.02	0.1
C81	0.1	0.7	1.3	0.8	0.8	0.6	0.5	0.5	1.7	1.1	2.3	1.5	3.8	3.5	2.9	1.0	1.0	1.12	0.10	1.7
C82-C85	0.1	0.9	1.1	1.3	0.9	1.1	1.4	2.0	3.6	5.1	9.8	13.7	12.1	18.2	29.1	26.2	3.7	4.38	0.20	7.0
C88	85		7.0	57			5	E	0.1	15 6	5	75	:5	25		7.0	0.0	0.01	0.01	0.0
C90	0.1	0.2	0.1	-	0.1	0.1	0.1	0.3	0.5	1.6	3.4	4.8	9.8	15.9	21.5	17.6	1.6	2.22	0.15	2.9
C91	2.7	4.2	1.5	2.0	0.7	0.8	0.7	0.8	1.3	1.1	1.8	2.6	3.3	9.3	11.0	3.8	1.9	2.31	0.15	1.7
C92-C94	1.0	1.0	0.7	1.0	1.9	1.0	2.2	2.7	3.6	2.8	3.5	6.3	9.1	8.9	18.0	17.1	2.8	3.05	0.16	4.3
C95	0.3	0.4	0.1	0.4	0.5	0.1	0.1	0.2	0.4	0.3	0.2	0.7	1.0	2.3	2.3	1.9	0.4	0.46	0.07	0.4
C96	-	-	+	-		0.1		1.	14	*	*	0.4	0.3	0.4	1.2		0.1	0.07	0.03	0.1
O&U *	1.2	1.7	0.4	1.9	1.5	1.8	2.9	4.1	10.1	13.2	24.0	35.2	47.2	75.2	80.8	109.9	10.6	13.18	0.36	19.8
All Sites	10.7	12.6	11.1	14.1	14.6	15.2	27.1	40.2	68.8	107.6	212.4	344.2	473.8	740.1	844.5	892.7	96.8	122.1	1.09	181.7

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 6(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2014 Females Bangalore

ICD 40	00-04	05-09	40.44	45.40	20-24	25.20	30-34	25.20	40-44	45-49	50-54	FF F0	60-64	65-69	70-74	75.	CR	AAD	SE	TR
ICD-10 C00	00-04	05-09	10-14	15-19	20-24	25-29	0.1	35-39	0.1	45-49	0.2	55-59 0.2	0.5	0.4	1.2	75+	0.1	0.10	0.03	0.2
C01-C02		5.		0.1		0.2	0.7	0.6	1.0	1.7	4.6	4.2	7.4	5.2	6.2	8.5	1.2	1.42	0.03	2.9
C03-C06	- 5	0.1	11-	0.1	0.3	0.2	0.7	1.7	3.5	8.6	13.3	17.2	25.5	33.8	49.9	34.6	4.8	6.00	0.12	10.3
C07-C08	- 5	0.1	0.1	0.1	0.3	0.2	0.7	0.3	0.1	0.4	1.1	1.3	1.1	1.6	1.2	1.3	0.3	0.37	0.23	0.7
C09	8		0.1	0.1	0.5	0.1	0.2	0.3	0.1	0.6	1.0	0.7	1.6	1.6	2.5	1.3	0.3	0.33	0.06	0.6
C10	-		2100	100		0.1	0.1	0.3	0.1	0.0	0.2	0.7	1.1	2.4	1.2	0.9	0.3	0.33	0.05	0.3
C10	-	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.3	0.6	0.8	0.4	1.3	0.8	1.2	1.3	0.2	0.29	0.05	0.5
C12-C13	*	0.2			Visione	881320	1001940	.74000	\$44,000	4400900	OHICHUU	000,400	3.4	PARTITION	3.1	100,000	11.790000000	10440104001	49 0 C 100 C 100 C	50000000
C12-C13		- B	(197)		0.1	0.1	0.5 0.2	0.4	1.6	0.3	1.7 0.2	3.6 0.9	0.3	2.0	2.5	6.3 1.3	0.8	0.91	0.09	0.3
3607.001		7	1070	1.5		0.1			2.5	7.0	100.000		12772170	0.4				0.18		
C15	[5]	- B	115	150	0.6	0.1	0.6	0.8	2.5	10.000	9.5	15.0	20.0	32.2	41.8	43.1	4.1	5.20	0.23	8.0
C16	-		Year	/-	0.6	0.6	0.9	3.0	4.3	6.1	9.5	17.2	15.3	28.2	34.3	32.8	4.1	4.91	0.22	8.3
C17	-	0.4	30-3	-	0.4	0.1	0.2	4.0	0.5	0.3	1.5	0.4	1.6	1.2	40.0	0.4	0.2	0.27	0.05	0.7
C18	2	0.1	((*)	-	0.1	0.5	0.9	1.9	2.4	3.3	7.2	8.7	16.9	24.1	16.8	20.2	2.8	3.42	0.19	5.9
C19-C20	-	*)(#)	:=	0.5	1.2	1.0	2.1	2.5	4.2	5.3	8.5	7.9	18.1	16.8	16.6	2.5	2.85	0.17	4.7
C21		-	(C#)	-	-	0.1	0.1	0.1	0.1	0.7	0.8	1.1	1.8	3.2	1.2	2.7	0.3	0.40	0.06	0.7
C22	0.5	0.1	5573	-	0.2		0.5	0.2	1.2	2.8	2.7	8.3	9.2	10.9	15.6	13.9	1.7	2.11	0.15	3.5
C23-C24		5.		0.1	0.1	0.1	0.2	0.9	1.2	1.9	3.6	9.2	11.1	15.3	14.3	8.5	1.7	2.18	0.15	4.0
C25	-	•	0.1	0.1	-	0.1	0.2	0.7	0.8	1.2	3.8	5.1	7.6	9.3	8.1	9.9	1.2	1.54	0.12	2.8
C30-C31	-	-	20	0.1	0.3		¥ 8	0.2	-	0.3	0.2	0.9	0.8	1.2	1.2	1.8	0.2	0.24	0.05	0.3
C32	- 4	2	0.1	(4)	8282	2.7	0.1	0.3	0.3	1.6	1.3	0.9	2.1	2.8	3.7	4.9	0.5	0.59	0.08	1.0
C33-C34	22000 22000		0.1	-	0.1	0.4	0.8	1.8	3.9	8.3	13.9	19.5	23.7	29.4	38.7	37.7	4.7	5.77	0.24	10.5
C37-C38	0.1	8.	0.1	(#)	194110	0.1	0.1	0.1	0.5	0.3	E)	0.9	1.1	2.0	1.2	0.4	0.2	0.26	0.05	0.4
C40-C41	0.1	0.5	1.2	1.4	0.4	0.6	0.2	0.8	0.8	0.4	2.1	1.3	1.6	2.8	1.2	2.7	8.0	0.91	0.09	1.1
C43		5	25	170	=	5	0.1	0.1	15	0.4	0.2	D.F.	1.1	0.8	1.2	1.3	0.1	0.16	0.04	0.3
C44	0.1		0.1	0.1	0.1	0.1	0.2	0.2	1.3	0.9	1.9	1.1	4.2	2.8	3.7	9.4	0.7	0.86	0.09	1.5
C45	0	-	74	14	550	<u> </u>	-		12	500	28	174	120	200	22	0.4	0.0	0.01	0.01	
C46	1800 BY	2000	0.1	(<u>4</u>)	0.1		(7.46) 200-20	12	(¥	0.1	\$90000A	10€) 1000 m	(SE)	0.4	27 82	700	0.0	0.04	0.02	0.0
C47+C49	0.5	0.3	0.5	0.7	0.4	0.9	8.0	1.4	0.9	3.2	1.7	3.1	1.8	6.0	4.4	1.8	1.2	1.28	0.11	2.0
C50			(1 0)	0.3	1.7	4.7	12.9	28.5	54.5	77.8	116.3	151.6	151.4	175.0	177.7	140.5	35.0	40.52	0.62	89.0
C51	ā	Ħ	(5)	(5)	in the	F.	0.1	0.3	0.1	0.6	1.1	1.1	1.8	3.6	2.5	4.9	0.4	0.50	0.07	8.0
C52	0.1	5	1150	1.7	- 5	2	(-	0.1	1.0	1.6	1.5	2.0	2.1	3.6	3.1	5.4	0.6	0.70	0.08	1.3
C53		•	0.1	-	0.6	0.9	4.2	9.3	25.0	39.5	54.2	60.8	66.6	76.8	77.3	62.4	15.0	17.71	0.41	39.5
C54		2	7723	120	0.1	0.2	1.3	2.3	3.4	7.9	14.3	25.3	32.4	37.0	26.2	16.2	4.8	5.90	0.24	12.4
C55	W 1900	₽	(F4)	100	100000	8000	0.2	0.5	0.8	1.5	1.3	1.8	2.4	6.8	6.2	4.0	0.7	0.82	0.09	1.3
C56	0.1	0.2	8.0	1.1	1.2	2.1	2.6	5.7	11.2	14.4	21.5	35.3	42.4	46.7	39.9	24.2	8.0	9.37	0.30	19.6
C57	*	+	ij ≡ ;		0.1	0.1		-	19	0.1	0.2	0.2	0.5	0.4	0.6		0.1	0.08	0.03	0.2
C58	- 5	=	((5)	1.5	>=	0.2	-	1.0	0.1	0.1	5	0.2	0.3	0.4	5	-	0.1	0.07	0.02	0.1
C64	0.5	0.4	0.5	0.1	0.1	0.5	0.8	0.4	0.3	1.3	2.7	2.5	4.0	4.0	5.0	4.5	0.9	1.07	0.10	1.6
C65	-	7	157	-	-	-	1.5		0.3	0.1	-	1,5	•	-	7	0.4	0.0	0.03	0.02	0.1
C66		2	72	-	3	-	- 12	-	<u> </u>	-	0.2	0.2	-	2	2	-	0.0	0.02	0.01	0.1
C67	0.2	¥	74	(4	12	2	0.2	0.4	0.3	0.7	2.1	3.1	3.7	4.8	5.6	4.5	0.7	0.84	0.09	1.5
C68	2	2	(14)	(*)	52			18	(a)	0.1	E	0.2	(4)	12	0.6	-	0.0	0.03	0.02	0.1
C69	0.8	×	0.1	:=	0.1	*	0.2	0.1	0.1	0.1	0.2	19	0.5	0.4	*	1.3	0.2	0.21	0.05	0.2
C70-C72	1.0	1.5	1.1	0.7	0.7	1.6	1.5	2.0	2.2	4.8	5.1	8.9	6.8	7.6	12.5	9.0	2.5	2.80	0.16	4.6
C73	3	Ž.	0.5	0.9	2.5	3.5	5.4	6.8	7.4	8.9	10.5	11.4	9.0	13.7	13.1	13.0	4.7	4.60	0.20	8.8
C74	0.1	₹.	10.	-	0.1	0.1			0.5	-	-	- 1		-	0.6		0.1	0.07	0.02	0.1
C81	2	0.1	0.7	0.2	0.7	0.4	0.2	0.6	0.7	1.0	0.8	1.6	1.3	5.6	1.2	2.2	0.7	0.71	0.08	0.9
C82-C85	0.2	0.3	0.4	0.2	0.6	0.7	0.7	1.5	2.5	2.6	4.2	10.1	10.0	11.3	14.3	14.8	2.2	2.58	0.16	4.5
C88	- 2	2	((=)	-	- 2	2	-		0.1	2		0.2	(*)	14	2	-	0.0	0.02	0.01	0.1
C90	0.1	÷)(#)	0.2	0.2	0.1	0.1	0.5	0.8	2.3	4.4	6.0	9.2	12.9	10.0	4.9	1.4	1.79	0.14	3.4
C91	2.2	2.4	0.5	0.6	0.3	0.4	0.2	0.8	0.7	1.5	2.1	0.7	2.4	1.2	3.1	3.1	1.0	1.24	0.11	1.3
C92-C94	1.2	0.4	0.4	0.8	1.0	1.1	1.5	1.7	1.6	3.5	3.4	5.8	4.0	8.4	9.4	10.3	2.0	2.17	0.14	3.1
C95	0.1	-	1177	-		0.1		0.1	0.5	0.1		0.7	1.3	1.2	1.2	3.6	0.2	0.28	0.05	0.4
C96	- 3	÷	100				- 2		0.1	ě	-		- 1		- 8	-	0.0	0.01	0.01	0.0
00114																				
O&U *	0.9	0.5	0.7	1.4	1.3	1.5	2.3	4.9	7.8	11.2	18.4	27.3	33.7	47.1	58.0	89.8	8.3	9.87	0.31	15.5

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2014 Males Bangalore

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	То	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	0.0	11-	19	100.0						-	-	(.	19	100.
C01-C02	Tongue	4	0.7	530	95.3	3	0.5	15	2.7	2	0.4	2	0.4	556	100.0
C03-C06	Mouth	7	1.3	515	92.6	11	2.0	19	3.4	2	0.4	2	0.4	556	100.0
C07-C08	Salivary Gland	134	94	44	97.8	2	-	-	14	-	-	1	2.2	45	100.0
C09	Tonsil	3	2.4	117	95.1	3	2.4	24	34	(4)	14		() -	123	100.0
C10	Oth. Oropharynx	4	3.1	117	91.4	2	1.6	3	2.3	2	1.6		0.00	128	100.0
C11	Nasopharynx	(c=	50-	57	86.4	5	7.6	2	3.0	-		2	3.0	66	100.0
C12-C13	Hypopharynx	5	1.3	363	94.5	10	2.6	4	1.0	-	_	2	0.5	384	100.0
C14	Pharynx Unspecified			39	79.6	1	2.0	9	18.4	-			-	49	100.0
C15	Oesophagus	8	1:1	651	91.4	11	1.5	33	4.6	5	0.7	4	0.6	712	100.0
C16	Stomach	8	0.9	776	84.9	28	3.1	89	9.7	7	0.8	6	0.7	914	100.0
C17	Small Intestine	-	0.0	41	97.6	-	0.1	-	-	1	2.4		0.1	42	100.0
C18	Colon	2	0.4	403	88.6	9	2.0	36	7.9	3	0.7	2	0.4	455	100.0
C19-C20	Rectum	4	1.0	387	92.1	9	2.1	15	3.6	3	0.7	2	0.5	420	100.0
C21	Anus & Anal Canal		1.0	33	100.0				3.0		0.7	-	0.5	33	100.0
C22	Liver	2	0.4	477	84.6	31	5.5	52	9.2	2	0.4	- 12 24		564	100.0
C23-C24	Gallbladder etc.	1	0.4	164	86.8	9	4.8	12	6.3	2	1.1	1	0.5	189	100.0
C25-C24	Pancreas	3	1.3	178	77.7	20	8.7	22	9.6	3	1.1	3	1.3	229	100.0
C30-C31	PSS 2007		1.3	555	NAME OF STREET	20	0.7	22	9.0	3	1,3	3	1.3	1000	A STATE OF
C30-C31	Nose, Sinuses etc.	-	4.0	43	100.0	-		45	2.0	-	0.2	3	0.0	43	100.0
C32-C34	Larynx	6	1.6	352	91.2	9	2.3	15	3.9	1	0.3	7	0.8	386	100.0
	Lung etc.	18	1.3	1124	84.2	36	2.7	146	10.9	4	0.3	1	0.5	1335	100.0
C37-C38	Other Thoracic Organs	0.70	107	46	93.9	1	2.0	2	4.1			2	0.7	49	100.0
C40-C41	Bone	0.5	15	127	90.1	8	5.7	4	2.8	1	0.7	1	0.7	141	100.0
C43	Melanoma of Skin	100	1/4	26	96.3	-	-	1	3.7	-	-		-	27	100.0
C44	Other Skin	(12)	11-	105	97.2	-	-	3	2.8	-	-		-	108	100.0
C45	Mesothelioma	(%)	-	3	100.0	-	-	*		-	-		(4)	3	100.0
C46	Kaposi Sarcoma	13-6	(*	3	100.0	-	-	*	(-	-	:=	1.9	-	3	100.0
C47+C49	Conn. & Soft Tissue	100	17	178	88.1	24	11.9				-	88	(*	202	100.0
C50	Breast	1	0.9	95	88.8	1	0.9	9	8.4	1	0.9	- 12	(87)	107	100.0
C60	Penis		(5	85	94.4	1	1,1	3	3.3	-	-	1	1.1	90	100.0
C61	Prostate	8	0.9	759	89.6	15	1.8	51	6.0	3	0.4	11	1.3	847	100.0
C62	Testis	1	1.8	54	96.4		2	- 4		-	-	1	1.8	56	100.0
C63	Other Male Genital	(()	(1) (1)	2	100.0	Nex	22.00	# <u>#</u>	(4	-	74	S#	0 4	2	100.0
C64	Kidney etc.	2	0.9	195	89.0	9	4.1	10	4.6	:-	-	3	1.4	219	100.0
C65	Renal Pelvis	(5#)	100	7	100.0		-	清	i n			S#.	0=	7	100.0
C66	Ureter	(17	1570	3	100.0		-		j .	-	(=	(A)	R -	3	100.0
C67	Bladder	1	0.3	273	91.3	8	2.7	12	4.0	1	0.3	4	1.3	299	100.0
C68	Uns.Urinary Organs	14	14	5	71.4	- 5	-	1	14.3	-	-	1	14.3	7	100.0
C69	Eye	2	10.5	16	84.2	10000000	5.3	12	12	74	12	-	75	19	100.0
C70-C72	Brain, Nervous System	1	0.2	442	87.7	28	5.6	31	6.2	1	0.2	1	0.2	504	100.0
C73	Thyroid	3	1.1	258	95.9	-1	0.4	5	1.9		-	2	0.7	269	100.0
C74	Adrenal Gland	13#1	÷	6	100.0		-	18	19		.=	(#	{ *	6	100.0
C81	Hodgkins Disease	1	0.7	138	98.6			1	0.7	=	35	i -	(5 .7)	140	100.0
C82-C85	NHL	1070	(97)	477	94.6	5	1.0	20	4.0	-	17	2	0.4	504	100.0
C88	Malig Imn.Prol D	(4		1	100.0		-	- 4	-	-	-		-	1	100.0
C90	Multiple Myeloma	1	0.4	208	92.9	3	1.3	11	4.9		-	1	0.4	224	100.0
C91	Lymphoid Leuk.	25	N#	246	96.5	2	-	9	3.5			-	78	255	100.0
C92-C94	Myeloid Leukaemia	() +	-	357	94.2		-	22	5.8) <u> </u>	18		379	100.0
C95	Leukaemia Uns		(*	45	84.9		5	8	15.1		-	84	0.0	53	100.0
C96	CMD,O&U LHM	19	(-	6	85.7		-	1	14.3	:		(#	(*	7	100.0
O&U *	Other and Uns	340	23.6	654	45.4	12	0.8	420	29.1	2	0.1	14	1.0	1442	100.0
	All Sites	436	3.3	11250	85.1	314	2.4	1096	8.3	46	0.3	79	0.6	13221	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2014 Females **Bangalore**

ICD 10	Cito	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkn	own	Tota	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip			10	100.0				1		ĕ	-		10	100.0
C01-C02	Tongue	3	2.0	143	93.5	2	1.3	5	3.3	- 4	14	(4)	12	153	100.0
C03-C06	Mouth	6	1.0	579	95.2	12	2.0	8	1.3	1	0.2	2	0.3	608	100.0
C07-C08	Salivary Gland	3 4 3	-	43	97.7		<u> </u>	1	2.3	3	(-		1940	44	100.0
C09	Tonsil		-	34	100.0		-	-	i#		-	:=:	: * :	34	100.0
C10	Oth. Oropharynx	-	-	20	100.0	-	-	-	-	-	-		-	20	100.0
C11	Nasopharynx	1	2.9	32	94.1	্ৰ	2.9	_	_	_	_	-		34	100.0
C12-C13	Hypopharynx	1	1.0	96	94.1	1	1.0	4	3.9	12	-		-	102	100.0
C14	Pharynx Unspecified	1	5.0	18	90.0	2 10	1.0	1	5.0	12	12	(25)	1921	20	100.0
C15	Oesophagus	3	0.6	474	90.6	11	2.1	25	4.8	6	1.1	4	0.8	523	100.0
C16	Stomach	5	2000	427	82.3	22	4.2	59	11.4	1	0.2	5	1.0	519	100.0
Section .	AND CONTRACTOR OF THE PARTY OF	1	1.0 3.3	500,000	NOW SEE	1	3.3	6660	11.4	- 1	0.2	5	1.0	30	Washington.
C17	Small Intestine	- 3	3.3	28	93.3	9		-	-	-	-	74			100.0
C18	Colon	1.7	1.5	326	91.3	7	2.0	20	5.6		95	4	1.1	357	100.0
C19-C20	Rectum	2	0.6	294	93.3	7	2.2	8	2.5	2	0.6	2	0.6	315	100.0
C21	Anus & Anal Canal	•		39	92.9	1	2.4	2	4.8			-	•	42	100.0
C22	Liver	1	0.5	187	87.4	6	2.8	17	7.9	2	0.9	1	0.5	214	100.0
C23-C24	Gallbladder etc.	2	0.9	195	88.2	7	3.2	16	7.2	1	0.5	- F	-	221	100.0
C25	Pancreas	2	1.3	119	75.3	15	9.5	19	12.0	2	1.3	1	0.6	158	100.0
C30-C31	Nose, Sinuses etc.	(E)	-	26	96.3	*	×	1	3.7		:=		-	27	100.0
C32	Larynx	1	1.6	53	86.9	=	-	7	11.5	1.5	Œ	180	: * :	61	100.0
C33-C34	Lung etc.	3	0.5	519	87.1	19	3.2	49	8.2	2	0.3	4	0.7	596	100.0
C37-C38	Other Thoracic Organs	137	.=	25	92.6		7:	2	7.4	12	1.7	150	10-7	27	100.0
C40-C41	Bone	-	- 4	97	91.5	2	1.9	6	5.7	14	2	1	0.9	106	100.0
C43	Melanoma of Skin	741	12	17	100.0	2	<u>u</u>	2	塩	12	Nº.	120	(<u>1</u>	17	100.0
C44	Other Skin	1	1.1	91	96.8	-	=	1	1.1		₹	1	1.1	94	100.0
C45	Mesothelioma	190	2=	1	100.0			-	:=			(-)	0=0	1	100.0
C46	Kaposi Sarcoma	:=:	: - :	4	100.0	-	-		-		G-) =		4	100.0
C47+C49	Conn. & Soft Tissue			123	82.0	26	17.3	1	0.7	-		17.	-	150	100.0
C50	Breast	106	2.4	4058	91.7	48	1.1	187	4.2	8	0.2	16	0.4	4423	100.0
C51	Vulva	1	2.0	49	96.1	2	2	1	2.0		-	-	12	51	100.0
C52	Vagina	1	1.4	69	95.8	2	<u>u</u>	2	2.8	12	72	1925	843	72	100.0
C53	Cervix Uteri	23	1.2	1790	94.1	25	1.3	46	2.4	6	0.3	13	0.7	1903	100.0
C54	Corpus Uteri	20	7.2	589	96.9	11	1.8	6	1.0		0.0	2	0.3	608	100.0
C55	Uterus Unspecified	2	2.4	69	82.1	2	2.4	11	13.1			-	0.0	84	100.0
C56	Ovary etc.	6	0.6	899	88.4	58	5.7	37	3.6	10	1.0	7	0.7	1017	100.0
		U	0.0			30	3.7	31	3.0	10	1.0		0.7		
C57	Other Female Genital		(9	100.0	- 5	8		IR	-	- 00.0	(2)	(4	9	100.0
C58	Placenta		-	7	77.8			-		2	22.2	-		9	100.0
C64	Kidney etc.	1	0.9	108	92.3	4	3.4	2	1.7		14	2	1.7	117	100.0
C65	Renal Pelvis	192	17 <u>2</u>	4	100.0	25	2	9	ä	-	-	-	-	4	100.0
C66	Ureter	(H)	(±)	2	100.0	100 m	92000		(# 250.00		(÷		(+)	2	100.0
C67	Bladder	i n	3 4	76	89.4	8	9.4	1	1.2		:=	(*	(*)	85	100.0
C68	Uns.Urinary Organs	()	i.e.	3	100.0		=				57		8 1 3	3	100.0
C69	Eye	15	S.	20	90.9	1	4.5	1	4.5		5.5		8 7 8	22	100.0
C70-C72	Brain, Nervous System	2	0.6	275	85.9	21	6.6	22	6.9	- 5	-	-	-	320	100.0
C73	Thyroid	82	*	574	96.8	6	1.0	8	1.3	. 1	0.2	4	0.7	593	100.0
C74	Adrenal Gland	949	14	8	100.0	2	Ę		¥		84	(4)	P#1	8	100.0
C81	Hodgkins Disease	11 4 3	S#	81	97.6			2	2.4		G-		(t +)	83	100.0
C82-C85	NHL	1	0.4	269	95.4	3	1.1	9	3.2	-	:=	-	(*)	282	100.0
C88	Malig Imn.Prol D	11 to 1	3.	2	100.0	5.	5.			5	55	(e)	1+	2	100.0
C90	Multiple Myeloma	828		167	92.8	1	0.6	11	6.1		-	1	0.6	180	100.0
C91	Lymphoid Leuk.			128	98.5	i i	_	2	1.5	_	_	-	-	130	100.0
C92-C94	Myeloid Leukaemia	540	- 2	236	94.0	2	2	14	5.6	- 2	P <u>i</u>	1	0.4	251	100.0
C95	Leukaemia Uns	320	-	24	82.8	2	3	5	17.2	2	P#	923	12	29	100.0
C96	CMD,O&U LHM	9119	24	1	100.0	<u></u>	p		1112	14	12	121	314	1	100.0
O&U *	Other and Uns	256	24.3	475	45.1	9	0.9	298	28.3		-	15	1.4	1053	100.0
Juo	Carlot and Olis	200	24.3	413	40.1	9	0.9	230	20.3	-	3.5	10	1.4	1000	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2014 Males Bangalore

ICD-10	Site	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone M	larrow	Oth	ers	То	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	17	89.5	-		2	10.5	15	7-	2-3			-	19	100.0
C01-C02	Tongue	451	81.1	1	0.2	75	13.5	15	-	3	0.5	26	4.7	556	100.0
C03-C06	Mouth	480	86.3	1	0.2	34	6.1	-	-	-	-	41	7.4	556	100.0
C07-C08	Salivary Gland	38	84.4		_	6	13.3	12		-	-	1	2.2	45	100.0
C09	Tonsil	95	77.2		2:	21	17.1	2	9	1	0.8	6	4.9	123	100.0
C10	Oth. Oropharynx	90	70.3	1	0.8	26	20.3	-		_	-	11	8.6	128	100.0
C11	Nasopharynx	43	65.2	3	4.5	11	16.7	14		-	-	9	13.6	66	100.0
C12-C13	Hypopharynx	263	68.5	4	1.0	95	24.7			1	0.3	21	5.5	384	100.0
C14	Pharynx Unspecified	36	73.5	1,780	1.0	3	6.1		-	-	0.0	10	20.4	49	100.0
C15	Oesophagus	593	83.3	1	E	56	7.9	14		2	0.3	61	8.6	712	100.0
C16	Stomach	733	80.2	7	0.8	34	3.7	10		2	0.2	138	15.1	914	100.0
C17	Small Intestine	41	97.6		0.0	-	0.7	10	22		0.2	1	2.4	42	100.0
C18	Colon	374	82.2	1	0.2	27	5.9			1	0.2	52	11.4	455	100.0
C19-C20	Rectum	357	85.0		0.2	29	6.9			1	0.2	33	7.9	420	100.0
C19-C20	Anus & Anal Canal	31	93.9			1	3.0	S.		1	3.0	33	7.9	33	enshaleters/o
C21		181	32.1	-		295	52.3			1	0.2	87	15.4	564	100.0
C23-C24	Liver	136		-	0.0	295	12.2	17	i.a.	- 3	0.2	25	15.4 13.2	189	100.0
	Gallbladder etc.		72.0	5	2.6			1.7		\$25 125	(#)	O SERVE III			100.0
C25	Pancreas	94	41.0	2	0.9	82	35.8		-	•		51	22.3	229	100.0
C30-C31	Nose, Sinuses etc.	38	88.4	-		5	11.6			-	-	-	-	43	100.0
C32	Larynx	311	80.6	3	0.8	37	9.6		- 0.4	1	0.3	34	8.8	386	100.0
C33-C34	Lung etc.	552	41.3	19	1.4	550	41.2	1	0.1	2	0.1	211	15.8	1335	100.0
C37-C38	Other Thoracic Organs	34	69.4	1	2.0	11	22.4	: <u>*</u>	36		S-0	3	6.1	49	100.0
C40-C41	Bone	118	83.7	50		9	6.4		14	3+3		14	9.9	141	100.0
C43	Melanoma of Skin	24	88.9			2	7.4	15	7.5			1	3.7	27	100.0
C44	Other Skin	97	89.8	-	7	8	7.4		-	3.5	<u></u>	3	2.8	108	100.0
C45	Mesothelioma	3	100.0		*			-	-	-		-		3	100.0
C46	Kaposi Sarcoma	2	66.7		- 2	<u> </u>	12	14	12	1	33.3	0 4	-	3	100.0
C47+C49	Conn. & Soft Tissue	174	86.1	- 2	*	4	2.0	84)	*		· ·	24	11.9	202	100.0
C50	Breast	87	81.3			8	7.5	- 1	1=	7.0	134	12	11.2	107	100.0
C60	Penis	81	90.0		#	4	4.4	<u>:</u>	∵	(*	3*	5	5.6	90	100.0
C61	Prostate	730	86.2	2	0.2	25	3.0	18		2	0.2	88	10.4	847	100.0
C62	Testis	52	92.9			2	3.6	12		8.5		2	3.6	56	100.0
C63	Other Male Genital	1	50.0		-	1	50.0		-	-	-		-	2	100.0
C64	Kidney etc.	174	79.5	1	0.5	20	9.1		- 2	7-	-	24	11.0	219	100.0
C65	Renal Pelvis	6	85.7	2	2	1	14.3	82	Table 1	(4)	(12)	T-	2	7	100.0
C66	Ureter	3	100.0		_ ⊆	2	皇	84	*	(1	lt≆i	-	2	3	100.0
C67	Bladder	257	86.0	1	0.3	15	5.0	18	(=)		(4)	26	8.7	299	100.0
C68	Uns.Urinary Organs	5	71.4		*	-	i s	14	1 + .		is + 0	2	28.6	7	100.0
C69	Eye	15	78.9			*	*	6		1	5.3	3	15.8	19	100.0
C70-C72	Brain, Nervous System	425	84.3	1	0.2	15	3.0	15		1	0.2	62	12.3	504	100.0
C73	Thyroid	230	85.5	2	0.7	26	9.7	7	-		-	11	4.1	269	100.0
C74	Adrenal Gland	5	83.3	2	25	1	16.7	<u> 12.</u>	-	_	-	- 2	<u> </u>	6	100.0
C81	Hodgkins Disease	117	83.6		2	17	12.1	12	12	4	2.9	2	1.4	140	100.0
C82- C85,C96	NHL	371	72.6	-	5	87	17.0	1	0.2	24	4.7	28	5.5	511	100.0
C88	Malig Imn.Prol D	1	100.0		=		in.	i n		i a	is a		5.	1	100.0
C90	Multiple Myeloma	65	29.0	-		7	3.1	27		136	60.7	16	7.1	224	100.0
C91	Lymphoid Leuk.	68	26.7		÷	-	-	3	1.2	175	68.6	9	3.5	255	100.0
C92-C94	Myeloid Leukaemia	66	17.4	2	2	-	2	4	1.1	287	75.7	22	5.8	379	100.0
C95	Leukaemia Uns	1	1.9		u u	-	*	6	11.3	38	71.7	8	15.1	53	100.0
O&U *	Other and Uns	148	10.3	124	8.6	381	26.4	84	1	1	0.1	788	54.6	1442	100.0
	All Sites	8314	62.9	179	1.4	2056	15.6	15	0.1	686	5.2	1971	14.9	13221	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2014 Females Bangalore

105.46		Pri.	Hist	Sec	Hist	Cyto	logy	Blood	Film	Bone N	farrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	10	100.0	"	20	- "	70		70		70	- "	20	10	100.0
C01-C02	Tongue	129	84.3	-		13	8.5	_	-	1	0.7	10	6.5	153	100.0
C03-C06	Mouth	544	89.5	2	0.3	30	4.9		-	3	0.5	29	4.8	608	100.0
C07-C08	Salivary Gland	36	81.8	-	0.0	7	15.9			-	0.0	1	2.3	44	100.0
C09	Tonsil	32	94.1	_	- 55	2	5.9	-	_	idit	1133		2.0	34	100.0
C10	Oth. Oropharynx	19	95.0	7 E	7 2	1	5.0	12	72	32	15	2	2	20	100.0
C11	Nasopharynx	26	76.5		8	6	17.6		192	98	1/2	2	5.9	34	100.0
C12-C13	Hypopharynx	86	84.3	0.20	2	10	9.8	12		922	172	6	5.9	102	100.0
C12-C13	Pharynx Unspecified	16	80.0			2	10.0					2	10.0	20	100.0
C15	Oesophagus	441	84.3	-		32	6.1	-		1	0.2	49	9.4	523	100.0
C16	Stomach	394	75.9	1	0.2	32	6.2			- 1	0.2	92	17.7	519	100.0
C17	Small Intestine	28	93.3	1.	0.2	32	0.2	150	1.7	67		2	6.7	30	100.0
C17	Colon	301	84.3	2	0.6	21	5.9	通		2	0.6	31	8.7	357	100.0
C19-C20	Rectum				0.6	17	100,000				0.0	21	6.7		100.0
According to the Control of the Cont		277	87.9	0.00	-		5.4		7-	1	2.4	3	3770777	315	-
C21 C22	Anus & Anal Canal	36	85.7	-	- 0.0	2	4.8	- 4	-		2.4	27	7.1	42	100.0
2000AVS0-rcswery	Liver	85	39.7	2	0.9	100	46.7	-	-			5450	12.6	214	100.0
C23-C24	Gallbladder etc.	157	71.0	1	0.5	37	16.7	-	5.		1,4	26	11.8	221	100.0
C25	Pancreas	60	38.0	2	1.3	57	36.1		5.	5#	(*	39	24.7	158	100.0
C30-C31	Nose, Sinuses etc.	25	92.6	37	5.	1	3.7	(7)	- 17	17.	1/2	1	3.7	27	100.0
C32	Larynx	49	80.3	10.70		4	6.6	37			1,5	8	13.1	61	100.0
C33-C34	Lung etc.	254	42.6	7	1.2	258	43.3	-	-			77	12.9	596	100.0
C37-C38	Other Thoracic Organs	19	70.4	72	=	6	22.2	- 14	14	(a)	1%	2	7.4	27	100.0
C40-C41	Bone	85	80.2	74	2	-11	10.4	(<u>4</u>)	-	1	0.9	9	8.5	106	100.0
C43	Melanoma of Skin	14	82.4	1	5.9	2	11.8	(=)	-	: <u>*</u>	-		-	17	100.0
C44	Other Skin	88	93.6	-		3	3.2	(=		1+		3	3.2	94	100.0
C45	Mesothelioma	-	· -	55	5	1	100.0	(5)		27	87	-	5	1	100.0
C46	Kaposi Sarcoma	4	100.0	13.7				177) - 7	117	U.S.	-	-	4	100.0
C47+C49	Conn. & Soft Tissue	119	79.3	-		4	2.7	- 3	- 3	-		27	18.0	150	100.0
C50	Breast	3451	78.0	14	0.3	581	13.1	3	0.1	9	0.2	365	8.3	4423	100.0
C51	Vulva	43	84.3	-	2	6	11.8	84	-	-	94	2	3.9	51	100.0
C52	Vagina	64	88.9	7.4	¥	5	6.9	(4)); *		3	4.2	72	100.0
C53	Cervix Uteri	1691	88.9	4	0.2	91	4.8	1	0.1	3	0.2	113	5.9	1903	100.0
C54	Corpus Uteri	533	87.7	: -	B.	55	9.0	<u>;=</u>		1	0.2	19	3.1	608	100.0
C55	Uterus Unspecified	64	76.2	2	2.4	2	2.4	.=		1	1.2	15	17.9	84	100.0
C56	Ovary etc.	790	77.7	7	0.7	101	9.9	-	1	1	0.1	118	11.6	1017	100.0
C57	Other Female Genital	9	100.0	02	<u> </u>		22	-	72	72	72	2	¥	9	100.0
C58	Placenta	6	66.7	14	¥	1	11.1	82	V#	12	74	2	22.2	9	100.0
C64	Kidney etc.	100	85.5	2	1.7	6	5.1			14	N#	9	7.7	117	100.0
C65	Renal Pelvis	4	100.0	(-	*		æ	:=:	-	8#	(-)		-	4	100.0
C66	Ureter	2	100.0	: -			×); * ;	j; + :	5		2	100.0
C67	Bladder	74	87.1			2	2.4	:-		13.	1.5	9	10.6	85	100.0
C68	Uns.Urinary Organs	3	100.0	-	-	-	-	-			0.0	-	-	3	100.0
C69	Eye	19	86.4	(2)		1	4.5	12	-			2	9.1	22	100.0
C70-C72	Brain, Nervous System	265	82.8	-	2	10	3.1	12		702	174	45	14.1	320	100.0
C73	Thyroid	527	88.9	2	0.3	44	7.4	(4)	1	1	0.2	19	3.2	593	100.0
C74	Adrenal Gland	6	75.0	-	2.0	2	25.0	-	(92)		-	-	-	8	100.0
C81	Hodgkins Disease	68	81.9	10-	_	12	14.5			1	1.2	2	2.4	83	100.0
C82-	NHL	212	74.9			52	18.4			6	2.1	13	4.6	283	100.0
C85,C96	. At the	212	14.3	0.75		52	10.4	100		U	2.1	13	4.0	200	100.0
C88	Malig Imn.Prol D	1	50.0					-		1	50.0	2		2	100.0
C90	Multiple Myeloma	61	33.9	1	0.6	5	2.8	14	12	100	55.6	13	7.2	180	100.0
C91	Lymphoid Leuk.	35	26.9	700	#	-	¥	1	0.8	92	70.8	2	1.5	130	100.0
C92-C94	Myeloid Leukaemia	40	15.9	(1.4)	E		i a	8	3.2	188	74.9	15	6.0	251	100.0
C95	Leukaemia Uns	-	15			-	*	3	10.3	21	72.4	5	17.2	29	100.0
O&U *	Other and Uns	109	10.4	78	7.4	286	27.2			2	0.2	578	54.9	1053	100.0
9	All Sites	11511	72.7	128	0.8	1921	12.1	16	0.1	436	2.8	1816	11.5	15828	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2014 Males Bangalore

ICD-10	Site	0-64	Years	0-74	/ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.3	0.3	0.6	0.6
C03-C06	Mouth	0.3	0.3	0.6	0.6
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	0.0	0.0	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.5	0.5
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.4	0.4	0.9	0.9
C16	Stomach	0.5	0.5	1.1	1.1
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.2	0.2	0.5	0.5
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.2	0.2	0.7	0.7
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.3	0.3
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.5	0.5
C33-C34	Lung etc.	0.7	0.7	1.7	1.7
C37-C38	Other Thoracic Organs	0.0	0.0	0.1	0.1
C40-C41	Bone	0.0	0.0	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.0	0.0
C44	Other Skin	0.0	0.0	0.0	0.0
C45	Mesothelioma	0.0	0.0	0.0	0.0
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	0.1	0.1	0.2	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	1.0	1.0
C62	Testis	0.2	0.2	0.0	0.0
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	7.	0.0	0.0	0.0	0.0
C65	Kidney etc.	0,000,000		1,0000	COLOR
C66	Renal Pelvis	0.0	0.0	0.0	0.0
C67	Ureter	0.0	0.0	0.0	0.0
C68	Bladder	0.1	0.1	0.3	0.3
Concerne	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.3	0.3	0.5	0.5
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85	NHL	0.3	0.3	0.5	0.5
C88	Malig Imn.Prol D	0.0	0.0	0.0	0.0
C90	Multiple Myeloma	0.1	0.1	0.3	0.3
C91	Lymphoid Leuk.	0.1	0.1	0.2	0.2
C92-C94	Myeloid Leukaemia	0.2	0.2	0.3	0.3
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	0.7	0.7	1.5	1.5
	All Sites	6.76	6.54	14.69	13.66

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 6(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years): 2012 - 2014 Females **Bangalore**

ICD-10	Site	0-64	Years	0-74	Years
100-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.4	0.4	0.8	8.0
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.3	0.3	0.6	0.6
C16	Stomach	0.3	0.3	0.6	0.6
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.1	0.1	0.3	0.3
C23-C24	Gallbladder etc.	0.1	0.1	0.3	0.3
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.1	0.1
C33-C34	Lung etc.	0.4	0.4	0.7	0.7
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.0	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.0	0.0
C44	Other Skin	0.0	0.0	0.0	0.1
C45	Mesothelioma	0.1	0.1	0.1	0.1
C46		0.0	- 0.0	0.0	0.0
C47+C49	Kaposi Sarcoma Conn. & Soft Tissue	0.0	0.0		
C50		0.1 3.0	0.1	0.1 4.8	0.1 4.7
C51	Breast	0.0	3.0 0.0	9000	
C52	Vulva	2350	55,000	0.1	0.1
C52	Vagina	0.0	0.0	0.1	0.1
	Cervix Uteri	1.3	1.3	2.1	2.1
C54	Corpus Uteri	0.4	0.4	0.8	0.7
C55	Uterus Unspecified	0.0	0.0	0.1	0.1
C56	Ovary etc.	0.7	0.7	1.1	1.1
C57	Other Female Genital	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.3	0.3	0.5	0.5
C74	Adrenal Gland	0.0	0.0	0.0	
C81	Hodgkins Disease	0.0	0.0	0.1	0.1
C82-C85	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	0.0	0.0	0.0	0.0
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	0.6	0.6	1.1	1.1
					15.79

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)