





Table 27(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2012 - 2016

Dibrugarh district

		ugarii uisti		
	Male	s	Fema	ales
Age Group	Number	%	Number	%
00-04	283359	8.11	272892	8.04
05-09	315114	9.02	301817	8.90
10-14	346860	9.93	324962	9.58
15-19	347029	9.93	335700	9.90
20-24	322587	9.23	357467	10.54
25-29	336143	9.62	339828	10.02
30-34	285363	8.17	273600	8.07
35-39	270834	7.75	267788	7.89
40-44	232711	6.66	223002	6.57
45-49	219274	6.28	203373	6.00
50-54	165316	4.73	142831	4.21
55-59	119753	3.43	108335	3.19
60-64	98419	2.82	96223	2.84
65-69	60766	1.74	58861	1.74
70-74	43930	1.26	41537	1.22
75+	46844	1.34	44088	1.30
Total	3494302	100.00	3392304	100.00

Area(Sq.Km): 3381

Figure 27(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016

Dibrugarh district












Table 27(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Males %= Relative Proportion of Cancers of All Sites

Dibrugarh district

100 10	-			10.11	10.10	00.04	00.00	Name of the last		10.44							-	(Approximately	-	01
ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	- 5	17	A.T.	17.	1.5	-	1	1	1	2	6	4	2	2	1	3	0.5	23	0.91
C01-C02	Tongue	ž.	17		- 15	1	1	7747	2	6	18	16	13	22	16	12	13	(E)	120	4.73
C03-C06	Mouth	Ħ		\$ *		-	2	3	10	9	19	28	18	26	23	21	18	i#:	177	6.98
C07-C08	Salivary Gland	*	-		•	•	1	×		2	1	1	1	#	3		2		11	0.43
C09	Tonsil	- 4	-	*	•	-	¥	-	4	1	5	6	4	5	7	2	6	-	40	1.58
C10	Oth. Oropharynx	- 4		*		-	<u>a</u>	*	E	1	3	2	6	3	5	*	4	*	24	0.95
C11	Nasopharynx	14	12	(a	-	1	#	-	2	3	3	574	1	1	3	12	-	(#)	14	0.55
C12-C13	Hypopharynx	2	-	-	~	-	2	2	15	13	34	44	36	46	33	40	31	-	294	11.60
C14	Pharynx Unspecified	Ē	•		-	•		1	1	1	5	7	5	10	12	8	5		55	2.17
C15	Oesophagus		i.e			1.5		1	15	16	45	52	57	68	54	45	46	S#1	399	15.74
C16	Stomach		17	i :=	i .		3	3	6	4	18	20	26	32	24	25	24	5.8	185	7.30
C17	Small Intestine				-		Ħ			•	-	1	4	1	-	2		· *	8	0.32
C18	Colon		-		:•	3	1	4	5	5	20	14	8	15	13	6	4	() ()	98	3.87
C19-C20	Rectum		14		12	1	2	2	2	8	11	8	13	8	9	7	3	-	74	2.92
C21	Anus & Anal Canal	謹	14	1	14	043	1	2	2	-	1	1	1	2	3	2	1	5 4	14	0.55
C22	Liver	1	1	1	•	-	-	5	6	8	18	16	13	11	13	8	8		108	4.26
C23-C24	Gallbladder etc.	3		1			1	2	4	1	15	17	14	24	16	13	11		118	4.65
C25	Pancreas		17	: ::			1	2	2	2	2	3	2	6	1	1	3	1.5	25	0.99
C30-C31	Nose, Sinuses etc.	-		:=	. Is *	(-		=	1	1	1	1	1	1	3	1	1	:=	11	0.43
C32	Larynx	×					*	*	1	2	5	7	6	11	8	8	13	D # 3	61	2.41
C33-C34	Lung etc.	(4	:-	-		-	4		3	5	13	21	11	20	23	17	18	14	135	5.33
C37-C38	Other Thoracic Organs	編	14				¥		1		1	84	-	20	1	1	-	- SE	4	0.16
C40-C41	Bone	- 2	12	1	2	2	1	2	3	- 4	3	4	4	1	0	2	1	-	24	0.95
C43	Melanoma of Skin	12	9 <u>1</u>	72	- 2	1/2	2	12	12	-	- 1	1	72	27	2	- 2	1	31	2	0.08
C44	Other Skin	-		1	1		1		3	1	4	1	2	1	5	1	1		22	0.87
C45	Mesothelioma			-				-				(1 4)	-		-	-		:-	0.	
C46	Kaposi Sarcoma	:=					*			-				*	-				100	
C47+C49	Conn. & Soft Tissue	1	1	1	3-		1	2	1	2	-	1		4	1		1	-	16	0.63
C50	Breast						×	_	*	1	1	24	1	*	-	-	-	-	3	0.12
C60	Penis		-	34		1	29	2	3	3	4	4	3	6	6	2	1	84	31	1.22
C61	Prostate	12		7.5	(2)	1	-	-	- 2	-	100	3	4	6	9	11	13	S-	47	1.85
C62	Testis	12	-	74	3	6	6	3	4	2	12	1	1/2	25	1	2		- 12	26	1.03
C63	Other Male Genital	1					_	10.50	_	-		000 000	_	_					1	0.04
C64	Kidney etc.	1		0.00	1	2	-	125	1	1	2	4	3	3	1	1	1	1000	21	0.83
C65	Renal Pelvis		10	25			2					6780	-	-				1983	3 4 .13	0.00
C66	Ureter	165					20		15		1200	1970		71				:474	172	
C67	Bladder			, A5				1	2	1	5	3	1	2	1	3	6	1140	25	0.99
C68	Uns.Urinary Organs	91	1-1	100	100	0,0	S 545	20	- 4	- II.	3	1980				3	0	110	20	0.00
C69	Eye	1	200		0.00	(1)		-	191		-	538		ge	100	1	560	984	2	0.08
C70-C72	Brain, Nervous System	1	2	1	1	1750	1	2	7	1	5	2	5	3	4	1	3	-	39	1.54
C70-C72	Thyroid	, K		1	(1	1.5	1			2	J	2	2	3	1	3.	3		9	0.36
C74	Adrenal Gland	E.		3.0	1	13.5	T U		- 2	1		- 4				2	- 3	- 4	2	0.08
C74	A STATE OF THE PARTY OF THE PAR	85	1	2	1		2	-	1	31	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	155	1.5	, R			100	. S.	9	0.36
C81 C82-C85	Hodgkins Disease	- 5	- 1		1	1	2	2	2	-	4	5	-	6	-	4	3	清	2000000	
C82-C85	NHL Malia Imp Brot D			3	31.	818		-	2	3	4	5	5	0	2	4	3	i e i	39	1.54
A CONTRACTOR	Malig Imn.Prol D		•		-	-	*	-			-	-	-		1	-	-	(A.E.)	1	0.04
C90	Multiple Myeloma	•	-	-	2	-	-	1	-	1	-	2	3	5	4	4	3	-	25	0.99
C91	Lymphoid Leuk.	2	1	3		3	*	2	1	-	1	1	1	#	-	-	-	14.	15	0.59
C92-C94	Myeloid Leukaemia	3	4	V.	1	3	-	2	6	1	2	1	-	4	-		-	-	27	1.07
C95	Leukaemia Uns	Ē		2	1				•		1		N S		-	i.			4	0.16
C96	CMD,O&U LHM	裹		- A		11.5						onav-	17			, IS	1.7		55°	50
O&U *	Other and Uns	#	2	1	-	3	4	5	8	8	17	14	14	20	21	13	17	18	147	5.80
	All Sites	11	12	16	15	28	34	48	123	117	289	320	292	375	329	261	265	110	2535	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Females %= Relative Proportion of Cancers of All Sites

Dibrugarh district

C00	1 - 7 3	75+ Ur		%
C01-C02 Tongue - - - 1 1 1 1 3 4 5 4 8 C03-C08 Mouth - - - - - - - 1 1 7 7 16 13 11 12 C07-C08 Salivary Gland - - - - - 1 1 2 1 - 1 C09 Tonsil - - - - 1 1 2 3 2 - - C10 Oth, Oropharynx - - - - - - 1 1 - - - 1 1 - - - 1 1 5 5 7 6 7 11 15 5 13 36 33 34 29 2 4 4 5 2 2 4 6 7	- 10		- 6	
CO3-CO6 Mouth	- A	2	- 39	
CO7-C08 Salivary Gland - - - - - 1 1 2 1 - 1 C09 Tonsil -<	7 3	-	- 80	
C09 Tonsil - - - - 1 1 2 3 2 - - C10 Oth. Oropharynx - - - - - - - 1 - - - 1 - <th></th> <th></th> <th>- 6</th> <th></th>			- 6	
C10 Oth. Oropharynx - - - - - - 1 - - - 1 -	2 2	-	- 13	at a constant of
C11 Nasopharynx - 1 - <	1 1	-	- 10	101 (05)
C12-C13 Hypopharynx -			- 3	80 9000
C14 Pharynx Unspecified - - - - - - - 3 2 2 4 C15 Oesophagus - - 1 1 - 5 5 13 36 33 34 29 C16 Stomach - - - 1 1 - 5 5 13 36 33 34 29 C16 Stomach - - - 1 1 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 1 1 4 4 5 2 2 1 1 4 4 5 2 2 1 1 1 1 1 1 1 1 1 1 1	7 4	1	- 63	33725
C15 Oesophagus 1 1 1 - 5 5 5 13 36 33 34 29 C16 Stomach 1 3 5 7 12 13 9 10 10 23 C17 Small Intestine 1 1 2 - 1 2 - 1 2 C18 Colon 2 2 6 3 7 11 5 4 C19-C20 Rectum 3 3 5 10 14 4 5 2 C2 C21 Anus & Anal Canal 1 2 1 7 7 8 8 5 5 5 C23-C24 Gallbladder etc 1 2 1 7 7 8 8 5 5 5 C23-C24 Gallbladder etc 3 3 3 9 17 23 39 34 33 32 C25 Pancreas 2 1 1 1 1 1 1 1 3 - C30-C31 Nose, Sinuses etc 2 2 2 2 2 2 2 2 2	- 10 T	1	- 12	U.S.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.O.
C16 Stomach - - 1 3 5 7 12 13 9 10 10 23 C17 Small Intestine - - - - 1 - - 1 2 - 1 2 C18 Colon - - - - - 2 2 6 3 7 11 5 4 C19-C20 Rectum - - - - - 1 1 4 4 5 2 C21 Anus & Anal Canal - - - - 1 1 1 1 - - - - - 1 2 1 7 7 8 8 5 5 C23-C24 Gallbladder etc. - - - 2 1 1 1 1 1 1 1 1 1 1 1 <td< th=""><th>18 19</th><th>- 10</th><th>- 203</th><th>101.0.007.</th></td<>	18 19	- 10	- 203	101.0.007.
C17 Small Intestine - - - - 1 - - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - 1 2 - - 1 2 2 6 3 7 11 5 4 4 5 2 2 2 6 3 7 11 5 4 4 5 2 2 2 6 3 7 11 5 4 4 5 2 2 2 1 1 1 4 4 5 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 13	800	- 118	253555777
C18 Colon - - - - 2 2 6 3 7 11 5 4 C19-C20 Rectum - - - - - 3 3 5 10 14 4 5 2 C21 Anus & Anal Canal - - - - - - 1 1 - 1 -	9 13	3	- 7	
C19-C20 Rectum - - - - - - 1 4 4 5 2 C21 Anus & Anal Canal - - - - - - 1 - 1 - - - 1 - <td< th=""><th>5 3</th><th>1</th><th>- 49</th><th>0.000000</th></td<>	5 3	1	- 49	0.000000
C21 Anus & Anal Canal -	2 3		- 52	THE CONTRACTOR OF THE
C22 Liver - - - 1 2 1 7 7 8 8 5 5 C23-C24 Gallbladder etc. - - - - 3 3 9 17 23 39 34 33 32 C25 Pancreas - - - 2 1 <th>1 -</th> <th>. 1</th> <th>- 4</th> <th>200734605</th>	1 -	. 1	- 4	200734605
C23-C24 Gallbladder etc. - - - - 3 3 9 17 23 39 34 33 32 C25 Pancreas - - - - 2 1 <th></th> <th>20</th> <th>200</th> <th>10 500</th>		20	200	10 500
C25 Pancreas - - - - 2 1	8 1 16 15	- 20	- 55 - 231	2010000
C30-C31 Nose, Sinuses etc.	March Co.	. 1	(1/0300)	
C32 Larynx 3 - 1 1 3 3 3 C33-C34 Lung etc 1 - 1 2 3 6 4 7 10 C37-C38 Other Thoracic Organs 1 - 1 - 1	5 -	3	- 17	0.00000000
C33-C34 Lung etc 1 - 1 2 3 6 4 7 10 C37-C38 Other Thoracic Organs 1 - 1 - 1 - 1		2	- 5	
C37-C38 Other Thoracic Organs 1 - 1 - 1	- 1 8 5	177	- 15	
C40-C41 Bone - 1 1 - - 1 1 6 - 3 1 C43 Melanoma of Skin - <t< th=""><th>100</th><th>5</th><th>- 52</th><th>000-10000</th></t<>	100	5	- 52	000-10000
C43 Melanoma of Skin -	1 -		- 3	
C44 Other Skin - 1 - - 1 - 1 2 1 4 2 4 1 C45 Mesothelioma - - - - - - - 1 - - 1 - - 1 - <th></th> <th></th> <th>- 15</th> <th>2000000V</th>			- 15	2000000V
C45 Mesothelioma - - - - - - - 1 - - 1 -	- 1	22	- 1	10000000
C46 Kaposi Sarcoma -	3 -	1	- 21	
C47+C49 Conn. & Soft Tissue 1 6 1 2 1 3 1 1 C50 Breast 7 11 33 62 47 87 76 47 28 C51 Vulva 2 - 1 2 - 1 1 C52 Vagina 1 - 2 - 2 1 1		-	- 2	0.09
C50 Breast 7 11 33 62 47 87 76 47 28 C51 Vulva 2 - 1 2 - 1 1 C52 Vagina 1 - 2 - 2 1 1		-	12	-
C51 Vulva 2 - 1 2 - 1 1 C52 Vagina 1 - 2 - 2 1 1	- 2		- 18	MANUEL CO.
C52 Vagina 1 - 2 - 2 1 1	29 18		- 454	
	3 2	1	- 13	
	1 -		- 8	
C53 Cervix Uteri 1 8 3 22 29 24 15 20	8 5		- 139	CV-2783
C54 Corpus Uteri 3 4 5 8 8 5 2	3 1	55	- 39	
C55 Uterus Unspecified 1 1 1 1 6 1 - 2		1	- 14	400000000
C56 Ovary etc 5 10 18 17 22 22 22 26 26 20	8 5	7	- 208	100000000
C57 Other Female Genital 3 - 1 1		•	- 5	(2)(0)(7)(0)
C58 Placenta 1 1 1 1		-	- 4	Security
C64 Kidney etc 1 1 2 1 - 2	1 2		- 10	0.45
C65 Renal Pelvis	in to		10# 10#	
C66 Ureter	* *		10 0	• € © 2027
C67 Bladder 1 1 1 1 1	2 1	1	- 9	250,0550,00
C68 Uns.Urinary Organs 1	-		- 1	
C69 Eye 1 1 1			- 3	8000000
C70-C72 Brain, Nervous System 2 2 2 1 1 3 2 2 - 3	1 -	-	- 19	1,90,0,000
C73 Thyroid 1 - 2 8 7 2 6 6	2 3	-	- 37	200000000
C74 Adrenal Gland 2	5 5		- 2	0.0000000
C81 Hodgkins Disease 1	- 1		- 2	
C82-C85 NHL 3 1 1 2 5 4 2 3 2	5 3	1	- 32	1.43
C88 Malig Imn.Prol D			(#) (# 1000	W.C. Selection
C90 Multiple Myeloma - 1 1 1 3 6 1 4	5 1	2	- 25	20.00
C91 Lymphoid Leuk. 2 2 1 1 2 1 - 1 -	2 2	-	- 10	27000100
C92-C94 Myeloid Leukaemia 2 1 2 4 2 2 1	2 2	1	- 15	
C95 Leukaemia Uns 1	2 2	2	- 1	0.04
C96 CMD,O&U LHM	1 1	-	• 0	
O&U* Other and Uns 2 1 3 4 5 11 9 8 13 13	6 5		- 88	20 111111111111111111111111111111111111
All Sites 7 6 4 9 40 61 110 186 240 360 310 269 262 *O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)	175 123	76	- 2238	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 27(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Males Dibrugarh district

																7				
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	: 	100	i -	*	8	-	0.4	0.4	0.4	0.9	3.6	3.3	2.0	3.3	2.3	6.4	0.7	0.79	0.17	1.6
C01-C02	:=:	(#)	: -		0.3	0.3	:=	0.7	2.6	8.2	9.7	10.9	22.4	26.3	27.3	27.8	3.4	4.44	0.42	8.1
C03-C06	15.	17	- 15	5		0.6	1.1	3.7	3.9	8.7	16.9	15.0	26.4	37.9	47.8	38.4	5.1	6.45	0.50	11.2
C07-C08	-		-	-	-	0.3	-	-	0.9	0.5	0.6	0.8	-	4.9		4.3	0.3	0.40	0.13	0.5
C09	1/2	~	72	2		72	12	1.5	0.4	2.3	3.6	3.3	5.1	11.5	4.6	12.8	1.1	1.46	0.24	2.5
C10		79	- 4	9	4	n-		-	0.4	1.4	1.2	5.0	3.0	8.2	質	8.5	0.7	0.91	0.19	1.6
C11	(*)	100	; *		0.3	7. -	-	0.7	1.3	1.4	¥	0.8	1.0	4.9	*	-	0.4	0.45	0.13	0.9
C12-C13	(,*)	3-	25			15=	0.7	5.5	5.6	15.5	26.6	30.1	46.7	54.3	91.1	66.2	8.4	10.82	0.65	19.4
C14	1. 7	i.e.	87		=		0.4	0.4	0.4	2.3	4.2	4.2	10.2	19.7	18.2	10.7	1.6	2.16	0.30	3.1
C15	150	1.5	- 15	5	2	U.S.	0.4	5.5	6.9	20.5	31.5	47.6	69.1	88.9	102.4	98.2	11.4	14.92	0.76	26.5
C16	-		- 2	- 9	-	0.9	1.1	2.2	1.7	8.2	12.1	21.7	32.5	39.5	56.9	51.2	5.3	6.98	0.53	11.3
C17		-	72	2	2	-		-	12		0.6	3.3	1.0	-	4.6		0.2	0.30	0.11	0.7
C18	-	*	84	- 4	0.9	0.3	1.4	1.8	2.1	9.1	8.5	6.7	15.2	21.4	13.7	8.5	2.8	3.36	0.35	6.7
C19-C20	; 	100	; *	*	0.3	0.6	0.7	0.7	3.4	5.0	4.8	10.9	8.1	14.8	15.9	6.4	2.1	2.56	0.31	5.0
C21	8 .	-	: -			0.3	0.7	: *		0.5	0.6	0.8	2.0	4.9	4.6	2.1	0.4	0.52	0.14	0.6
C22	0.4	0.3	87	Ħ	=	-	1.8	2.2	3.4	8.2	9.7	10.9	11.2	21.4	18.2	17.1	3.1	3.72	0.37	7.1
C23-C24	S-2	15	1.7	5	2	0.3	0.7	1.5	0.4	6.8	10.3	11.7	24.4	26.3	29.6	23.5	3.4	4.40	0.41	8.0
C25	-			-	9	0.3	0.7	0.7	0.9	0.9	1.8	1.7	6.1	1.6	2.3	6.4	0.7	0.84	0.17	1.8
C30-C31	02	14	2	2	2	-	14	0.4	0.4	0.5	0.6	0.8	1.0	4.9	2.3	2.1	0.3	0.42	0.13	0.6
C32	-	**	84	4	=	84	-	0.4	0.9	2.3	4.2	5.0	11.2	13.2	18.2	27.8	1.7	2.38	0.31	3.5
C33-C34	(*	7.0	- 14	*		1.2	7=	1.1	2.1	5.9	12.7	9.2	20.3	37.9	38.7	38.4	3.9	5.14	0.45	7.6
C37-C38	5 7 5	1=	: :			10 -		0.4		0.5	#	1.	(*	1.6	2.3	*	0.1	0.14	0.08	0.2
C40-C41	0.70	35	0.3	0.6	0.6	0.3	-	1.1		1.4	2.4	3.3	1.0		4.6	2.1	0.7	0.73	0.15	1.4
C43			,-		-		0 -		1.7		0.6					2.1	0.1	0.07	0.05	0.1
C44		-	0.3	0.3	2	0.3		1.1	0.4	1.8	0.6	1.7	1.0	8.2	2.3	2.1	0.6	0.75	0.17	1.1
C45	102	12	12	-	20	-	72	-	- 2	-	=	74	72	(2)	14	=	2	102	82	-
C46	ii-	-	94	-	20	-		-	- 12	=	¥i	9=3	1=	(4)	· ·		2	(G	74	140
C47+C49	0.4	0.3	0.3			0.3	0.7	0.4	0.9		0.6	0.00	4.1	1.6		2.1	0.5	0.52	0.14	0.9
C50	:=:		:-	*	-	10=		-	0.4	0.5	#	0.8					0.1	0.09	0.05	0.3
C60	87	:=	S .		0.3		5. 0	1.1	1.3	1.8	2.4	2.5	6.1	9.9		2.1	0.9	1.08	0.20	2.3
C61	-	_	-	-	0.3		-		-	-	1.8	3.3	6.1	14.8	25.0	27.8	1.3	1.99	0.29	1.5
C62			52	0.9	1.9	1.8	1.1	1.5	0.9		0.6	_	12	1.6	2		0.7	0.65	0.13	0.5
C63	0.4	12	- 84	-	-	7-	-	-	1 12	=	ш	7.0	14	-	14	=	0.0	0.04	0.04	-
C64	0.4	-	94	0.3	0.6		(<u>-</u>	0.4	0.4	0.9	2.4	2.5	3.0	1.6	2.3	2.1	0.6	0.70	0.16	1.4
C65	-		-	-	-		-		-	-	=) =	-	-		-	-	1(=	-	-
C66	-		-		-		:=	:*:	-	-	-	//-				-	-	-		
C67	· -	-	5=	-			0.4	0.7	0.4	2.3	1.8	0.8	2.0	1.6	6.8	12.8	0.7	0.88	0.18	1.3
C68	-			_			-		in the second	-	-					-	-	-		
C69	0.4	2	2		2	-	12	_	- 4		2	14	12	12	2.3	2	0.1	0.09	0.06	_
C70-C72	0.4	0.6	0.3	0.3	2	0.3	0.7	2.6	0.4	2.3	1.2	4.2	3.0	6.6	2.3	6.4	1.1	1.26	0.21	2.2
C73	12	-	0.3	-	120	0.3	-		0.9		1.2	1.7	-	1.6		<u> </u>	0.3	0.28	0.10	0.6
C74	-	1	3.5	0.3		3,3			0.4	-	-		19	-			0.1	0.05	0.04	0.1
C81	_	0.3	0.6	0.3	_	0.6	0.7	0.4	-	-	_				94	_	0.3	0.22	0.07	0.1
C82-C85		-	0.9	0.3	0.3	-	-	0.7	1.3	1.8	3.0	4.2	6.1	3.3	9.1	6.4	1.1	1.33	0.22	2.6
C88	72		-	-	2.5		32	-	्	-	-	72	0.1	1.6	2		0.0	0.05	0.05	
C90	12	-	12	0.6	2	12	0.4	-	0.4		1.2	2.5	5.1	6.6	9.1	6.4	0.7	0.97	0.20	1.3
C91	0.7	0.3	0.9	2	0.9	100	0.7	0.4	2	0.5	0.6	0.8	92	2.0	12	2	0.4	0.42	0.11	0.4
C92-C94	1.1	1.3	- 0.5	0.3	0.9		0.7	2.2	0.4	0.9	0.6	0.0	4.1				0.8	0.80	0.16	1.3
C95		1.0	0.6	0.3	-		0.7	2.2	0.4	0.5	0.0		-761				0.1	0.11	0.05	0.1
C95	93 ⁸ 9		0.0	0.0			10H			0.0	ž.		10T-				J. 1	0.11	0.00	0.1
O&U *	97	0.6	0.3	-	0.9	1.2	1.8	3.0	3.4	7.8	8.5	11.7	20.3	34.6	29.6	36.3	4.2	5.27	0.45	8.2
All Sites	3.9	3.8	4.6	4.3	8.7	10.1		45.4	50.3		-			541.4	594.1	565.7	72.5	91.9	1.87	155.9
All Olles	5.5	3.0	4.0	4.3	0.7	10.1	10.0	40.4	50.5	101.0	100.0	240.0	001.0	041.4	004.1	303.7	12.3	31.3	1.07	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Females **Dibrugarh district**

ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	2	*	*	-	i i i i i i i i i i i i i i i i i i i	20	(1 <u>4</u>)	(¥)	0.4	0.5	0.7	1.8	9 4 0	1.7	25 	19 <u>2</u>	0.2	0.22	0.09	0.5
C01-C02	-	*	≥ €	(4)	0.3	×	0.4	0.4	1.3	2.0	3.5	3.7	8.3	11.9	7.2	4.5	1.1	1.51	0.25	2.8
C03-C06	=	7		0.3	*		0.4	2.6	3.1	7.9	9.1	10.2	12.5	11.9	7.2	4.5	2.4	2.82	0.32	7.0
C07-C08	=	=	-	-		=	87	0.4	0.4	1.0	0.7	-	1.0	-			0.2	0.18	0.08	0.6
C09	2	70	3.7	17	17	2	0.4	0.4	0.9	1.5	1.4	-		3.4	4.8	0.0	0.4	0.45	0.13	0.8
C10	2		-	- 2	2	2	172	-	0.4	2	2.1	1.8	1.0	1.7	2.4	2.3	0.3	0.39	0.13	0.8
C11	2	4	0.3	-	*	₩.	73 <u>2</u> 2	14	- 12	0.5	0.7	-	- 1	=	#	72	0.1	0.09	0.05	0.2
C12-C13	¥	-	-	-	3	=	7 =	1.9	3.1	3.0	4.9	10.2	15.6	11.9	9.6	2.3	1.9	2.35	0.30	5.7
C14	×	+		.*	æ		() *			1.5	1.4	1.8	4.2			2.3	0.4	0.44	0.13	1.3
C15	5	T-)		0.3	0.3	5	1.8	1.9	5.8	17.7	23.1	31.4	30.1	30.6	45.7	20.4	6.0	7.54	0.54	16.6
C16		7.		0.3	0.8	1.5	2.6	4.5	5.8	4.4	7.0	9.2	23.9	15.3	31.3	6.8	3.5	4.15	0.40	8.3
C17	- 8	-		-	-	0.3	-	-	0.4	1.0	-	0.9	2.1	-		-	0.2	0.23	0.09	0.7
C18	ω ₀	2	-	12	2	0.6	0.7	2.2	1.3	3.4	7.7	4.6	4.2	8.5	7.2	2.3	1.4	1.69	0.25	3.7
C19-C20	2	4	্ৰ	12	4	0.9	1.1	1.9	4.5	6.9	2.8	4.6	2.1	3.4	7.2	2.3	1.5	1.63	0.23	3.9
C21		#3		: *	94); = :	-	0.4		0.7	(34)	-	1.7	¥:	2.3	0.1	0.16	0.08	0.2
C22	-	#:	X. 4 .	: > :	0.3	0.6	0.4	2.6	3.1	3.9	5.6	4.6	5.2	13.6	2.4	4.5	1.6	1.89	0.26	4.0
C23-C24	5		15 7	S#.	0.8	0.9	3.3	6.3	10.3	19.2	23.8	30.5	33.3	27.2	36.1	15.9	6.8	8.08	0.55	19.0
C25				-	0.6	0.3	0.4	0.4	0.4	0.5	0.7	2.8	:=:	8.5		2.3	0.5	0.62	0.16	0.7
C30-C31	- 8	-		-				•	0.9	-	1.4		1.0		*	-	0.1	0.17	0.08	0.5
C32	ω	2	82	12	22	2	16	1.1	ū.	0.5	0.7	2.8	3.1	2	2.4	6.8	0.4	0.55	0.15	1.2
C33-C34	2	20	14		0.3	<u></u>	0.4	0.7	1.3	3.0	2.8	6.5	10.4	13.6	12.0	11.3	1.5	2.04	0.29	3.6
C37-C38		н:	(#		×		0.4	-	0.4	-	-	(34)	-	1.7	-	(e	0.1	0.10	0.06	0.1
C40-C41	*	0.3	0.3		×		0.4	0.4	0.4	3.0	-	2.8	1.0		*:	1.0	0.4	0.46	0.12	1.2
C43		-	-				(14)	(=		-	-			:=	2.4	0.0	0.0	0.05	0.05	-
C44	-	0.3	-	-	0.3	-	0.4	0.7	0.4	2.0	1.4	3.7	1.0	5.1	-	2.3	0.6	0.72	0.16	1.4
C45	12	2		2	4	2	4	-	0.4	_	1000	0.9	-	_	2	12	0.1	0.06	0.05	0.2
C46	2	2	72	- 2	2	2	182	12		=	23	-	(2)	=	2	(2)	_	12		2
C47+C49	2	20	0.3	14	9	1.8	0.4	0.7	0.4	1.5	0.7	0.9	343	-	4.8	12	0.5	0.52	0.13	0.7
C50		_	-	-	2.0	3.2	12.1	23.2	21.1	42.8	53.2	43.4	29.1	49.3	43.3	20.4	13.4	14.67	0.71	34.8
C51	_	_	-	_	2.0	-	0.7	20.2	0.4	1.0	-	0.9	1.0	5.1	4.8	2.3	0.4	0.50	0.14	0.5
C52	_	-		-		_	0.4		0.9	-	1,4	0.9	1.0	1.7	_		0.2	0.28	0.10	0.7
C53					-	0.3	2.9	1.1	9.9	14.3	16.8	13.8	20.8	13.6	12.0	9.1	4.1	4.77	0.41	12.1
C54	2	2	32		12	-	1.1	1.5	2.2	3.9	5.6	4.6	2.1	5.1	2.4	2	1.1	1.27	0.21	3.3
C55	2	<u>u</u>	-	-	資	0.3	0.4	0.4	0.4	3.0	0.7	-	2.1	0.1	2	2.3	0.4	0.44	0.12	1.1
C56				1.5	2.8	5.3	6.2	8.2	9.9	10.8	18.2	24.0	20.8	13.6	12.0	15.9	6.1	6.56	0.47	14.3
C57				1.0	2.0	0.0	0,2	1.1	0.0	0.5	10.2	24.0	1.0	10.0	12.0	10.0	0.1	0.14	0.06	0.4
C58		7-				0.3	0.4	0.4	0.4	-	-		1.0				0.1	0.09	0.05	0.2
C64			ং ব			0.3	0.4	0.4	0.4	1.0	0.7		2.1	1.7	4.8	10.70	0.3	0.03	0.03	0.7
C65			7 92	- A	2	- R	72	0.4	0.4	1.0	0.7		2.1	1.7	4.0	12	0.3	0.57	0.12	0.7
C66		1 10	Oil	:50 (2)	150 970		100									-				
	-		202	-		-	100	-	0.4	0.5	0.7	0.0	4.0	2.4	2.4	2.2	0.3	0.27	0.40	0.5
C67		-			· · ·	-	(·		0.4	0.5	0.7	0.9	1.0	3.4	2.4	2.3	200000000	0.37	0.12	0.5
C68	- 0.4	- 0.0	-	-		*	(-	()	0.4	*		-	4.0	-	4)	-	0.0	0.03	0.03	0.1
C69	0.4	0.3	. ÷		- 0.0				4.0	- 4.0	#0 \$20.00		1.0	3 4	*		0.1	0.12	0.07	0.1
C70-C72	0.7	7.	1.5	:#:	0.6	0.6	0.4	0.4	1.3	1.0	1.4	-	3.1	1.7	7.0	1.5	0.6	0.61	0.15	1.2
C73		7	17	370	0.3	7.	1070	0.7	3.6	3.4	1.4	5.5	6.2	3.4	7.2	11.7	1.1	1.28	0.22	3.3
C74	2	-		-			(-	-		-	1.4		-	9		76	0.1	0.07	0.05	0.2
C81	- 2	2	72	-	52593	2000	9 <u>4</u>	- 1	0.4	#	26 92 93	- 1	-		2.4	200	0.1	0.08	0.06	0.1
C82-C85	_ =	4)	*	*	0.8	0.3	0.4	0.7	2.2	2.0	1.4	2.8	2.1	8.5	7.2	2.3	0.9	1.12	0.21	1.8
C88	-	93340	2*	-	19	*))=)G880004	900 V 200	NAME OF THE PERSON			- E	#6 #20.000	1=	(posession)	1-	75,700,000	625540
C90	*	0.3	15	1=	0.3	Ħ	(#		0.4	1.5	4.2	0.9	4.2	8.5	2.4	4.5	0.7	0.98	0.20	1.7
C91	0.7	0.7	0.3	0.3	0.6	5	107.		0.4	-	=	0.9			ž.	8.5	0.3	0.32	0.10	0.2
C92-C94		7	97		22	7.	0.7	0.4	0.9	2.0	1.4	1.8	1.0		70	2.3	0.4	0.47	0.12	1.2
C95	-	2		্	12	-	74	-	1	0.5			-	- 1	-		0.0	0.03	0.03	0.1
C96	- 2	48	32	14	¥	¥	84	12	2	=	20	-	-	12	*	34		2	_	9
O&U *	0.7	4)	14	120	0.3	0.9	1.5	1.9	4.9	4.4	5.6	12.0	13.5	10.2	12.0	18.1	2.6	3.15	0.35	6.4
All Sites	2.6	2.0	1.2	2.7	11.2	18.0	40.2	69.5	107.6	177.0	217.0	248.3	272.3	297.3	296.1	172.4	66.0	76.8	1.68	170.7

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2016 Males Dibrugarh district

100.40	CH-	Clin	nical	Micros	scopic	X-ray/lr	naging	D.C	0.0	Oth	ers	Unkn	nown	Total	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	4.3	22	95.7	20	말	2			2	12	12	23	100.0
C01-C02	Tongue	(14)) -)	116	96.7	- 8	#	4	3.3		-	99	=	120	100.0
C03-C06	Mouth	5	2.8	162	91.5	1	0.6	6	3.4	3	1.7	э.	-	177	100.0
C07-C08	Salivary Gland			11	100.0	_	-	_	-	-	-	-	-	11	100.0
C09	Tonsil			39	97.5	_	_	-	-	-	_	1	2.5	40	100.0
C10	Oth. Oropharynx	12		22	91.7			2	8.3	2	=	2		24	100.0
C11	Nasopharynx	- 3	72	13	92.9	2	2	1	7.1	- 2	-	- 2	2	14	100.0
C12-C13	Hypopharynx	1	0.3	284	96.6	1	0.3	7	2.4	- 1	0.3	2	12	294	100.0
C14	Pharynx Unspecified		0.0	37	67.3		0.0	16	29.1	2	3.6		2	55	100.0
C15	Oesophagus	1	0.3	345	86.5	2	0.5	46	11.5	5	1.3		10	399	100.0
C16	Stomach	1	0.5	135	73.0	7	3.8	27	14.6	15	8.1	-	-	185	100.0
	Small Intestine	67 % .)	0.5			2		21	14.0	15	0.1	100	15		
C17		137	(5)	6	75.0		25.0		7.4	-	0.4		· ·	8	100.0
C18	Colon	-		85	86.7	3	3.1	7	7.1	3	3.1			98	100.0
C19-C20	Rectum	1	1.4	60	81.1	4	5.4	6	8.1	3	4.1		-	74	100.0
C21	Anus & Anal Canal	72	53	14	100.0	2500	2000	7500	1977 (2)	90	-	- 4	2	14	100.0
C22	Liver	1	0.9	26	24.1	31	28.7	34	31.5	16	14.8	22	<u>=</u>	108	100.0
C23-C24	Gallbladder etc.	1	8.0	52	44.1	38	32.2	9	7.6	18	15.3	*	-	118	100.0
C25	Pancreas	1	4.0	11	44.0	8	32.0	5	20.0	-	-	æ	*	25	100.0
C30-C31	Nose, Sinuses etc.	1	9.1	10	90.9		Ħ:		-	-		湯		11	100.0
C32	Larynx	8.5	12	52	85.2	1	1.6	8	13.1			ā	.5	61	100.0
C33-C34	Lung etc.	1	0.7	73	54.1	26	19.3	22	16.3	13	9.6		-	135	100.0
C37-C38	Other Thoracic Organs	12	102	2	50.0	1	25.0	2	=	1	25.0	12	- 2	4	100.0
C40-C41	Bone	102	14	13	54.2	6	25.0	1	4.2	4	16.7	- 4	2	24	100.0
C43	Melanoma of Skin	-	8=	2	100.0		#	2	-	- 4	=	(4	14	2	100.0
C44	Other Skin	1	4.5	21	95.5		*		*	*	-	*		22	100.0
C45	Mesothelioma		2. * .	25	3 - 3	-	8	5		-	-	8	15	17	
C46	Kaposi Sarcoma	S = 5	15 1 .	<u>0</u> ₹0					-	=	-		-	:=	:=
C47+C49	Conn. & Soft Tissue		_	14	87.5		-	_	-	2	12.5	-	-	16	100.0
C50	Breast		14	3	100.0		2	9		- 5	_	12	100	3	100.0
C60	Penis	1	3.2	27	87.1	20	¥	3	9.7	2	2	2	12	31	100.0
C61	Prostate		-	33	70.2	4	8.5	10	21.3		2	2	9	47	100.0
C62	Testis	22	-	22	84.6	4	15.4	-	21.0	-	_		-	26	100.0
C63	Other Male Genital	-		1	100.0		10.4			_		-		1	100.0
C64	Kidney etc.			11	52.4	5	23.8	3	14.3	2	9.5			21	100.0
C65	Renal Pelvis		1.5	- 1	32.4	3	23.0	3	14.3		9.5	源	-	21	100.0
			127	15		- 3	7.0				-	- 5	F61	55 50	
C66	Ureter	-	-	-	70.0	-	40.0		-	-	-		-	-	400.0
C67	Bladder	1	4.0	18	72.0	3	12.0	2	8.0	1	4.0		-	25	100.0
C68	Uns.Urinary Organs	- 2	-	714 701	-		=	= =	-	- 2	-	14	12	12	Version.
C69	Eye	(#)	-	2	100.0	E SOUTH	41 (2) 1980	2	NA SERVICE	¥	95.000		: ::	2	100.0
C70-C72	Brain, Nervous System	(**	(*)	26	66.7	7	17.9	4	10.3	2	5.1	*	-	39	100.0
C73	Thyroid	199	-	9	100.0	-	Ħ		-	-	-	(8	1-	9	100.0
C74	Adrenal Gland	1.7	1.7	2	100.0	2	n				-			2	100.0
C81	Hodgkins Disease	15	1.5	9	100.0	75	Ţ.						ē	9	100.0
C82-C85	NHL	154	14	38	97.4	2	<u> </u>	1	2.6	2	-	2	2	39	100.0
C88	Malig Imn.Prol D	78	12	1	100.0	21	¥	2	-	- 4	-	, u	12	1	100.0
C90	Multiple Myeloma	84	-	21	84.0	2	2	4	16.0	2	=	2	12	25	100.0
C91	Lymphoid Leuk.			15	100.0		×	ě	-	-	_			15	100.0
C92-C94	Myeloid Leukaemia	3 = 3	0=	27	100.0	-	-		-		-		-	27	100.0
C95	Leukaemia Uns		20-	4	100.0	-	_		-	-	_		_	4	100.0
C96	CMD,O&U LHM		_	00 ()			_	-	_	-	_	-	_	:4	-
O&U *	Other and Uns	3	2.0	53	36.1	16	10.9	70	47.6	5	3.4	2		147	100.0
540	All Sites	21	0.8	1949	76.9	170	6.7	298	11.8	96	3.8	1	0.0	2535	100.0
N 200	All Oiles	21	0.8	1949	70.9	170	0.7	298	11.0	90	3.8		0.0	2000	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2016 Females Dibrugarh district

ICD-10	Site	Clin	ical	Micros	copic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	¥	6	100.0	ų.	14	92	-	:	74	-	¥	6	100
C01-C02	Tongue	2	5.1	36	92.3		74	1	2.6	19 4 0	(#.	(4)	¥	39	100
C03-C06	Mouth	-		73	91.3		1=	6	7.5	1	1.3	(8)		80	100
C07-C08	Salivary Gland	_	_	6	100.0	_	_				-	_	_	6	100
C09	Tonsil	-	5	13	100.0	:=	17	000	1204	19-74		1.71	2	13	100
C10	Oth. Oropharynx		5	9	90.0	E 15	7-	170		1	10.0		- R	10	100
			5.	3	100.0	T		17		- 1	10.0			3	
C11	Nasopharynx	-	-	-	1000000	-		14.	-	-	/ -	-	-	-	100
C12-C13	Hypopharynx	-		59	93.7	*	- 14	4	6.3		(-	-	*	63	100
C14	Pharynx Unspecified		#2 625033	7	58.3	<u>#</u>	S# 309000	5	41.7	(-		(6)	AM/ADA	12	100
C15	Oesophagus	1	0.5	191	94.1	1	0.5	6	3.0	3	1.5	1	0.5	203	100
C16	Stomach	5	Ħ	95	80.5	4	3.4	12	10.2	7	5.9		*	118	10
C17	Small Intestine	- 5	8	6	85.7	1	14.3	(2)	:=	82		1.5	2	7	100
C18	Colon	2	4.1	39	79.6	4	8.2	2	4.1	2	4.1		-	49	100
C19-C20	Rectum	2	2.	46	88.5	1	1.9	2	3.8	3	5.8	V29	2	52	100
C21	Anus & Anal Canal		2	4	100.0	12	12	12	:4	- 2	8 = 3	160	2	4	100
C22	Liver	2	¥	16	29.1	12	21.8	11	20.0	16	29.1	140	=	55	100
C23-C24	Gallbladder etc.	2	0.9	130	56.3	61	26.4	12	5.2	26	11.3	16	*	231	100
C25	Pancreas	1	5.9	5	29.4	7	41.2		-	4	23.5	-		17	100
C30-C31	Nose, Sinuses etc.	,	0.0	4	80.0		11.2	1	20.0	930	20.0	171		5	100
C32		- 3	3.	15	100.0		- 4		20.0	45	1.7	1.5		15	
Parkett Nati	Lung etc	940	4.0			7	40.5	7	40.5		45.4	N.T.	55	-	100
C33-C34	Lung etc.	1	1.9	29	55.8		13.5		13.5	8	15.4	-	•	52	100
C37-C38	Other Thoracic Organs	2	2	2	66.7	<u> </u>	32.0	1	33.3	12	-	-	2	3	100
C40-C41	Bone	- 2		10	66.7	2	13.3	2	13.3	1	6.7	-		15	100
C43	Melanoma of Skin			-1	100.0	*	-		(#	(4)		(%)	*	1	100
C44	Other Skin	*		21	100.0	i i	S t.	180	19 1	: *	(19)	19	*	21	100
C45	Mesothelioma	5		2	100.0	應	15	170	1.	(<u>a</u>	157	U.S.	2	2	100
C46	Kaposi Sarcoma	-	-		-	-	-	-		-	-			-	
C47+C49	Conn. & Soft Tissue	2	-	18	100.0	2	-	-	-	2	-	74	2	18	100
C50	Breast	1	0.2	412	90.7	4	0.9	37	8.1	(1	12	<u></u>	2	454	100
C51	Vulva	20	2	11	84.6	2	15.4	(#)		6 4 6	(<u>*</u>	72	2	13	100
C52	Vagina	-	-	8	100.0		-	340	-	7.8	114	ne:	-	8	100
C53	Cervix Uteri	1	0.7	125	89.9	2	1.4	9	6.5	2	1.4	-	-	139	100
C54	Corpus Uteri	i	_	36	92.3	3	7.7	-				_		39	100
C55	Uterus Unspecified	22		12	85.7	1	7.1	1	7.1	87.	10.7	173	7.2	14	100
		- 3		77.5		28	11.00	10		44	F 2	A.54		24540	
C56	Ovary etc.			159	76.4		13.5	10	4.8	11	5.3			208	100
C57	Other Female Genital	-	-	4	80.0	1	20.0				-	-	-	5	100
C58	Placenta	-	- 4	4	100.0	# W	100000	74	*		124	-	*	4	100
C64	Kidney etc.	*		9	90.0	1	10.0				(* .	(+)	*	10	100
C65	Renal Pelvis	-	×		-	×	3 4	140	.*	. +	S#3	(6)		*	
C66	Ureter			*	-	æ	(#	:=:	15 11				*	-	
C67	Bladder	5	5	7	77.8	1	11.1	:2:	1.5	1	11.1	1.5	2	9	100
C68	Uns. Urinary Organs	- 2	•	1	100.0	-	5	-		-	-			1	100
C69	Eye	- 2	2	2	66.7	1	33.3	-	-	12	(2)	72	2	3	10
C70-C72	Brain, Nervous System		2	15	78.9	3	15.8	1	5.3	:#	K=		2	19	10
C73	Thyroid	1	2.7	31	83.8	2	5.4	2	5.4	1	2.7	(16)		37	10
C74	Adrenal Gland	-		2	100.0	H	; =	-	-	-	(14)		*	2	10
C81	Hodgkins Disease		-	2	100.0	:=	:-	:=:			(**	-	_	2	10
C82-C85	NHL		_	32	100.0	_	(1) -	_		509	1250	_	_	32	10
C88	Malig Imn.Prol D		5	32	100.0	語	15 23	(E)		100	2.5 7.5	(8)		JZ	10
100000			5	-	400.0) took			1.0		Lyn	2		140
C90	Multiple Myeloma	-	-	25	100.0	- 2	-	-	-	-	-		-	25	10
C91	Lymphoid Leuk.	-	-	10	100.0	12	-	12	-	72	(-)	141	-	10	10
C92-C94	Myeloid Leukaemia	- 2	-	15	100.0	34	-	-	-	14	(÷)	-	¥	15	10
C95	Leukaemia Uns		×	1	100.0	æ	19		i s	8 =	100	06	*	1	10
C96	CMD,O&U LHM	-	=	8	-	a	58		-	:+:		199	*	-	
O&U *	Other and Uns	2	2.3	37	42.0	8	9.1	37	42.0	4	4.5		5	88	10
	All Sites	14	0.6	1806	80.7	157	7.0	169	7.6	91	4.1	1	0.0	2238	10

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Males Dibrugarh district

ICD 40	Cita	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone M	farrow	Oth	ers	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	22	95.7	-	-	10-	-	-	-	-	-	1	4.3	23	100.0
C01-C02	Tongue	110	91.7	2	1.7	4	3.3	2	-		2	4	3.3	120	100.0
C03-C06	Mouth	162	91.5		02	74	4	2	-		12	15	8.5	177	100.0
C07-C08	Salivary Gland	7	63.6	1	9.1	3	27.3	¥1	_		漫	14	-	11	100.0
C09	Tonsil	36	90.0	×	_	3	7.5	-	_	_	-	1	2.5	40	100.0
C10	Oth. Oropharynx	19	79.2	1	4.2	2	8.3	-	_	_	-	2	8.3	24	100.0
C11	Nasopharynx	10	71.4		_	3	21.4		_	_	-	1	7.1	14	100.0
C12-C13	Hypopharynx	256	87.1	9	3.1	19	6.5		_		-	10	3.4	294	100.0
C14	Pharynx Unspecified	33	60.0	- 2	2	4	7.3	2 2			<u> </u>	18	32.7	55	100.0
C15	Oesophagus	344	86.2	944		1	0.3	2		9		54	13.5	399	100.0
C16	Stomach	134	72.4	22	_	1	0.5	2			122	50	27.0	185	100.0
C17	Small Intestine	4	50.0			2	25.0					2	25.0	8	100.0
C18	Colon	85	86.7				23.0					13	13.3	98	100.0
C19-C20	Rectum	60	81.1	-		117					17	14	18.9	74	100.0
C21	Anus & Anal Canal	14	100.0	h=	100	2.7	7.					19	10.9	14	100.0
C21	Liver	10		17	194	16	1/10	E-				82	75.9	108	
C23-C24	The state of the s	50	9.3 42.4	-		2	14.8	3 5 3			219	66	75.9 55.9	120,000	100.0
C23-C24	Gallbladder etc. Pancreas	10	42.4			1	4.0	-	-	-	-	14	56.0	118 25	100.0
Total Control Control		3000	1965-000			-	4.0		-	-	-	77357	1986-000	50500	0.000
C30-C31	Nose, Sinuses etc.	10	90.9	-		-	4.0	*	*	-		1	9.1	11	100.0
C32	Larynx	47	77.0	2	3.3	3	4.9	7.				9	14.8	61	100.0
C33-C34	Lung etc.	33	24.4	3	2.2	37	27.4			-		62	45.9	135	100.0
C37-C38	Other Thoracic Organs	1	25.0	1	25.0	17.7		51	5		15	2	50.0	4	100.0
C40-C41	Bone	12	50.0	-		1	4.2		-	-	•	11	45.8	24	100.0
C43	Melanoma of Skin	2	100.0	-	-	-		-	-	-	-	-		2	100.0
C44	Other Skin	19	86.4	-		2	9.1		-	-		1	4.5	22	100.0
C45	Mesothelioma		-		-	[-	-	H.	-	-	-		-		
C46	Kaposi Sarcoma	170) · · ·		(0 0)	-	T)	-	-	清			55	3.5
C47+C49	Conn. & Soft Tissue	12	75.0	1	6.3	1	6.3		-	-	ā	2	12.5	16	100.0
C50	Breast	3	100.0	15		15 7 0	-		-	-		-	-	3	100.0
C60	Penis	27	87.1	-	-	-	-		-	-	*	4	12.9	31	100.0
C61	Prostate	31	66.0		-	2	4.3	2			2	14	29.8	47	100.0
C62	Testis	20	76.9	(*	-	2	7.7	#	-	-	=	4	15.4	26	100.0
C63	Other Male Genital	1	100.0	-		£(+ 80€0	0.000000	#	*		*	19	(*	1	100.0
C64	Kidney etc.	8	38.1	i. *	· ·	3	14.3		*			10	47.6	21	100.0
C65	Renal Pelvis		-	17	165	11.7	73		-	-	e.	17		17	120
C66	Ureter	垣	5			D.E.	-	7.	-		- 7	15	15		0.5
C67	Bladder	18	72.0	-			-					7	28.0	25	100.0
C68	Uns.Urinary Organs	14	-	12	-	H-	2	<u> </u>	2	-	2	12	-	12	9
C69	Eye	1	50.0	1	50.0	7) 4	20	#	-		14	(4)	-	2	100.0
C70-C72	Brain, Nervous System	24	61.5	1	2.6	1	2.6	×	-		9	13	33.3	39	100.0
C73	Thyroid	6	66.7	5 .	: -	3	33.3	*		-		; -	*	9	100.0
C74	Adrenal Gland	2	100.0		S#	85	5	Ħ		-	: 1	8	3.7	2	100.0
C81	Hodgkins Disease	7	77.8	=		2	22.2	7.	5	=	ā	55	15.	9	100.0
C82-C85	NHL	23	59.0	7	-	15	38.5	<u> </u>	-		- 4	1	2.6	39	100.0
C88	Malig Imn.Prol D	12	-	12	-	14	Ш	<u> </u>	ž.	1	100.0	84	12	1	100.0
C90	Multiple Myeloma	1	4.0	14	74	84	49	¥	=	20	80.0	4	16.0	25	100.0
C91	Lymphoid Leuk.					(: -		1	6.7	14	93.3	-	*	15	100.0
C92-C94	Myeloid Leukaemia			-		S=	5		-	27	100.0	8	190	27	100.0
C95	Leukaemia Uns	1.7		100	-	1070	F			4	100.0	5.		4	100.0
C96	CMD,O&U LHM	12	-	15		DZ.	-	75			7	15	15	12	- 0
O&U *	Other and Uns	1	0.7	27	18.4	25	17.0			2	•	94	63.9	147	100.0
	All Sites	1675	66.1	49	1.9	158	6.2	1	0.0	66	2.6	586	23.1	2535	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Females Dibrugarh district

		Pri	Hist	Sec	Hist	Cyto	ology	Blood	l Film	Bone N	farrow	Oth	iers	Tot	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	100.0	-	_			-	-					6	100.0
C01-C02	Tongue	33	84.6	2	5.1	1	2.6	12	12	猩	- 2	3	7.7	39	100.0
C03-C06	Mouth	70	87.5	2	2.5	1	1.3	2	52	- 1	12	7	8.8	80	100.0
C07-C08	Salivary Gland	5	83.3		2.0	1	16.7		-	72		-	0.0	6	100.0
C09	Tonsil	12	92.3	-		1	7.7							13	100.0
C10	Association and the second and the s	9	- 2000000000000000000000000000000000000		-		1.1		-			1	10.0		100.0
	Oth. Oropharynx	1	90.0	13.7	2	-	- 00.7	i#.		- 12	3 .7 .	- 1	10.0	10	
C11	Nasopharynx	112	33.3		7.0	2	66.7		1.5	(#Z				3	100.0
C12-C13	Hypopharynx	43	68.3	5	7.9	11	17.5		-			4	6.3	63	100.0
C14	Pharynx Unspecified	7	58.3				-	- 2	-	-	-	5	41.7	12	100.0
C15	Oesophagus	190	93.6	1	0.5		1202	-	-		-	12	5.9	203	100.0
C16	Stomach	91	77.1	1	8.0	3	2.5	14	12	:¥	14	23	19.5	118	100.0
C17	Small Intestine	6	85.7			£	-	*	· ·	· ·		1	14.3	7	100.0
C18	Colon	37	75.5	10 -0		2	4.1		>=	95		10	20.4	49	100.0
C19-C20	Rectum	45	86.5	1	1.9	5	-				1.5	6	11.5	52	100.0
C21	Anus & Anal Canal	4	100.0			5				1.5	1.7			4	100.0
C22	Liver	8	14.5	1	1.8	7	12.7		-		-	39	70.9	55	100.0
C23-C24	Gallbladder etc.	107	46.3	2	0.9	21	9.1	72	-	12		101	43.7	231	100.0
C25	Pancreas	4	23.5	74		1	5.9	12	12	2	123	12	70.6	17	100.0
C30-C31	Nose, Sinuses etc.	4	80.0	174		2		湿	=	(¥)	-	1	20.0	5	100.0
C32	Larynx	13	86.7	1	6.7	1	6.7	:=	-	1-) =)		-	15	100.0
C33-C34	Lung etc.	13	25.0	3	5.8	13	25.0	_	-	_	_	23	44.2	52	100.0
C37-C38	Other Thoracic Organs	-	20.0	1	33.3	1	33.3			68	-	1	33.3	3	100.0
C40-C41	Bone	8	53.3		33.3	2	13.3			- 88		5	33.3	15	100.0
C43	Melanoma of Skin	1	100.0	- 1			10.0					J	33.3	1	100.0
				-		-	4.0		- 5	156					7.5.10.00.00.00
C44	Other Skin	20	95.2	-	-	1	4.8	-	-		-			21	100.0
C45	Mesothelioma	-			-	2	100.0	-	-	18	:*			2	100.0
C46	Kaposi Sarcoma		22.2	*	-	1020	199. 0	*			*	· ·	(**	0.00	100000015
C47+C49	Conn. & Soft Tissue	16	88.9			2	11.1	*			: *	(4	(1 9)	18	100.0
C50	Breast	338	74.4			74	16.3	清		S#		42	9.3	454	100.0
C51	Vulva	11	84.6	0.5	-	5.	-	J.	i7		i.ē.	2	15.4	13	100.0
C52	Vagina	7	87.5		-	1	12.5		-			-		8	100.0
C53	Cervix Uteri	123	88.5	7.4	2	2	1.4	122	72	12		14	10.1	139	100.0
C54	Corpus Uteri	36	92.3			2	-	i i	12	- 12	14	3	7.7	39	100.0
C55	Uterus Unspecified	11	78.6	1	7.1	2	-	14	14	84	14	2	14.3	14	100.0
C56	Ovary etc.	152	73.1	3	1.4	4	1.9	*		3 9 ,	2#	49	23.6	208	100.0
C57	Other Female Genital	1	20.0	1	20.0	2	40.0		~	39	-	1	20.0	5	100.0
C58	Placenta	4	100.0	e -			-			8	:#:	-	(-	4	100.0
C64	Kidney etc.	8	80.0	-		1	10.0		-	15	1.5	1	10.0	10	100.0
C65	Renal Pelvis	-	-	-				-			-		- 4	-	
C66	Ureter	-	74			_	_	100	-	72	_	1	12	-	
C67	Bladder	7	77.8	120	-	9	-	2	-	12	121	2	22.2	9	100.0
C68	Uns.Urinary Organs	1	100.0	11=		e	-	15	lo.	12	1924	- 4	26.2	1	100.0
C69	Eye	1	33.3		-	1	33.3		-	; -	-	1	33.3	3	100.0
C70-C72	Brain, Nervous System	100000	1.17.00000000	-	F 2	2	/ Supplied	無	-	:-	-		1.034000000	0.000	100000000
		12	63.2	1	5.3		10.5	₩.	18	(7)		4	21.1	19	100.0
C73	Thyroid	16	43.2	1	2.7	14	37.8				573	6	16.2	37	100.0
C74	Adrenal Gland	1	50.0	- 25		1	50.0	177		17	-	- 17	-	2	100.0
C81	Hodgkins Disease	2	100.0	-		-	•	-		- 1	-	- 4	•	2	100.0
C82-C85	NHL	15	46.9	- 2	_ =	17	53.1	2	-	12	12	- 12	12	32	100.0
C88	Malig Imn.Prol D	74	-				-	24	-	₩	196	-	184	8.	
C90	Multiple Myeloma	1	4.0	0,40			-	1	4.0	23	92.0	-	(*	25	100.0
C91	Lymphoid Leuk.	×	(9)			*		æ		10	100.0	()	(9)	10	100.0
C92-C94	Myeloid Leukaemia				-	5	-	湯		15	100.0		-	15	100.0
C95	Leukaemia Uns	1.7	67	8.5	-		п		क	1	100.0	17	(*	1	100.0
C96	CMD,O&U LHM	-	-	į.	2			÷		5 -		-	-	-	
O&U *	Other and Uns	2	2.3	18	20.5	17	19.3	2	<u> </u>	- 4	- 2	51	58.0	88	100.0
	All Sites	1502		45		209	9.3	1	0.0	49	2.2		19.3	2238	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males Dibrugarh district

ICD 10	Site	0-64	Years	0-74 Y	'ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.1	0.1	0.1	0.1
C01-C02	Tongue	0.3	0.3	0.5	0.5
C03-C06	Mouth	0.4	0.4	0.8	0.8
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.1	0.1	0.2	0.2
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	0.0	0.0	0.1	0.1
C12-C13	Hypopharynx	0.7	0.7	1.4	1.4
C14	Pharynx Unspecified	0.1	0.1	0.3	0.3
C15	Oesophagus	0.9	0.9	1.9	1.8
C16	Stomach	0.4	0.4	0.9	0.9
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.0	0.0	0.4	0.4
C19-C20	2				
C21	Rectum Anus & Anal Canal	0.2	0.2	0.3	0.3
C22	Liver	9990	1 (2000)	22770	1999
C23-C24	2000 TV Charles 1940	0.2	0.2	0.4	0.4
	Gallbladder etc.	0.3	0.3	0.6	0.6
C25 C30-C31	Pancreas	0.1	0.1	0.1	0.1
December of	Nose, Sinuses etc.	0.0	0.0	0.1	0.1
C32	Larynx	0.1	0.1	0.3	0.3
C33-C34	Lung etc.	0.3	0.3	0.6	0.6
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.0	0.0
C44	Other Skin	0.0	0.0	0.1	0.1
C45	Mesothelioma	5	/-	7.5	:-
C46	Kaposi Sarcoma		1.5	5	17
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	0.0	0.0	0.0	0.0
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	0.3	0.3
C62	Testis	0.0	0.0	0.1	0.1
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	9	-	-	-
C66	Ureter	2	12	2	92
C67	Bladder	0.0	0.0	0.1	0.1
C68	Uns.Urinary Organs	-	-	- Comma	(=
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.0	0.0	0.0	0.0
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.1	0.1	0.2	0.2
C88	Malig Imn.Prol D	-	-	0.0	0.0
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	0.0	0.0	0.0	0.0
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	5.0	0.0	5.0	5.0
O&U *	Other and Uns	0.3	0.3	0.6	0.6

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 27(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Females Dibrugarh district

ICD-10	Site	0-64	Years	0-74	Years
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.2	0.2	0.3	0.3
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.1	0.1
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.2	0.2	0.3	0.3
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.6	0.6	0.9	0.9
C16	Stomach	0.3	0.3	0.5	0.5
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.1	0.1	0.0	0.2
C23-C24	Gallbladder etc.	0.6	0.1	1.0	1.0
C25	Pancreas	0.0	0.0	0.1	0.1
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.1
C32					
C32-C34	Larynx	0.0	0.0	0.1	0.1
C33-C34 C37-C38	Lung etc.	0.1	0.1	0.3	0.3
CONTRACTOR OF THE CONTRACTOR O	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.0	0.0	0.0	0.0
C43	Melanoma of Skin	2000		0.0	0.0
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	0.0	0.0	0.0	0.0
C46	Kaposi Sarcoma	0.5		13	0.5
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.1	0.1
C50	Breast	1.1	1.1	1.6	1.6
C51	Vulva	0.0	0.0	0.1	0.1
C52	Vagina	0.0	0.0	0.0	0.0
C53	Cervix Uteri	0.4	0.4	0.5	0.5
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	0.0	0.0	0.0	0.0
C56	Ovary etc.	0.5	0.5	0.7	0.7
C57	Other Female Genital	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.1	0.1
C65	Renal Pelvis		-	pe.	ĕŒ
C66	Ureter			25	95
C67	Bladder	0.0	0.0	0.0	0.0
C68	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.0	0.0	0.1	0.1
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-		15AR	3.1
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	0.0	0.0	0.0	0.0
C92-C94	Myeloid Leukaemia	0.0	0.0	0.0	0.0
C95	And Waster and Waster St.	0.0	0.0	0.0	0.0
C96	Leukaemia Uns	0.0	0.0	0.0	0.0
O&U *	CMD,O&U LHM	- 00	- 00	0.0	0.0
UaU	Other and Uns	0.2	0.2	0.3	0.3
	All Sites	5.85	5.68 6 C77 C78	8.81	8.44

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)