





Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 3(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2014 - 2016

Hyderabad district

		rabau distri		
	Male	S	Fema	ales
Age Group	Number	%	Number	%
00-04	536659	8.79	481700	8.20
05-09	529645	8.68	482961	8.22
10-14	554264	9.08	511179	8.70
15-19	557914	9.14	524476	8.93
20-24	608182	9.96	667316	11.36
25-29	608772	9.97	658960	11.21
30-34	552547	9.05	541113	9.21
35-39	474927	7.78	448062	7.63
40-44	415600	6.81	391858	6.67
45-49	329306	5.39	305649	5.20
50-54	269254	4.41	244505	4.16
55-59	215759	3.53	190110	3.24
60-64	170645	2.80	152705	2.60
65-69	110479	1.81	98167	1.67
70-74	72447	1.19	68069	1.16
75+	98612	1.62	109364	1.86
Total	6105012	100.00	5876194	100.00

Area(Sq.Km): 217

Figure 3(a) Population Pyramid showing Five Year Age Distribution : 2014 - 2016 Hyderabad district












Table 3(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2014 - 2016 Males %= Relative Proportion of Cancers of All Sites

Hyderabad district

100.40	011-	00.04	05.00	10.11	45.40	00.04	05.00	20.04	25.20	10.11	45 40	F0 F4	FF F0	00.04	05.00	70.74	75.	Links	T-1-1	0/
ICD-10 C00	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39 3	40-44	45-49 8	50-54	55-59 5	60-64		70-74	75+ 2	Unkn	Total 40	0.78
C01-C02	Lip		-	-	1.5	3	13	38	47	61	68	45	38	36	22	24	10		405	7.87
C03-C06	Tongue Mouth	1			10.00	6	24	58	87	111	115	75	73	60	33	24	15	-	682	13.26
C03-C08	Salivary Gland	1			100	1		3	75.00	2404040	2	7	2	5	4	1	5		33	0.64
C07-C08	Tonsil	*				252	1	N 55	1 2	3		4	2	2	2	4	3	-	26	2012/07/07
C10	SEARCH SERVICE	PK PK		22	(6)	20		4	1	1	4	5	5	3	2	2	6		29	0.51
55000000	Oth. Oropharynx	- 5			3	-	2	7	1	- 67	4	1	110.03	2			3	- 1	67/83	0.56
C11	Nasopharynx				3	3	2	372	17.	1	105	9	2	0.0.73	40	7	1000		26	0.51
C12-C13	Hypopharynx	題	(5)	97	137	- 70		2	2	4	4	9	14	18	13	·	11	三	84	1.63
C14	Pharynx Unspecified			15	15	19			1		46	40	2	1	40	40	24		4	0.08
C15	Oesophagus				2.00	1	2	1	3	9	15	18	16	23	18	16	24		146	2.84
C16	Stomach	:=			(*)	2	5	6	10	17	39	42	39	29	39	35	28		291	5.66
C17	Small Intestine		-		33-	1		2	-	2	2	- 40	6	4	-	3	1	-	21	0.41
C18	Colon	14	-	-	-	-	4	9	13	21	13	19	20	24	25	26	19	-	193	3.75
C19-C20	Rectum	- 14	-	-	1	3	1	4	18	22	20	20	28	36	23	27	14	-	217	4.22
C21	Anus & Anal Canal	12	-	-	-	3	2	2	4	2	5	2	7	9	2	2	4	-	44	0.86
C22	Liver	3	1	1	17-4	2	-	4	3	5	8	12	14	30	26	18	9	-	136	2.64
C23-C24	Gallbladder etc.	•	•	•	•	-	1	-	2	6	8	12	9	11	15	7	5		76	1.48
C25	Pancreas		7	27	117	. 55	70	3	1	2	7	11	16	12	11	13	6	=	82	1.59
C30-C31	Nose, Sinuses etc.	25		125	150	1	3	3	5	1	2	6	\$.	5	1	4	1	85	32	0.62
C32	Larynx	(4)				1	2	3	8	5	8	11	22	26	25	16	14		133	2.59
C33-C34	Lung etc.	85		1.7	()*	1	4	10	9	28	33	50	62	101	100	88	75		561	10.91
C37-C38	Other Thoracic Organs				1	1	1	5)# 	3	2	2	1	1	1	3	*	-	21	0.41
C40-C41	Bone	(9	2	2	8	5	6	3	6	1	3	1	3	2	2	2	1	-	47	0.91
C43	Melanoma of Skin	1) <u>=</u> ;	1	74	2	4	6	3	6	4	5	10	7	7	9	12	-	77	1.50
C44	Other Skin	- 4	72	- 12	1	1	P	- 2	*	- 84	1	4	1		P	- 4	- 4	= ==	8	0.16
C45	Mesothelioma	12	12	12	72	<u> </u>	25	9	22	12	120	123	12	2	말	9	22	12	12	022
C46	Kaposi Sarcoma	-	-	-	-	-	•	-	•	-	-	-	-	- 2	+	-	•	-	-	-
C47+C49	Conn. & Soft Tissue	3	2	1	4	•	4	2	11	6	7	7	6	3	9	2	11		78	1.52
C50	Breast	17		:=	1.5	7/	5	1	9	4	4	6	5	5	2	4	2	IT.	42	0.82
C60	Penis	17		87	10-	73		=	3	2	4	10	11	5	2	6	2	=	45	0.87
C61	Prostate	i n	1.00		0.0	*	1		3	3	1	7	18	43	47	36	82		241	4.69
C62	Testis	1		-	3	9	13	12	3	6	4		€ *	1	×	-	э		52	1.01
C63	Other Male Genital	19	*	24	1.	- 6	*	1				:€	P.#	1	+		1		3	0.06
C64	Kidney etc.	4	4	-	() -	20	2	2	2	6	9	8	16	17	17	9	7	-	101	1.96
C65	Renal Pelvis	糧	12	- 12	1/4	20	¥	2	¥	14	1	1	172	2	*	1	*	14	3	0.06
C66	Ureter	12	12		12	<u> 2</u> 5	2	0	12	12	12	1	12	2	1	2	~	14	2	0.04
C67	Bladder	-	-	-	-	1	1	-	-	6	4	-	9	12	14	21	19	-	87	1.69
C68	Uns.Urinary Organs				-		•		•		-	-		-	•		•	-	-	
C69	Eye	7	1	1	1575	7.6		1	5	17	170	9.5	12.77	-	5.	1	3	12	14	0.27
C70-C72	Brain, Nervous System	8	12	4	6	8	5	14	8	9	16	14	8	11	14	6	2	87.	145	2.82
C73	Thyroid	17		2	15	5	14	8	6	10	3	7	7	6	5	8	3	17	84	1.63
C74	Adrenal Gland	1	-		(-	-	7		H	17		19		-		1	·	-	2	0.04
C81	Hodgkins Disease	2	3	5	6	3	4	3	7	4	7	5	5	4	5	5	3		71	1.38
C82-C85	NHL	:=	5	3	3	7	5	16	10	16	20	28	24	32	21	23	22	-	235	4.57
C88	Malig Imn.Prol D	84	*	- 12	74	4	<u>ģ</u>	- 4	I <u>E</u>	₹	*	(#	194	- 1	2	-	9	12		*
C90	Multiple Myeloma	12	=	12	12	- 23	j j	-	1	6	5	15	11	18	5	7	10		78	1.52
C91	Lymphoid Leuk.	26	21	20	18	7	8	10	7	4	2	-	2	9	5	6	9	15	154	2.99
C92-C94	Myeloid Leukaemia	7	4	3	8	5	12	17	13	15	12	13	14	11	6	9	5	-	154	2.99
C95	Leukaemia Uns	-	1	-		1	-	1	-	.=		-		-	-	-	-	-	3	0.06
C96	CMD,O&U LHM	ı,	-	:		7.5			1	i.e		(3	15 .	1	3	2	2		9	0.17
O&U *	Other and Uns	15	1	1	0.00	1	2	4	1	5	10	17	14	18	12	18	22		126	2.45
	All Sites	65	57	44	62	84	144	268	307	417	481	504	547	649	543	498	473		5143	100.0
Compression	·				Commence of the Commence of th															

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2014 - 2016 Females %= Relative Proportion of Cancers of All Sites

Hyderabad district

100.40	0.11-	00.04	05.00	40.44	45.40	00.04	05.00	20.04	25.20	10.11	45.40	F0 F4	FF 50	00.04	05.00	70.74	754	TIME	T-1-1	OV.
ICD-10 C00	Site Lip	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49 1	50-54	55-59 1	60-64	65-69	70-74	75+ 1	Unkn	Total 5	% 0.08
C01-C02	Tongue	- 12		100		1	5	2	10	18	24	16	20	18	14	11	10		149	2.31
C03-C06	Mouth					1	2	2	7	19	25	22	35	31	20	13	16		193	2.99
C03-C08	150,000,000			- 15	2	10	3	1	2	5	23	5	4	3	20	13	2		29	0.45
C07-C08	Salivary Gland		- 5	100	2	825	3	V	2	800	2	1	1	3	1	- 5	2	- E	6	0.45
C10	Tonsil	.5	5	li di		1.5	1.5	1		1	-	2	2	-	2	5	3	15		0.09
C10	Oth. Oropharynx	570	1	(3)	2	1		1	1	j.	1	3		2	1	1	3	15	11 13	0.17
C12-C13	Nasopharynx	5.		.55		1	3	9	8	8	9	5	8	8	4	6	3		72	1.12
C12-C13	Hypopharynx	ā		3.7		7/.1/2	3	9	0	0	9	5	0	0	1	1	3	(f)	2	0.03
C14	Pharynx Unspecified Oesophagus						2	3	8	10	17	10	22	18	18	12	20		140	2.17
C15	Stomach		1	(. 	1 AT	3	5	10	11	16	19	20	21	21	7	10	16		160	2.48
C17	Small Intestine		- 1	0.50		3	3	1	11	1	2	20	1	3	1	1	10		12	0.19
C18	Colon			. A	1	1	1	8	7	3	16	23	20	18	21	14	7		140	2.17
C19-C20	Rectum			300	1	2	6	7	13	3	15	13	14	23	13	5	6		121	1.88
C19-C20	Anus & Anal Canal			100	- 1		0	2	4	6	2	5	2	4	9	6	2		42	0.65
LOWER CO.		30		200	10.5			1000	100		5	7	7	10	337.0	1,550	5	19	55	0.85
C22 C23-C24	Liver Gallbladder etc.	5	-	90		10/1	-	1 2	1 2	4	5	12	12	70	11	7	3	554	62	0.85
C25-C24	Pancreas		- 2	9.	100	in the second	1			100	4	8	7	8	10	5	8		55	0.96
7273800000	Nose, Sinuses etc.			-	-	•	- 1		1	2	4	3	2	ð	10 5	1	1		15	0.85
And the control of th				(表				7.	1	-		0.01	Joseph	2	3,546		1	- 12	10000	1,171,90,004,943
C32 C33-C34	Lung etc		= ==	157/	-	1	1.5	10	6	1	1 20	30	1 44	2 52	1 39	1 24	22	17	9 262	0.14 4.06
C37-C38	Lung etc. Other Thoracic Organs	.5	2	1	1.5	10.00	1.5	10	О	14	20	30	1	52	39	24	1	57	7	0.11
Circumore continue		2	3	3	9	100	2		-	1	1		100		-	1	3	15		11.007000.000
C40-C41 C43	Bone Melanoma of Skin	2	3	3	1	4		2	3	1	7	7	5 6	6	3 8	10	8	. it.	42 57	0.65 0.88
C43	Other Skin			1.7		2.5	-	7.	3	4	- 1	1	О	0	0	10	0	须	1	0.02
Pagarone	Mesothelioma			-		5.5	-		-			•			3	- 1			<i>i</i> 1	0.02
C45 C46	Table MENGE			1	•		-	#-	-		-	-	•	-					-	0.00
DEGUAR BUSINESS	Kaposi Sarcoma	3	-	3	-	-	9	3	6	6	6	7	5	4	7	3	3		1	0.02 1.16
United States	Conn. & Soft Tissue	3			6	4		5555		5000		100/100	320	10-10-00-0		U.S. S.	0.000	- 14	75	500000000000000000000000000000000000000
C50	Breast	*		9.4	1	8	34	71	169	242	347	315	316	297	212	135	144		2291	35.50
C51 C52	Vulva	-	-	100		000	-		4	- 4	1	2	7	3 4	3 5	3	5	3 <u>4</u>	19 31	0.29
C52	Vagina Cervix Uteri	-	- 2	-		1	10	20	1 50	62	2 62	3 86	85	78	43	38	1 28	- 1	563	0.48 8.72
C53	Corpus Uteri	-	-			(9) 98	10	5	16	14	25	65	61	63	43	27	27		353	5.47
C55						1	1	3	10	14	1	7	2	2	1	21	21		16	0.25
C56	Uterus Unspecified Ovary etc.	1		6	6	7	11	21	27	38	59	54	61	49	43	28	34		445	6.90
C57	Other Female Genital		- 5	U	-		111	1	- 21	30	1	1	01	1	1	20	34		5	0.08
C58	Placenta		iā,	127		1					- 2.		195	- 1	l li		<u> </u>	137	1	0.02
C64	Kidney etc.	4	1	(B)		104	1	2	1	4	1	3	3	8	6	4	3	17	41	0.64
C65	Renal Pelvis	1580		100		100				7			3	0	1			100	1	0.02
C66	Ureter				- 3								1					- 65	1	0.02
C67	Bladder			1.5°		3.T	1	, A	-	3	2	3	4	5	4	3	4	15	29	0.02
C68	Uns.Urinary Organs	,	10	(A)			- 10	,	1	3	2	3	-	J	2.44		1. 46	10	1	0.45
C69	Eye	10	2		-	1	1		2	,	720		102	72			-	9	16	0.02
	Brain, Nervous System	9	6	4	31.0	4	2	3	5	7	14	6	12	7	2	6	5	14	92	1.43
C73	Thyroid	- 3	1	122	6	14	24	27	20	27	23	10	12	16	12	8	11	12	211	3.27
C74	Adrenal Gland	9	1		- 0	17		1	20		20	10	- 12	10	1		11	12	5	0.08
C81	Hodgkins Disease	- 4	2	1	3	3	5	4	1	2	2	4	4	1	2	2	1	12	37	0.57
March 1977	NHL	2	-	2	3601	7	5	6	10	17	21	17	15	27	18	19	16	12	185	2.87
ACA COOKA AND CONTRACTOR	Malig Imn.Prol D	;; €		- 6	3	9	3		- 10				13	21	10	13	10	- 6	,00	2.07
	Multiple Myeloma	5	i i	15				2	1	3	3	8	13	11	14	2	10	= =	67	1.04
C91	Lymphoid Leuk.	13	15	6	7	1	5	1	2	4	1	3	4	4	4	1	3	12	74	1.15
	Myeloid Leukaemia	3	6	4	100	6	13	8	18	7	18	14	12	8	9	2	6	15	141	2.19
C95	Leukaemia Uns	3	0	7.5		0	13	U	10	£.	10	174	12	1	9	. 4	Ü	:E	1	0.02
C96	CMD,O&U LHM			5 5 5	100	387		. fi		if.		5 5	1	2	1	3	2	in.	9	0.02
O&U *	Other and Uns		-	12	1	1	1	1	1	4	10	12	6	10	15	5	14	1	82	1.27
Jau	All Sites	47	39	31	0500	74	5-44A-557.8	239	421	565	777	817	862	835	652	429	454	1	6453	A CONTRACTOR OF THE PARTY OF
* 0811 in												617	802	635	052	429	454	- 1	0403	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 3(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2014 - 2016 Males Hyderabad district

ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00		-	-		-		0.5	0.6	1.0	2.4	1.5	2.3	2.9	3.6	2.8	2.0	0.7	0.76	0.12	1.7
C01-C02	12	12	8	2	0.5	2.1	6.9	9.9	14.7	20.6	16.7	17.6	21.1	19.9	33.1	10.1	6.6	7.18	0.37	16.4
C03-C06	0.2	:4	2	괄	1.0	3.9	10.5	18.3	26.7	34.9	27.9	33.8	35.2	29.9	33.1	15.2	11.2	11.86	0.47	28.9
C07-C08	0.2	194	-	¥	0.2	0.2	0.5	0.2	-	0.6	2.6	0.9	2.9	3.6	1.4	5.1	0.5	0.65	0.12	1.1
C09		i e	-	=	(7 0)	38	0.7	0.4	0.7	(#)	1.5	0.9	1.2	1.8	5.5	3.0	0.4	0.50	0.10	0.7
C10				7	8.7	170		0.2	0.2	1.2	1.9	2.3	1.8	1.8	2.8	6.1	0.5	0.59	0.11	1.1
C11	-	-	-	0.5	0.5	0.3	1.3	0.2	0.2	0.3	0.4	0.9	1.2	•		3.0	0.4	0.40	0.08	0.5
C12-C13	92	92	- 2	2	72	2	0.4	0.4	1.0	1.2	3.3	6.5	10.5	11.8	9.7	11.2	1.4	1.80	0.20	3.2
C14	•	12	=	¥	77 4 3	-	14	0.2	-	-	84	0.9	0.6	-	32	-	0.1	0.07	0.04	0.2
C15	-	-	-		0.2	0.3	0.2	0.6	2.2	4.6	6.7	7.4	13.5	16.3	22.1	24.3	2.4	3.08	0.26	5.2
C16	5 + 3	· · · · · · · · · · · · · · · · · · ·	-		0.3	0.8	1.1	2.1	4.1	11.8	15.6	18.1	17.0	35.3	48.3	28.4	4.8	6.02	0.36	10.5
C17		15	ā		0.2	: -	0.4	-	0.5	0.6	(.	2.8	2.3	(-	4.1	1.0	0.3	0.41	0.09	0.9
C18	1.7		5	7.	137	0.7	1.6	2.7	5.1	3.9	7.1	9.3	14.1	22.6	35.9	19.3	3.2	3.92	0.29	6.4
C19-C20		-	9	0.2	0.5	0.2	0.7	3.8	5.3	6.1	7.4	13.0	21.1	20.8	37.3	14.2	3.6	4.41	0.31	8.5
C21	12	12	2	<u>=</u>	0.5	0.3	0.4	8.0	0.5	1.5	0.7	3.2	5.3	1.8	2.8	4.1	0.7	0.83	0.13	1.8
C22	0.6	0.2	0.2	의	0.3	-	0.7	0.6	1.2	2.4	4.5	6.5	17.6	23.5	24.8	9.1	2.2	3.00	0.26	4.6
C23-C24	-	-		*	19	0.2	*	0.4	1.4	2.4	4.5	4.2	6.4	13.6	9.7	5.1	1.2	1.62	0.19	2.9
C25	-	(*		=	(100	-	0.5	0.2	0.5	2.1	4.1	7.4	7.0	10.0	17.9	6.1	1.3	1.76	0.20	3.1
C30-C31	-				0.2	0.5	0.5	1.1	0.2	0.6	2.2		2.9	0.9	5.5	1.0	0.5	0.59	0.11	1.1
C32		-	-	-	0.2	0.3	0.5	-	1.2	2.4	4.1	10.2	15.2	22.6	22.1	14.2	2.2	2.92	0.26	4.6
C33-C34	-		- 2	-	0.2	0.7	1.8	1.9	6.7	10.0	18.6	28.7	59.2	90.5	121.5	76.1	9.2	12.40	0.53	18.0
C37-C38	S#3	· ·	=	0.2	0.2	0.2	0.9	-	0.7	0.6	0.7	0.5	0.6	0.9	4.1	=	0.3	0.37	0.08	0.5
C40-C41		0.4	0.4	1.4	0.8	1.0	0.5	1.3	0.2	0.9	0.4	1.4	1.2	1.8	2.8	1.0	0.8	0.77	0.12	0.9
C43	0.2		0.2	H	0.3	0.7	1.1	0.6	1.4	1.2	1.9	4.6	4.1	6.3	12.4	12.2	1.3	1.50	0.18	2.1
C44	-	i#		0.2	0.2	:=	清		:-	0.3	1.5	0.5	ā		: = :	iff	0.1	0.14	0.05	0.4
C45	-	-	-	7	157	-		-	0.5	-	50	- 5	5		-	-	-		-	-
C46	_	72	- 2	2	12	- 2	12	2	-	-	- 4	=	2	-	- 2	2	2	12		-
C47+C49	0.6	0.4	0.2	0.7	N=	0.7	0.4	2.3	1.4	2.1	2.6	2.8	1.8	8.1	2.8	11.2	1.3	1.45	0.17	2.1
C50	-	12	Ξ.	-	((=)	1-	0.2	1.9	1.0	1.2	2.2	2.3	2.9	1.8	5.5	2.0	0.7	0.78	0.12	1.8
C60	-	: -	-	*	\$ *		∺	0.6	0.5	1.2	3.7	5.1	2.9	1.8	8.3	2.0	0.7	0.91	0.14	2.1
C61		18		5	13.5	0.2		0.6	0.7	0.3	2.6	8.3	25.2	42.5	49.7	83.2	3.9	5.52	0.36	5.1
C62	0.2			0.5	1.5	2.1	2.2	0.6	1.4	1.2		5	0.6		150		0.9	0.71	0.10	0.7
C63			-	•	-	-	0.2		-		-	-	0.6			1.0	0.0	0.05	0.03	0.1
C64	0.7	0.8	6	29	74	- 12	0.4	0.4	1.4	2.7	3.0	7.4	10.0	15.4	12.4	7.1	1.7	2.16	0.22	3.6
C65		縺	-	¥	1349	(#)	*			0.3	0.4	9	#		1.4	4	0.0	0.06	0.04	0.1
C66	-	3#	-		8 .	:*	*			-	0.4	*	¥	0.9	: * :	i u	0.0	0.05	0.03	0.1
C67	-	:=	н	5	0.2	0.2	æ	=	1.4	1.2	(=	4.2	7.0	12.7	29.0	19.3	1.4	1.98	0.22	2.0
C68	:=				S7.			-		-	17				3.5		=	1-	-	
C69	1.3	0.2	0.2	5	1070		0.2	-	-	7		5		J.	1.4	3.0	0.2	0.29	0.08	
C70-C72	1.5	2.3	0.7	1.1	1.3	0.8	2.5	1.7	2.2	4.9	5.2	3.7	6.4	12.7	8.3	2.0	2.4	2.67	0.23	3.8
C73	72	12	0.4	<u> </u>	0.8	2.3	1.4	1.3	2.4	0.9	2.6	3.2	3.5	4.5	11.0	3.0	1.4	1.46	0.17	2.2
C74	0.2	(4)		¥	(¥	141	H	2	(4)	-	(4)	2	н	-	1.4	14	0.0	0.05	0.04	(-)
C81	0.4	0.6	0.9	1.1	0.5	0.7	0.5	1.5	1.0	2.1	1.9	2.3	2.3	4.5	6.9	3.0	1.2	1.29	0.16	1.8
C82-C85	-	0.9	0.5	0.5	1.2	0.8	2.9	2.1	3.8	6.1	10.4	11.1	18.8	19.0	31.7	22.3	3.8	4.61	0.31	7.9
C88	35	-		7.	137		25			-	177		7	25	674	- 27		17/	157	-
C90	-	-	9	-	-	-	12	0.2	1.4	1.5	5.6	5.1	10.5	4.5	9.7	10.1	1.3	1.63	0.19	3.5
C91	4.8	4.0	3.6	3.2	1.2	1.3	1.8	1.5	1.0	0.6	a	0.9	5.3	4.5	8.3	9.1	2.5	2.81	0.23	1.4
C92-C94	1.3	0.8	0.5	1.4	0.8	2.0	3.1	2.7	3.6	3.6	4.8	6.5	6.4	5.4	12.4	5.1	2.5	2.69	0.22	4.4
C95	-	0.2	-		0.2	-	0.2		-	-	-	*	*)=)		0.0	0.04	0.03	
C96		18	-	*	(-	:*:	8	0.2	-		(#	-	0.6	2.7	2.8	2.0	0.1	0.21	0.07	0.1
O&U *	17	0.2	0.2	#	0.2	0.3	0.7	0.2	1.2	3.0	6.3	6.5	10.5	10.9	24.8	22.3	2.1	2.65	0.24	4.1
All Sites	12.1	10.8	7.9	11.1	13.8	23.7	48.5	64.6	100.3	146.1	187.2	253.5	380.3	491.5	687.4	479.7	84.2	101.6	1.46	172.2

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)





Collaborate Innovate Inspire



Table 3(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2014 - 2016 Females

Hyderabad district

ICD-10 00-04 05-09 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49 50-54 55-59 60-64 65-69 70-74 CR AAR TR C00 0.3 0.5 2.9 0.9 0.1 0.12 0.05 0.1 C01-C02 0.1 0.8 0.4 2.2 4.6 7.9 6.5 10.5 11.8 14.3 16.2 9.1 2.5 3.13 0.26 6.8 C03-C06 0.1 0.3 0.4 1.6 4.8 8.2 9.0 18.4 20.3 20.4 19.1 14.6 3.3 4.22 0.31 9.3 C07-C08 0.4 0.5 0.2 0.4 1.3 2.0 2.1 2.0 2.0 1.8 0.5 0.55 0.11 1.2 0.7 1.0 C09 0.2 0.4 0.5 0.1 0.12 0.05 0.3 C10 0.3 2.0 2.7 0.3 0.8 1.1 0.2 0.23 0.07 0.4 C11 0.2 0.2 0.2 1.2 0.4 0.1 1.3 1.0 1.5 0.2 0.27 0.08 0.4 C12-C13 0.5 1.7 2.0 2.9 2.0 4.2 5.2 4.1 8.8 2.7 1.2 1.39 0.17 2.9 0.1 1.8 C14 1.0 1.5 0.0 0.06 0.04 C15 0.3 0.6 1.8 2.6 5.6 4.1 11.6 11.8 18.3 17.6 18.3 2.4 3.06 0.27 C16 6.2 14.7 2.7 0.2 0.4 0.8 1.8 2.5 4.1 8.2 11.0 13.8 7.1 14.6 3.19 0.26 7.0 C17 0.2 0.3 0.7 0.8 0.5 2.0 1.0 0.2 0.27 0.08 0.6 1.5 C18 0.2 0.1 0.2 1.5 1.6 0.8 5.2 9.4 10.5 11.8 21.4 20.6 6.4 2.4 3.13 0.27 5.9 C19-C20 0.2 0.3 0.9 1.3 2.9 0.8 4.9 5.3 7.4 15.1 13.2 7.3 5.5 2.1 2.52 0.24 5.4 C21 0.4 0.9 1.5 0.7 2.0 1.1 2.6 9.2 8.8 1.8 0.7 0.94 0.15 1.4 5.9 1.28 C22 0.2 0.2 1.0 1.6 2.9 3.7 6.5 11.2 4.6 0.9 0.18 2.3 1.0 16 C23-C24 0.4 0.4 49 63 46 8.1 10.3 27 11 1 39 0.18 28 10.2 0.2 1.3 3.3 3.7 5.2 7.3 0.9 1.27 0.18 2.1 C25 1.0 7.3 1.2 5.1 0.35 0.09 0.5 C30-C31 0.2 0.5 1.1 1.5 0.9 0.3 C32 0.3 0.3 8.0 0.5 1.3 1.0 1.5 0.2 0.21 0.07 0.5 C33-C34 0.1 1.8 1.3 3.6 6.5 12.3 23.1 34.1 39.7 35.3 20.1 4.5 6.01 0.38 11.6 C37-C38 0.2 0.3 0.7 0.5 0.9 0.1 0.12 0.05 0.2 0.6 0.3 0.3 0.4 1.5 C40-C41 1.7 0.4 0.7 2.6 3.1 2.7 0.7 0.77 0.12 0.6 C43 0.2 0.7 2.3 2.9 3.2 3.9 8.1 14.7 1.32 0.18 7.3 1.0 2.0 C44 1.5 0.0 0.03 0.03 C45 C46 02 0.0 0.02 0.02 C47+C49 0.6 0.6 11 0.6 1.4 0.6 1.3 1.5 2.0 29 2.6 26 7.1 4.4 27 1.3 21 1.42 0.17 1.2 5.2 C50 0.2 13.1 37.7 61.8 113.5 128.8 166.2 194.5 216.0 198.3 131.7 39.0 48.04 1.04 108.5 C51 0.3 2.0 3.1 4.6 0.8 1.1 4.4 0.3 0.45 0.11 0.6 C52 0.2 1.0 0.7 1.2 3.7 2.6 5.1 5.9 0.9 0.5 0.72 0.13 1.4 C53 0.1 1.5 3.7 11.2 15.8 20.3 35.2 44.7 51.1 43.8 55.8 25.6 9.6 11.72 0.51 27.2 C54 0.2 0.9 3.6 3.6 8.2 26.6 32.1 41.3 49.9 39.7 24.7 6.0 8.03 0.44 16.7 C55 0.1 0.2 0.2 0.3 2.9 1.1 1.3 1.0 0.3 0.33 0.08 0.9 C56 0.2 1.2 1.0 1.7 3.9 19.3 32.1 32.1 43.8 9.22 0.45 1.1 6.0 9.7 22.1 41.1 31.1 7.6 18.6 C57 0.2 0.3 0.4 0.7 1.0 0.1 0.11 0.05 0.2 C58 0.1 0.0 0.01 0.01 0.2 0.4 0.2 5.2 C64 0.8 0.2 1.0 0.3 1.2 1.6 6.1 5.9 2.7 0.7 0.94 0.15 1.4 1.0 0.0 0.03 0.03 C65 0.02 0.02 C66 0.5 0.0 0.1 0.2 0.8 0.7 1.2 3.3 4.4 0.5 0.66 0.13 1.2 C67 2.1 4.1 3.7 C68 0.2 0.0 0.01 0.01 0.0 C69 2.1 0.4 0.1 0.2 0.4 0.3 0.34 0.09 0.1 C70-C72 1.9 1.2 8.0 0.6 0.3 0.6 1.1 1.8 4.6 2.5 6.3 4.6 2.0 8.8 4.6 1.6 1.86 0.20 3.3 0.2 4.5 12.2 C73 1.1 2.1 3.6 6.9 7.5 6.3 10.5 11.8 10.1 3.6 3.69 0.27 6.5 0.2 0.2 0.4 1.0 0.1 0.09 0.04 0.1 C74 C81 0.4 0.2 0.6 0.4 0.8 0.7 0.2 0.5 0.7 1.6 2.1 0.7 2.0 2.9 0.9 0.6 0.67 0.11 0.9 C82-C85 0.4 0.4 0.6 1.0 0.8 1.1 2.2 4.3 6.9 7.0 7.9 17.7 18.3 27.9 14.6 3.1 3.93 0.30 7.0 C88 0.2 1.0 7.2 14.3 1.54 2.7 C90 0.4 0.8 3.3 6.8 2.9 9.1 1.1 0.19 C91 2.7 3.1 1.2 1.3 0.1 0.8 0.2 0.4 1.0 0.3 1.2 2.1 2.6 4.1 1.5 2.7 1.3 1.51 0.18 1.2 C92-C94 0.6 1.2 0.8 1.3 0.9 2.0 1.5 4.0 1.8 5.9 5.7 6.3 5.2 9.2 2.9 5.5 2.4 2.60 0.23 4.7 C95 0.7 0.0 0.03 0.03 0.1 C96 0.5 1.3 1.0 4.4 1.8 0.2 0.23 0.08 0.2 0&U * 0.2 0.1 0.2 0.2 0.2 1.0 3.3 3.2 6.5 15.3 7.3 12.8 1.4 1.82 0.21 2.9 8.1 6.1 10.7 11.1 23.4 94.0 453.4 1.75 278.3

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2014 - 2016 Males Hyderabad district

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	2.5	39	97.5	£7.	1.77	670			7.	7.		40	100.0
C01-C02	Tongue	5	1.2	400	98.8	-	-	-	-	-	-		=	405	100.0
C03-C06	Mouth	13	1.9	665	97.5	3	0.4	-	-	1	0.1	2	2	682	100.0
C07-C08	Salivary Gland	74	_	33	100.0	9	14	12	- 1	74	2	*	=	33	100.0
C09	Tonsil	3 °		26	100.0	i a	-	(-))		£=			-	26	100.0
C10	Oth. Oropharynx	1	3.4	28	96.6		-	17.		105		5	-	29	100.0
C11	Nasopharynx	2	7.7	24	92.3	i7	15	1.7		11-E	-	5:	-	26	100.0
C12-C13	Hypopharynx	1	1.2	82	97.6	- 4	- 4		-	1	1.2	1 25	9	84	100.0
C14	Pharynx Unspecified	S2-	2	4	100.0	12	14	12	-	82	<u>u</u>	2	2	4	100.0
C15	Oesophagus	4	2.7	140	95.9	2	1.4	-	14	(14)	2	a	-	146	100.0
C16	Stomach	1	0.3	285	97.9	3	1.0	2	0.7	0-	18	+	-	291	100.0
C17	Small Intestine	0.0	-	21	100.0	-	(-				-	-	-	21	100.0
C18	Colon	-	_	189	97.9	4	2.1		-	20 m	_	-	-	193	100.0
C19-C20	Rectum	1	0.5	214	98.6	1	0.5	1	0.5		_	2		217	100.0
C21	Anus & Anal Canal	1.5	0.0	44	100.0	-	0.0		0.0	16	= =		· · · · · · · · · · · · · · · · · · ·	44	100.0
C22	Liver	1	0.7	114	83.8	18	13.2	120		3	2.2	2		136	100.0
C23-C24	Gallbladder etc.	-	0.7	70	92.1	5	6.6	•		1	1.3			76	100.0
C25-C24	Pancreas	2	2.4	75	91.5	3	3.7	2	2.4	020	1.0			82	100.0
C30-C31	Nose, Sinuses etc.		2.4	32	100.0	-	3.1	-	2.4	11.5			-	32	100.0
C30-C31	Value and an order	2	1.5	130	97.7	1	0.8		-	1975		55		133	100.0
500000000000000000000000000000000000000	Larynx	3	0.5	533	95.0	20	3.6	3	0.5	2	0.4	70.		561	180015-0075
C33-C34	Lung etc.		0.5	21			3.0	3	0.5		0.4		-	21	100.0
C37-C38	Other Thoracic Organs	1/2	-	- CALLS	100.0	*	:-	-	-	1/4	-			2000	100.0
C40-C41	Bone		-	47	100.0	-					-	-	-	47	100.0
C43	Melanoma of Skin	(8)	-	76	98.7	1	1.3			8.0	= =		-	77	100.0
C44	Other Skin	1.5		8	100.0	i t		:#:		115	5			8	100.0
C45	Mesothelioma)157 944	-	7.0				(7)	9.5	/A-T/	7	7/.			
C46	Kaposi Sarcoma	-	-	-		-	- 4.0	-	*	(*)	-		-	70	400.0
C47+C49	Conn. & Soft Tissue	-	-	77	98.7	1	1.3	-	-	-	-	-	-	78	100.0
C50	Breast	(*)	-	42	100.0	- 4	-	-	-	200	-	-	-	42	100.0
C60	Penis	-	-	45	100.0	H H	-		-	-	-		-	45	100.0
C61	Prostate	3	1.2	231	95.9	6	2.5		196	1	0.4			241	100.0
C62	Testis	1	1.9	51	98.1		12T			12.5	-			52	100.0
C63	Other Male Genital	-	-	3	100.0	-	-			-	-		-	3	100.0
C64	Kidney etc.	1/2	-	93	92.1	7	6.9	1	1.0	114	_		-	101	100.0
C65	Renal Pelvis	72	-	3	100.0	14	. 4	100	-	134	-	<u> </u>	-	3	100.0
C66	Ureter	9.0	•	2	100.0	⊕	78	(4)	197A	() *	•	*	-	2	100.0
C67	Bladder		-	84	96.6	2	2.3	1	1.1		.	B)		87	100.0
C68	Uns.Urinary Organs	-	-		-	27	-		-	(5	7.				-
C69	Eye	1	7.1	12	85.7	1	7.1		<u></u>), *	-	7/	-	14	100.0
C70-C72	Brain, Nervous System	-		139	95.9	5	3.4	1	0.7	74	-	25	-	145	100.0
C73	Thyroid	1	1.2	83	98.8	- 4	-	-		84		<u> </u>	- 4	84	100.0
C74	Adrenal Gland	-	-	1	50.0	1	50.0)(4)	(a)	()=()	-	¥	=	2	100.0
C81	Hodgkins Disease			71	100.0	×	-	100		11-		H	-	71	100.0
C82-C85	NHL	-	7.	233	99.1	2	0.9		-	955	7.0		-	235	100.0
C88	Malig Imn.Prol D	(-	-		-	Ξ.	-			135	7	7.	-	7.	y -
C90	Multiple Myeloma	14	2	76	97.4	1	1.3	1	1.3	74	1 2		-	78	100.0
C91	Lymphoid Leuk.	0 <u>4</u>	ž	151	98.1	2	- 1	3	1.9	82	2	<u> </u>	12	154	100.0
C92-C94	Myeloid Leukaemia	84	2	153	99.4	34	4	1	0.6	(/ -)	40	16	=	154	100.0
C95	Leukaemia Uns	(*		3	100.0	i i	:=	19		ē.		*	Η.	3	100.0
C96	CMD,O&U LHM	99 5 5		9	100.0	:#	i e	. 	S#	ia s i	=	Ħ		9	100.0
O&U *	Other and Uns	4	3.2	79	62.7	13	10.3	29	23.0	1	0.8		-	126	100.0
î e	All Sites	47	0.9	4941	96.1	100	1.9	45	0.9	10	0.2		-	5143	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2014 - 2016 Females Hyderabad district

100.40	C'+-	Clin	ical	Micros	scopic	X-ray/li	maging	D.C	0.0	Oth	ers	Unkn	iown	Tot	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	142	12	5	100.0	225	-	<u>u</u>	2	2	12	12	(2)	5	100.0
C01-C02	Tongue	1	0.7	146	98.0	2	1.3	¥	2		<u>_</u>	84	32	149	100.0
C03-C06	Mouth	3	1.6	188	97.4	2	1.0	_	9		- 14		14	193	100.0
C07-C08	Salivary Gland		19	29	100.0		#			*	·		140	29	100.0
C09	Tonsil		S#-	6	100.0	-		-	-	-		:=	1-	6	100.0
C10	Oth. Oropharynx	1	9.1	10	90.9		-	-	-	_	-	_	-	11	100.0
C11	Nasopharynx	14	14	13	100.0	2	_	2	-	- 2	2	-	-	13	100.0
C12-C13	Hypopharynx	1	1.4	69	95.8	2	2.8	2	~	i i	12	- 12	34	72	100.0
C14	Pharynx Unspecified			2	100.0	20		- 2	- 2	2	12	- 1		2	100.0
C15	Oesophagus		-	138	98.6	1	0.7	-	_	1	0.7		7 =	140	100.0
C16	Stomach		-	153	95.6	5	3.1	2	1.3		-			160	100.0
C17	Small Intestine			12	100.0	-	0.1		1.0	ie ie	157		(5)	12	100.0
C18	Colon	150		137	97.9	2	1.4			1	0.7			140	100.0
C19-C20	Rectum	3	2.5	116	95.9	1	0.8		- 5	1	0.8		12	121	100.0
C19-C20	Anus & Anal Canal	3	2.0	41	97.6	1	2.4			30	0.0	PG PG	300	42	100.0
C22	Liver	1	4.0	40	72.7	13	23.6	-		1	1.8			55	NUMBER OF
C23-C24	1924 Charles Commission	- 2	1.8	58	2457473011	3	4.8	-	1.0	1	1.0	-	-	0.000	100.0
Tarana and Tarana	Gallbladder etc.	-	-	SANGE OF	93.5			1	1.6	*	-	(-)	*	62	100.0
C25	Pancreas	2	3.6	45	81.8	8	14.5	5	Ē		55	(-	-	55	100.0
C30-C31	Nose, Sinuses etc.	(#)	85	15	100.0	7/4	5					12	100	15	100.0
C32	Larynx	•	•	7	77.8	1	11.1	-	-	1	11.1		-	9	100.0
C33-C34	Lung etc.	2	0.8	252	96.2	5	1.9	2	0.8	1	0.4	- 4	-	262	100.0
C37-C38	Other Thoracic Organs		R#1	7	100.0	- 2	¥		-		-	- 14	-	7	100.0
C40-C41	Bone		(1 4)	42	100.0		¥.	-		*	-		-	42	100.0
C43	Melanoma of Skin	1	1.8	56	98.2		Ħ.							57	100.0
C44	Other Skin	ा	6=	1	100.0	5		5			-		17.	1	100.0
C45	Mesothelioma	-	•	-	-						-	-	-	-	
C46	Kaposi Sarcoma	- 12			-	2	2	1	100.0		12		12	1	100.0
C47+C49	Conn. & Soft Tissue	1	1.3	74	98.7	2	¥			<u> </u>	- 2	- 14	32	75	100.0
C50	Breast	13	0.6	2263	98.8	13	0.6	1	=	1	Œ	14		2291	100.0
C51	Vulva	1	5.3	18	94.7	8	н	-	Ж	×	-		:#	19	100.0
C52	Vagina	i. t.	: -	31	100.0							95	:*	31	100.0
C53	Cervix Uteri	1	0.2	561	99.6	1	0.2		5	-	ē		1.50	563	100.0
C54	Corpus Uteri	2	0.6	348	98.6	3	0.8	-	-	-		- 6	-	353	100.0
C55	Uterus Unspecified	192	12	14	87.5	2	12.5	<u></u>	<u> </u>	2	2	14	12	16	100.0
C56	Ovary etc.	2	0.4	433	97.3	3	0.7	3	0.7	4	0.9	84	-	445	100.0
C57	Other Female Genital	-	: -	5	100.0	*	÷	-		*	-			5	100.0
C58	Placenta	-); +)	1	100.0				-			89		1	100.0
C64	Kidney etc.	3-	87	38	92.7	2	4.9	5	-	1	2.4	(2)	35	41	100.0
C65	Renal Pelvis	37	1.5	1	100.0	-		-		-	1.7		5	1	100.0
C66	Ureter	- 3	-	1	100.0	- 5	¥	2	-	- 4	=	- 4	-	1	100.0
C67	Bladder	1	3.4	27	93.1	1	3.4			2	12	9	12	29	100.0
C68	Uns.Urinary Organs	-	24	1	100.0		9	2		*	12	14	12	1	100.0
C69	Eye	-	79	14	87.5	2	12.5	-	-	-	12	-	-	16	100.0
C70-C72	Brain, Nervous System	1	1.1	84	91.3	5	5.4	1	1.1	1	1.1	(#	:.	92	100.0
C73	Thyroid	1	0.5	209	99.1	1	0.5	-	-	-	-	:=	-	211	100.0
C74	Adrenal Gland	- 1		5	100.0	=	100	- 3	-	- 4	2	- 2		5	100.0
C81	Hodgkins Disease	14	-	36	97.3	0	<u> </u>	2	15	2	22	1	2.7	37	100.0
C82-C85	NHL	84	(14)	183	98.9	1	0.5	<u>p</u>	9	-	2	1	0.5	185	100.0
C88	Malig Imn.Prol D	-	(<u>4</u>)	100	50.0	-	0.0	_	14	2		-	3.0	-	, 50.0
C90	Multiple Myeloma			67	100.0			2				74		67	100.0
C91	Lymphoid Leuk.			73	98.6	_		1	1.4					74	100.0
C92-C94	Myeloid Leukaemia		infi:	141	100.0		5		1.4		-	17		141	100.0
C92-C94	Leukaemia Uns		1) 4	141	100.0							1.0	1.7 1.5	141	100.0
			(90)	100	1,750/11/20/20		195	, F.	i i	,	201		-		100000000000000000000000000000000000000
C96	CMD,O&U LHM		2.7	9	100.0		-	40	- 20.0	2	-	9	4.0	9	100.0
O&U *	Other and Uns	3 41	3.7	52	63.4	8	9.8	18	22.0	-	-	1	1.2	82	100.0
	All Sites	41	0.6	6278	97.3	88	1.4	30	0.5	13	0.2	3	0.0	6453	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2014 - 2016 Males Hyderabad district

ICD 40	Cita	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone N	larrow	Oth	ers	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	39	97.5	R#3		э.			-		(*	1	2.5	40	100.0
C01-C02	Tongue	391	96.5	2	0.5	6	1.5			1	0.2	5	1.2	405	100.0
C03-C06	Mouth	644	94.4	6	0.9	15	2.2			(=)	S T S	17	2.5	682	100.0
C07-C08	Salivary Gland	26	78.8	2	6.1	5	15.2	<u> </u>		-				33	100.0
C09	Tonsil	23	88.5	3	11.5	2	9	- 2	- 2	12	12	Y7 <u>2</u> 1	2	26	100.0
C10	Oth. Oropharynx	25	86.2	2	6.9	- 1	3.4	2	-	120	199	1	3.4	29	100.0
C11	Nasopharynx	14	53.8	8	30.8	2	7.7	:=		190	(4)	2	7.7	26	100.0
C12-C13	Hypopharynx	77	91.7	1	1.2	4	4.8	: -		-	1.41	2	2.4	84	100.0
C14	Pharynx Unspecified	4	100.0		-	-			:-		: * :		-	4	100.0
C15	Oesophagus	137	93.8	1	0.7	2	1.4	-	-			6	4.1	146	100.0
C16	Stomach	274	94.2	9	3.1	2	0.7	2	-	14	-	6	2.1	291	100.0
C17	Small Intestine	21	100.0		-		-			92	(2	12	2	21	100.0
C18	Colon	182	94.3	6	3.1	1	0.5	12	-		940	4	2.1	193	100.0
C19-C20	Rectum	212	97.7	1	0.5	1	0.5	72			1-2-	3	1.4	217	100.0
C21	Anus & Anal Canal	44	100.0	11=0	0.0		-				-	-		44	100.0
C22	Liver	89	65.4	3	2.2	22	16.2			19		22	16.2	136	100.0
C23-C24	Gallbladder etc.	61	80.3	1	1.3	8	10.5					6	7.9	76	100.0
C25-C24	Pancreas	48	58.5	15	18.3	12	14.6			- 3	10	7	8.5	82	100.0
C30-C31	Nose, Sinuses etc.	32	100.0	15	10.3	12	14.0	- E		120	225		0.0	32	100.0
C32		123	92.5	2	1.5	5	3.8			72	100	3	2.3	133	100.0
C32-C34	Larynx	381	67.9	55	9.8	97	17.3			7=	1.00	28	5.0	561	100.0
C37-C38	Lung etc.	19	90.5	1	118.52	1	4.8	-	-				5.0	21	14000000
Contractor Contractor	Other Thoracic Organs	47	24127323232	53	4.8	8810	4.0	-	-	18	-)(=)	-	47	100.0
C40-C41	Bone	74	100.0	15	4.0	1	4.0	i .		1.0	1.5	1		77	100.0
C43 C44	Melanoma of Skin		96.1	1	1.3	10	1.3			1.5	\$ 7	110	1.3		100.0
	Other Skin	8	100.0					•	-			1.5	5	8	100.0
C45	Mesothelioma	-		-	-	-	_		-			112	-		
C46	Kaposi Sarcoma	-		12			-	14	-	32	-	-	-	-	400.6
C47+C49	Conn. & Soft Tissue	75	96.2	1	1.3	1	1.3		-		1-1	1	1.3	78	100.0
C50	Breast	39	92.9	120	*	3	7.1		-	: :::::::::::::::::::::::::::::::::::::	-	ii#		42	100.0
C60	Penis	43	95.6	2	4.4	5	-		:=	1,7	1.7	(1 5)	797.90	45	100.0
C61	Prostate	221	91.7	10	4.1		-			. IS	67	10	4.1	241	100.0
C62	Testis	47	90.4	1	1.9	3	5.8		-	-	•	1	1.9	52	100.0
C63	Other Male Genital	3	100.0	74	7/70		-	/4	-	-	-	114	2/2	3	100.0
C64	Kidney etc.	83	82.2	4	4.0	6	5.9	12	-	14	24	8	7.9	101	100.0
C65	Renal Pelvis	3	100.0	((+)	40		-	94	(=)	14	: -	((4)	-	3	100.0
C66	Ureter	2	100.0	(H)	•	*	-) +	-	- 18	-	11#1	# (F)	2	100.0
C67	Bladder	84	96.6	(5 0 ,	#2		=				3 + 3	3	3.4	87	100.0
C68	Uns.Urinary Organs	1.5	17	115.	=		-	JE.	-	1.5	17	167.	-	5	
C69	Eye	11	78.6	15.70	-	7	-		-	1	7.1	2	14.3	14	100.0
C70-C72	Brain, Nervous System	138	95.2	-	-	1	0.7	-	-	- 2	-	6	4.1	145	100.0
C73	Thyroid	73	86.9	2	2.4	8	9.5	i i	-	- F	(4)	1	1.2	84	100.0
C74	Adrenal Gland	1	50.0	5 4)	¥1	2	-	9	-	74	243	1	50.0	2	100.0
C81	Hodgkins Disease	64	90.1	1	1.4	5	7.0		-	1	1.4	(Te)	-	71	100.0
C82-C85	NHL	213	90.6	3	1.3	9	3.8	1	0.4	7	3.0	2	0.9	235	100.0
C88	Malig Imn.Prol D	1.5	1.5	97	5	5)	-		-	15	67	i.e.	5	5	
C90	Multiple Myeloma	23	29.5	-	-			-	-	53	67.9	2	2.6	78	100.0
C91	Lymphoid Leuk.	23	14.9	1/2	25	2	2	21	13.6	107	69.5	3	1.9	154	100.0
C92-C94	Myeloid Leukaemia	29	18.8	162	23	¥	=	12	7.8	112	72.7	1	0.6	154	100.0
C95	Leukaemia Uns) =	-	84	20	2	8	1	33.3	2	66.7	(t =)	2	3	100.0
C96	CMD,O&U LHM	3	33.3](=)	-		×	ж	-	6	66.7)(= ;		9	100.0
O&U *	Other and Uns	6	4.8	43	34.1	30	23.8	S#		-	-	47	37.3	126	100.0
	All Sites	4179	81.3	186	3.6	251	4.9	35	0.7	290	5.6	202	3.9	5143	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 3(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2014 - 2016 Females Hyderabad district

ICD 40	Sito	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone N	larrow	Oth	ers	Tot	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	100.0	-	1/2		2		- 2	=	12	-	-	5	100
C01-C02	Tongue	145	97.3	100	(12)	1	0.7	- 2		- 2	-	3	2.0	149	100.
C03-C06	Mouth	184	95.3	2	1.0	2	1.0				72	5	2.6	193	100.
C07-C08	Salivary Gland	26	89.7	-	1.0	3	10.3		10				2.0	29	100.
anaooo	and the contract of the	5	7 MATERIAL (1)		1.5	1	1000000000	-	17.					6	
C09	Tonsil		83.3			-	16.7	-	is	5.5	:#.		- 0.4		100.
C10	Oth. Oropharynx	8	72.7	1	9.1	1	9.1				1.5	1	9.1	11	100.
C11	Nasopharynx	7	53.8	4	30.8	2	15.4	-				•	•	13	100.
C12-C13	Hypopharynx	67	93.1	14	172	2	2.8		12	- 2	14	3	4.2	72	100.
C14	Pharynx Unspecified	1	50.0	1	50.0	- 2	¥		14		-	-	14	2	100.
C15	Oesophagus	134	95.7	1	0.7	3	2.1	-	Œ		(*	2	1.4	140	100.
C16	Stomach	144	90.0	5	3.1	4	2.5	-	· ·		-	7	4.4	160	100.
C17	Small Intestine	10	83.3	2	16.7		×	-	18				130	12	100.
C18	Colon	132	94.3	2	1.4	3	2.1			-		3	2.1	140	100.
C19-C20	Rectum	110	90.9	4	3.3	2	1.7	_	-	- 2		5	4.1	121	100.
C21	Anus & Anal Canal	41	97.6	2.5 3.2	0.0	-		7	10	25 25	-	1	2.4	42	100.
C22	Liver	24	43.6	3	5.5	13	23.6			-		15	27.3	55	100.
10110-011-010-011	10201100011 1040011 INI	77789	2020/1910/	7,510		1000	1257/10020					-		7.000	7.5
C23-C24	Gallbladder etc.	40	64.5	5	8.1	13	21.0	-		-	(4)	4	6.5	62	100.
C25	Pancreas	28	50.9	4	7.3	13	23.6	-	*	-	-	10	18.2	55	100.
C30-C31	Nose, Sinuses etc.	15	100.0	3.0	() =	-	8	-		- 12	· ·) #		15	100.
C32	Larynx	7	77.8		15 *		5.		22		· **	2	22.2	9	100.
C33-C34	Lung etc.	185	70.6	34	13.0	33	12.6		-	-	-	10	3.8	262	100.
C37-C38	Other Thoracic Organs	7	100.0	-	7.		2	- 2	-	- 1	-	72		7	100.
C40-C41	Bone	41	97.6	1	2.4	2	<u>u</u>	2	12	- 2	14		-	42	100.
C43	Melanoma of Skin	54	94.7	-	114	2	3.5		12		14	1	1.8	57	100.
C44	Other Skin	1	100.0				- 0.0			-	-		- 1.0	1	100.
C45	Mesothelioma	-	100.0												100.
C46	Kaposi Sarcoma		- 65		100	-			15		- 7	1	100.0	1	100.
S.		70	00.0	2 5	127	4	- 				- 17	1			
C47+C49	Conn. & Soft Tissue	70	93.3	- 40	0.0	70202	5.3	-		5	-		1.3	75	100.
C50	Breast	2083	90.9	19	0.8	161	7.0	-	-		-	28	1.2	2291	100.
C51	Vulva	18	94.7	SE	17 4	2	¥	- 4	-		-	1	5.3	19	100.
C52	Vagina	30	96.8	1	3.2	25	(E)		19		*	- 1	7320370	31	100.
C53	Cervix Uteri	550	97.7	4	0.7	7	1.2	-	*	-	-	2	0.4	563	100.
C54	Corpus Uteri	340	96.3	4	1.1	4	1.1	-	æ		·*	5	1.4	353	100.
C55	Uterus Unspecified	14	87.5	:7:	(1) =	-		-	*			2	12.5	16	100.
C56	Ovary etc.	317	71.2	41	9.2	75	16.9	-	-		-	12	2.7	445	100.
C57	Other Female Genital	1	20.0	1	20.0	3	60.0		E	- 2	2	- 12	-	5	100.
C58	Placenta	1	100.0		172	2	2	9	12	12	74	146	04	1	100.
C64	Kidney etc.	35	85.4	1	2.4	2	4.9	- 2	62	- 12	-	3	7.3	41	100.
C65	Renal Pelvis	1	100.0	-		-	1,0					-	7.0	1	100.
C66	Ureter	1	1-2000 Males	4.7										1	X-0000000
Datemen	a transfer of the Artist of th		100.0		(25)	7/47	0.4	-	i#.				-	2000000	100.
C67	Bladder	26	89.7	158	198	1	3.4	-	:#			2	6.9	29	100.
C68	Uns.Urinary Organs	1	100.0	::	135	-	2	-	i a		17.		(T)	1	100.
C69	Eye	13	81.3	1	6.3		•	-			-	2	12.5	16	100.
C70-C72	Brain, Nervous System	83	90.2	1	1.1	2	¥	- 4	15	- 4	14	8	8.7	92	100.
C73	Thyroid	176	83.4	6	2.8	27	12.8	-	#	9		2	0.9	211	100.
C74	Adrenal Gland	5	100.0	-	7-		H	-	-		-	(#)	-	5	100.
C81	Hodgkins Disease	33	89.2	1	2.7	1	2.7	-		1	2.7	1	2.7	37	100.
C82-C85	NHL	163	88.1	6	3.2	9	4.9		*	5	2.7	2	1.1	185	100.
C88	Malig Imn.Prol D		_		_	-	_	_	_	_	-	_	-		
C90	Multiple Myeloma	25	37.3	12 12	1/4	2	3			42	62.7	- 65	-	67	100.
7			12012014		,				40.0		0,000,000,000	4	4.4		
C91	Lymphoid Leuk.	15	20.3	-	-			9	12.2	49	66.2	1	1.4	74	100.
C92-C94	Myeloid Leukaemia	23	16.3		72	2	¥	9	6.4	109	77.3	-	-	141	100.
C95	Leukaemia Uns		-	-	(7€	-	H	1	100.0	<u> </u>	(*)	(4)	-	1	100.
C96	CMD,O&U LHM	2	22.2	:*	ņ.		×		l H	7	77.8		·	9	100.
O&U *	Other and Uns	5	6.1	26	31.7	20	24.4		18	1	1.2	30	36.6	82	100.
	All Sites	5452	84.5	181	2.8	412	6.4	19	0.3	214	3.3	175	2.7	6453	100.

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2014 - 2016 Males Hyderabad district

ICD-10	Site	0-64	Years	0-74	Years
105.10	Onto	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.1	0.1	0.1	0.1
C01-C02	Tongue	0.6	0.5	0.8	0.8
C03-C06	Mouth	1.0	1.0	1.3	1.3
C07-C08	Salivary Gland	0.0	0.0	0.1	0.1
C09	Tonsil	0.0	0.0	0.1	0.1
C10	Oth. Oropharynx	0.0	0.0	0.1	0.1
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.2	0.2	0.4	0.4
C16	Stomach	0.4	0.4	0.8	0.8
C17	Small Intestine	0.0	0.0	0.1	0.1
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.6	0.6
C21	Anus & Anal Canal	0.1	0.1	0.0	0.1
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	0.2	0.2	0.4	0.4
C25-C24					
C30-C31	Pancreas	0.1	0.1	0.2	0.2
C32	Nose, Sinuses etc.	0.0	0.0	0.1	0.1
C32-C34	Larynx	0.2	0.2	0.4	0.4
	Lung etc.	0.6	0.6	1.7	1.7
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.0	0.0	0.1	0.1
C43	Melanoma of Skin	0.1	0.1	0.2	0.2
C44	Other Skin	0.0	0.0	0.0	0.0
C45	Mesothelioma	9	-	12	
C46	Kaposi Sarcoma	2	12	74	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.2	0.2	0.7	0.6
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.1	0.1	0.3	0.3
C65	Renal Pelvis	0.0	0.0	0.0	0.0
C66	Ureter	0.0	0.0	0.0	0.0
C67	Bladder	0.1	0.1	0.3	0.3
C68	Uns.Urinary Organs		5-	14	-
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85	NHL	0.3	0.3	0.5	0.5
C88	Malig Imn.Prol D		0,0	-	0.0
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.2	0.2
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.3
C95					
C96	Leukaemia Uns	0.0	0.0	0.0	0.0
O&U *	CMD,O&U LHM	0.0	0.0	0.0	0.0
UaU :	Other and Uns	0.1	0.1	0.3	0.3
	All Sites	6.30	6.11	12.19	11.48

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 3(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2014 - 2016 Females Hyderabad district

ICD-10	Sito	0-64	Years	0-74	Years
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.2	0.2	0.4	0.4
C03-C06	Mouth	0.3	0.3	0.5	0.5
C07-C08	Salivary Gland	0.0	0.0	0.1	0.1
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	0-	-	0.0	0.0
C15	Oesophagus	0.2	0.2	0.4	0.4
C16	Stomach	0.2	0.2	0.4	0.4
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.3	0.3
C21	Anus & Anal Canal	0.0	0.0	0.1	0.1
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0
C33-C34	Lung etc.	0.4	0.4	0.8	0.8
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.0	0.0	0.1	0.1
C43	Melanoma of Skin	0.1	0.1	0.2	0.2
C44	Other Skin	-	-	0.0	0.0
C45	Mesothelioma		_	-	0.0
C46	Kaposi Sarcoma	0.0	0.0	0.0	0.0
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.1
C50	Breast	3.6	3.5	5.7	5.5
C51	Vulva	0.0	0.0	0.1	0.1
C52	Vagina	0.0	0.0	0.1	0.1
C53	Cervix Uteri	0.9	0.9	1.4	1.4
C54	Corpus Uteri	0.6	0.6	1.0	1.0
C55	Uterus Unspecified	0.0	0.0	0.0	0.0
C56	Ovary etc.	0.0	0.6	1.1	1.1
C57	Other Female Genital	0.0	0.0	0.0	0.0
C58	Placenta	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.0	0.0
C65	Service and the service and		0.1	- universal	1101.000
C66	Renal Pelvis	0.0	- 0.0	0.0	0.0
C67	Ureter		0.0	0.0	
C68	Bladder	0.0	0.0	0.1	0.1
10000	Uns.Urinary Organs	0.0	0.0	0.0	49.54
C69 C70-C72	Eye	0.0	0.0	0.0	19079
Population	Brain, Nervous System	0.1	0.1	0.2	100
C73	Thyroid	0.3	The second	0.4	100,000
C74	Adrenal Gland	0.0	2	0.0	
C81	Hodgkins Disease	0.0		0.1	0.1
C82-C85	NHL	0.3		0.5	0.5
C88	Malig Imn.Prol D	/2			1000
C90	Multiple Myeloma	0.1	0.1	0.2	10000
C91	Lymphoid Leuk.	0.1	0.1	0.1	2000
C92-C94	Myeloid Leukaemia	0.2		0.2	100000
C95	Leukaemia Uns	0.0	0.0	0.0	
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	0.1	0.1	0.2	-
	All Sites	9.70	9.24	16.17	14.93

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)