





Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 19(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2012 - 2016

Mizoram state

	Male	s	Fem	ales
Age Group	Number	%	Number	%
00-04	327628	11.07	318013	10.86
05-09	312219	10.55	302971	10.34
10-14	305838	10.33	295142	10.08
15-19	290986	9.83	283420	9.68
20-24	291587	9.85	301919	10.31
25-29	275899	9.32	280575	9.58
30-34	245402	8.29	251105	8.57
35-39	194535	6.57	193778	6.62
40-44	159943	5.40	152683	5.21
45-49	149964	5.07	148701	5.08
50-54	124218	4.20	122974	4.20
55-59	90935	3.07	86457	2.95
60-64	69253	2.34	68674	2.34
65-69	44088	1.49	44350	1.51
70-74	33120	1.12	32330	1.10
75+	43987	1.49	46133	1.57
Total	2959602	100.00	2929225	100.00

Area(Sq.Km): 21087.0

Figure 19(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016

Mizoram state












Table 19(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Males %= Relative Proportion of Cancers of All Sites

Mizoram state

COD-10-020 Congue	T-1-1 0/	Links	75.	70.74	05.00	00.04	FF 50	E0 E4	45.40	40.44	25.20	20.04	05.00	20.04	45.40	40.44	05.00	00.04	04-	100.40
CO-10-002 Tongule	Total % 0.0	Unkn	75+	70-74	65-69	60-64	55-59	50-54	45-49	40-44	35-39	30-34	25-29	20-24	15-19	10-14	05-09	00-04	Site	ICD-10
COST-COM Mouth COST-COM Subvery Cland COST-COM Subvery Cland COST-COM CO		- 3	- 0		-	-	40		-	-	-		5	7. (a)	標		源	, A	A STATE OF THE STA	Commence Commence
COP-CORE Sahvary Cland	73 1.6	2					3450330				4-17	Acres	1.000	10	(*				The second secon	TO A STATE OF THE
Color Colo	83 1.9	*	937	0.0	4	17.67	120	37	9	- 50		2	240	*		1.5			mesones vestor or	STANDARD CONTROL CONT
C11	9 0.2		100					-		0.00	7.00	-	88	*	()	-			100 W.C	100.25
C112-C13 Nesopharynx	45 1.0	- 1	1	- 61	500	- A	0.20	987.55				- 2	1	#	-	-		- 2		200000
C124 C13 Hypophagymx	17 0.3	-		100		0.0	20.0	- 10.	1 00		35.1	715		*	-	-	-	-		100000
C15	111 2.5	-	05.001	220		310404	0.000	1545.6	51250	10/70	1000	1000	10000	2	2	1	-	-	11	1000000
C15	225 5.2	- 1	12	ALMOY .	15	1071.25.11		500.04	10-694-12	Andre	8	2	1	2	•	•				COOKING STREET, STREET
C16	25 0.5	5	1000								15	(2)	5	5	I.S.	:		D.		
C178 Small Intestine	665 15.3	5					-200000		747-04				160	1000	55		ă.		Market Control of the	coccopy.
C18	776 17.9	1	500	80	90.0	200	2001	105	49	30	10	- 2	4	1	(9		*		erad many has been	Machine 1
C19-C20 Rectum	11 0.2	-	60000		2073	727.97		*		*		92	*	*		/#	*		S-0-50	200000
C21	110 2.5	- 2	2.536.55	3637	50000	23,000	7076	-00	2002	-	4500		- 22	1		-	· ·	=	The state of the s	252772
C22	138 3.1	2	5-5900	15	3,630	17	17	12	13	9	5	6	2	#	(i)	-	12	2	Rectum	The control of the co
C23-C24 Gallbladder etc.	3 0.0	-	10911	-	- 2	200	·	-	-	=	-	-	-	-	19	-	-	-		75859092
C25	213 4.9	5	(47-63)			111/2/2000	-		10000000	1,000,000			2	2		1	5	1	77920-001	PARTIES.
C30-C31 Nose, Sinuses etc.	51 1.1	51			-						2	2	.5	Ħ.	65	i.e.	2	7.	Gallbladder etc.	Charles and the control of the contr
C32-C34 Lurg etc.	56 1.3	2.0	12	12	8	5	8	5	5	1	· **	:#.		#5	7.		æ		Pancreas	C25
C33-C38	12 0.2		3		3	5		245-7	H	2	1247	*	*	Ħ	10-) -	*		Nose, Sinuses etc.	C30-C31
C37-C38 Other Thoracic Organs 2 1	107 2.4	- 2	5	7	13	16	17	27	8	10	3	1	-	-	(*	-	14	- 2	Larynx	C32
C40-C41 Bone - 1 2 1 2 - - 2 - 4 1 - 3 - C43 Melanoma of Skin -<	618 14.3	2	151	91	99	100	71	55	25	12	6	6	1	#	184	9	14	1	Lung etc.	C33-C34
C43 Melanoma of Skin -	4 0.0	2	12	14	2	1	12	2	2	2	100	19	1	74	172	12	2	Ψ	Other Thoracic Organs	C37-C38
C44 Other Skin 2 - 1 - 2 1 2 1 2 3 5 4 9 - C46 Masorisaroma - <td>16 0.3</td> <td>ě</td> <td>3</td> <td>3</td> <td>3</td> <td>1</td> <td>4</td> <td>-</td> <td></td> <td>2</td> <td>-</td> <td></td> <td>9</td> <td>2</td> <td>1</td> <td>2</td> <td>1</td> <td></td> <td>Bone</td> <td>C40-C41</td>	16 0.3	ě	3	3	3	1	4	-		2	-		9	2	1	2	1		Bone	C40-C41
C45 Mesothelioma -	Ē	-	•	•	•	-	•	•		•						-	Ē		Melanoma of Skin	C43
C46 Kaposi Sarcoma -	32 0.7	50	9	4	5	3	2	1	2	1	2		5	1	100	157	2		Other Skin	C44
C47+C49 Conn. & Soft Tissue - - 1 - 1 1 - 1 2 - - 1 2 - - 1 - 1 2 - - 1 - 1 - 2 - 1 - 1 - 2 - 1 - 1 - 2 - 1 - <td></td> <td>-</td> <td>3.73</td> <td></td> <td>-</td> <td>*</td> <td></td> <td>:#:</td> <td></td> <td>Ħ</td> <td></td> <td></td> <td></td> <td>Ħ</td> <td></td> <td>i.e</td> <td>in.</td> <td></td> <td>Mesothelioma</td> <td>C45</td>		-	3. 7 3		-	*		:#:		Ħ				Ħ		i.e	in.		Mesothelioma	C45
C50 Breast		-	-		-	*				*	(-	1#	-	*	£ -). -			Kaposi Sarcoma	C46
C60 Penis - - - 1 - 1 2 1 4 4 2 1 4 3 3 - C61 Prostate -	9 0.2		2	1		÷		2	1	¥		1	1	H	1	74	-		Conn. & Soft Tissue	C47+C49
C61 Prostate - - - - - - 2 2 3 3 9 15 39 - C62 Testis 2 - 1 1 - 1 -	5 0.1		1	12	1	2	2	120	- 4	1	-	- 2	2	2	1/4	-	12	2	Breast	C50
C62 Testis 2 - 1<	26 0.6	23	3	3	4	1	2	4	4	1	2	1	2	1	82	12	12	2	Penis	C60
C63 Other Male Genital - - - - - 1 - 1 1 - C64 Kidney etc. 3 1 - 2 - - - 1 2 - 2 1 4 3 - C65 Renal Pelvis - </td <td>73 1.6</td> <td>- 1</td> <td>39</td> <td>15</td> <td>9</td> <td>3</td> <td>3</td> <td>2</td> <td>2</td> <td>- 8</td> <td>-</td> <td>•</td> <td>9</td> <td>2</td> <td>•</td> <td>-</td> <td></td> <td></td> <td>Prostate</td> <td>C61</td>	73 1.6	- 1	39	15	9	3	3	2	2	- 8	-	•	9	2	•	-			Prostate	C61
C64 Kidney etc. 3 1 - 2 - 2 - - - 2 - <	11 0.2		-	-	5	1	1	57	1	1	1	1	1	75	1	1		2	Testis	C62
C65 Renal Pelvis -	6 0.1	- 5	1	1		7.0	1	:5		5	3	1.5	5	5	-	15	7		Other Male Genital	C63
C66 Ureter - - - - - - 1 1 - 1 1 - 1 1 - 1 1 - 1 1 - - 1 1 - - - 1 -<	21 0.4	-	3	4	1	2	-	2	1	#		130	2	#	2		1	3	Kidney etc.	C64
C67 Bladder -	-	-	-		-	-	-	-	-	*	(-	-	+	+	:	-		8	Renal Pelvis	C65
C68 Uns.Urinary Organs - - - - - - - - - - - - - - - 1 1 - - - 1 1 - - - 1 1 - - - - 1 1 - - - - 1 -	3 0.0	- 4	1	1	<u>u</u>	20	1	143	2	10	-	743	14	#	(-	74	14	-	Ureter	C66
C69 Eye 4 - - - 1 - - - 1 - - - 1 - - - 1 - - - - 1 - - - - 1 - <td>55 1.2</td> <td>2</td> <td>19</td> <td>5</td> <td>9</td> <td>6</td> <td>5</td> <td>4</td> <td>2</td> <td>1</td> <td>3</td> <td>1</td> <td>=</td> <td>2</td> <td>1/4</td> <td>82</td> <td>-</td> <td>2</td> <td>Bladder</td> <td>C67</td>	55 1.2	2	19	5	9	6	5	4	2	1	3	1	=	2	1/4	82	-	2	Bladder	C67
C70-C72 Brain, Nervous System 5 2 5 - 2 1 3 2 2 2 1 8 3 2 2 4 C73 Thyroid - 1 2 - 1 1 3 1 - 1 2 3 5 5 - C74 Adrenal Gland - 1	2 0.0	-	1	1	=	-	- 2	(2)	~	2	12 <u>2</u>	12	- 2	2	1/2	(2	- 2	2	Uns.Urinary Organs	C68
C73 Thyroid - 1 - - 2 - 1 1 3 1 - 1 2 3 5 5 - C74 Adrenal Gland - 1 -	8 0.1	-	•	1	-	3			1	1	-		1		•	-	-	4	Eye	C69
C74 Adrenal Gland - 1	44 1.0	5	4	2	2	3	8	1	2	2	2	3	1	2	125	5	2	5	Brain, Nervous System	C70-C72
C81 Hodgkins Disease	25 0.5	5	5	5	3	2	1	15	1	3	1	1	Ħ	2	1.5	-	1		Thyroid	C73
C82-C85 NHL	1 0.0		5 -					:=:	=	#	-		=	#		50	1	=	Adrenal Gland	C74
C88 Malig Imn.Prol D	-	-	-	-	-	9		-	-	*		·	-	*	-	-		8	Hodgkins Disease	C81
C90 Multiple Myeloma 1 1 1 1 1 1 1 - C91 Lymphoid Leuk. 5 5 4 3 1 2 1 - 1 - 2 1 1 2 2 4 - C92-C94 Myeloid Leukaemia 2 - 1 4 4 4 5 4 2 3 2 9 3 2 2 3 - C95 Leukaemia Uns 1 1 - 1 2 - 1 - 1 1 1 1 3 - 2 1 1 C96 CMD,O&U LHM - 1 - 1 - 1 2 1 1 1 1 1 1 1 2 - C96 CMD,O&U LHM - 1 - 1 - 1 2 6 16 19 37 38 62 49 52 46 103 - C95 CMD,O&U	65 1.5	-	5	4	8	5	7	3	8	3	8	4	1	1	3	4	74	1	NHL	C82-C85
C91 Lymphoid Leuk. 5 5 4 3 1 2 1 - 1 - 2 1 1 2 2 4 - C92-C94 Myeloid Leukaemia 2 - 1 4 4 4 5 4 2 3 2 9 3 2 2 3 - C95 Leukaemia Uns 1 1 - 1 2 - 1 - 1 1 1 3 - 2 1 1 - C96 CMD,O&U LHM - 1 - 1 - 1 2 1 1 - 1 2 1 1 1 - 1 1 1 1	-	2	329	84	=	2	32	125	=	-	12	12	4		182	74	94	2	Malig Imn.Prol D	C88
C92-C94 Myeloid Leukaemia 2 - 1 4 4 4 5 4 2 3 2 9 3 2 2 3 - C95 Leukaemia Uns 1 1 - 1 2 - 1 - 1 1 1 3 - 2 1 1 - C96 CMD,O&U LHM - 1 - 1 - 1 2 1 1 - - 1 1 1 2 - O&U * Other and Uns 5 3 5 1 4 2 6 16 19 37 38 62 49 52 46 103 -	5 0.1	-	1	1	1	1	1	120	=	<u> </u>	192	141	2	26	172	(2	12	0	Multiple Myeloma	C90
C95 Leukaemia Uns 1 1 1 - 1 2 - 1 - 1 1 1 3 - 2 1 1 - C96 CMD,O&U LHM - 1 - 1 - 1 2 1 1 1 1 1 1 2 - O&U* Other and Uns 5 3 5 1 4 2 6 16 19 37 38 62 49 52 46 103 -	34 0.7	-	4	2	2	4	1	2	3	1	-	1	2	1	3	4	5	5	Lymphoid Leuk.	C91
C96 CMD,O&U LHM - 1 - 1 - 1 2 1 1 1 1 1 1 2 - O&U* Other and Uns 5 3 5 1 4 2 6 16 19 37 38 62 49 52 46 103 -	50 1.1	-	3	2	2	3	9	2	3	2	4	5	4	4	4	1	源	2	Myeloid Leukaemia	C92-C94
O&U* Other and Uns 5 3 5 1 4 2 6 16 19 37 38 62 49 52 46 103 -	16 0.3	2	1	1	2		3	1	1	1	2 -	1		2	1		1	1	Leukaemia Uns	C95
	13 0.3	- 5	2	1	1	1	1	-	ъ	1	1	2	1	70	1	19	1		CMD,O&U LHM	C96
	448 10.3	-	103	46	52	49	62	38	37	19	16	6	2	4	1	5	3	5	Other and Uns	O&U *
All Sites 30 18 24 20 28 38 70 123 246 391 589 608 550 488 427 672 1	4323 100.	1	672	427	488	550	608	589	391	246	123	70	38	28	20	24	18	30	All Sites	

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Females %= Relative Proportion of Cancers of All Sites

Mizoram state

ICD 40	64-	00.04	OF 00	10.11	4E 40	20.24	25 20	20.24	25.20	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75.	Unio	Total	0/
ICD-10 C00	Site Lip	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	2	1	2	1	1	75+ 2	Unkn	Total 9	0.24
C01-C02	Tongue						85	1070	- T	1	1	3	3	3	2	3	6	9554 0000	22	0.59
C03-C06	Mouth		10					11.T	3	1	9	6	6	5	4	3	11	SAT S	48	1.28
C07-C08	Salivary Gland		10	-			100	1	3	2	9	4	1	3		3	244	1000	11	0.29
C09	Tonsil	80	01	-			8=	(0)	1	2	1	1	2	2	10	550	1	660	10	0.23
C10	Oth. Oropharynx	- 10	10	100	-	96		12	~¶5					- 4	- 1	007	- 19 13	175	- 10	0.21
C10	Nasopharynx		-			3	1	1	7	6	3	11	7	7	11	650	5	9.5	62	1.66
C12-C13	Hypopharynx		- 8	- 12		3	1	7530	1	4	3	5	3	4	3		3		24	0.64
C12-C13	Pharynx Unspecified		5		<u> </u>	1.05	10	1670		ions	J	1		18	3		55T)	165)	1	0.03
C14	Oesophagus		2			1 12	12	10.75		3	19	29	22	27	20	11	8	8.7.	139	3.72
C15	Stomach		15			1	6	- 5	12	16	26	47	42	63	54	44	58	S.	374	10.01
C17	Small Intestine								12	10	20	1	1	3	54	3	2	5 *	10	0.27
C17						2	3	2	-	7	0	8	10	3	16	8	70(5)	0. 0	2000	2.25
200,000	Colon		-		4	0.59	0.20	Orni	1	100/	8	- 22	37533	301	0.000	520	16	2.0	84	5000000
C19-C20	Rectum		1	•	1	1	3	4	2	2	5	11	12	15	10	12	14	000	93	2.49
C21	Anus & Anal Canal					-	-	7.00	-	-	1	1	-	-	-	-	3	-	5	0.13
C22	Liver		5	•	(B)	1	1	4	3	7	12	21	18	18	12	8	19		124	3.32
C23-C24	Gallbladder etc.		- 5	i.			(5)	6.7	3	5	8	15	9	7	14	11	15	87.	87	2.33
C25	Pancreas					:*	•) ;	2	2	- 5	2	2	3	11	6	12	*	40	1.07
C30-C31	Nose, Sinuses etc.			•	1	- 2		13.5	1	#: 20		1	1	1	-	2	1	(*)	8	0.21
C32	Larynx	*		•		1	1	78	1	1	2	3	3		6	4	3	S#0	25	0.67
C33-C34	Lung etc.	=		-	1	1		5	4	8	12	37	60	74	85	94	147	•	528	14.13
C37-C38	Other Thoracic Organs		1	1	-	-	-	37 4 3	-	-	-		12	-		-	-	-	2	0.05
C40-C41	Bone	2	-	3	3	7-	1	172	-	2	-	4	-	2	1	2	7 <u>2</u>	202	20	0.54
C43	Melanoma of Skin			•	•	•	•		•		•				9	•	•	•		-
C44	Other Skin	- 5	I.S.	17.	1	15	9.7	2	-	2	2	3	1	4	3	7	10)\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	35	0.94
C45	Mesothelioma		Œ			- 15	¥.	87			Ē	=	Œ.	Œ		- 5	17	15.50	-	5
C46	Kaposi Sarcoma		15	(*			1.7	(#)	*	Ħ:		-	:5			7,00		(199)	0 = .	#4000AF1
C47+C49	Conn. & Soft Tissue	*		1			194	9 4 0	#0 7/20/67	₩.	55000	17009	(E)	2€ 0/8	990	190	1	S#	2	0.05
C50	Breast		•	-	1	3	12	31	60	83	75	79	52	46	35	16	13	(1€)	506	13.54
C51	Vulva	- 4	~	-		1	134	73 <u>4</u> 2	-	#	1	1	1	1	1	1	2	72	9	0.24
C52	Vagina	12	12	-	-	-	-	14	2	<u> </u>	2	1	1		12	**	92	-	2	0.05
C53	Cervix Uteri	•	•	•	-	5	9	44	86	126	87	91	56	35	17	11	10	•	577	15.44
C54	Corpus Uteri	5	5	-		1	2	3	3	4	9	12	13	7	1	2		85	57	1.53
C55	Uterus Unspecified		:	:	1	1	3	2	2	3	1	2	3	=	: :	1.70	1	(£#)	19	0.51
C56	Ovary etc.			1	3	6	10	14	13	12	18	18	5	6	2	11	5	: <u>*</u>	124	3.32
C57	Other Female Genital	*	*	•	.*		· •	8 #	•	. *	*	*		*			:*:	8,0	-	97 (300)
C58	Placenta		×	•	*	3	3) 		¥	1		*		•	-	1.4	2 + 3	7	0.19
C64	Kidney etc.	4	14	•	-		134	114	- 1	1	¥	1	*	14	2	- 14	1	-	10	0.27
C65	Renal Pelvis	**	12	-	-	- 1	14	154	2	27	2		12	2	2	120	(4)	· ·	m2	2
C66	Ureter	-	-	-	-	-	-	172	-	2	-	-	-	- 2	=	~	72	-	0/2	2
C67	Bladder		2	-	•	•	•	1	2	1	1	2	1	4	3	6	7	-	28	0.75
C68	Uns.Urinary Organs			15	=	- 5	0.7	(1 5)	=	7.	:				=	1.5	45	85	(170	-
C69	Eye	2	:			- 15		12 7 .	7.		5	1			(F)		1	95	4	0.11
C70-C72	Brain, Nervous System		4	5		.=	3.	2	2	5	2	5	2	6	8	7	2	•	51	1.37
C73	Thyroid			1	1	8	7	12	11	6	7	11	7	8	6	2	9		96	2.57
C74	Adrenal Gland	=	Œ	(4		-	14	:: =	=	. #	-	-	¥	=	14	-	194	(*	-	-
C81	Hodgkins Disease	9	12	- 3	~	¥	94	1924	=	¥	9		1	-			**	04	1	0.03
C82-C85	NHL	2	2	1	1	2	1	2	5	2	2	6	4	2	3	6	5	14	42	1.12
C88	Malig Imn.Prol D	9	ě	•	-	•	•	-	-			ŝ			-	-	-	•	-	-
C90	Multiple Myeloma	- 5	15	27.	170	-	3.7	10-	7.	1	5		5		7.7	1	(3)	100	2	0.05
C91	Lymphoid Leuk.	6	4	2		3		8.7	7			2		=		3	1	197	22	0.59
C92-C94	Myeloid Leukaemia	3	3	2			4	2	6	3	2	2	1	4	1	3	in.		38	1.02
C95	Leukaemia Uns	1	2	1		1	2	1	1	1	×	-	1		1		1	8*	13	0.35
C96	CMD,O&U LHM	¥	2	1		-		7.4	1		1	-	2	*	-		3	(*)	10	0.27
O&U *	Other and Uns	3	=	1	4	2	5	6	16	15	20	38	44	52	40	44	65	5 <u>*</u>	355	9.50
	All Sites	21	17	20	22	46	75	144	250	334	339	488	398	417	373	332	460	100	3736	100.0
	cludes the Sites(ICD-1							223	200	200										

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Males **Mizoram state**

C07-C08 - </th <th>- 0.4 0.7</th> <th>1.2 0.4 - 1.6 - 0.4 2.0 0.4 0.8</th> <th>1.0 0.5 - 4.1 - 2.1 - 0.5 8.2</th> <th>0.6 1.3 1.9 - 1.9 - 0.6 1.3 0.6 0.6 11.9</th> <th>- 0.7 1.3 0.7 - 5.3 2.0 0.7 - 24.7</th> <th>- 0.8 2.4 - 1.6 1.6 0.8 - 30.6</th> <th>- 8.8 1.1 - 7.7 7.7 - 1.1 1.1 9.9 3.3 1.1 68.2</th> <th></th> <th>4.5 6.8 - 18.1 - 2.3 4.5 4.5 4.5 2.3 117.9</th> <th>3.0 6.0 15.1 - 12.1 - 3.0 6.0 6.0 3.0 3.0 138.9</th> <th>2.3 9.1 11.4 - 11.4 - 2.3 9.1 6.8 2.3 4.5 234.2</th> <th>0.1 0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1 1.7 0.5 0.4 15.1</th> <th>0.11 0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94 0.67 0.53 21.54</th> <th>0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29 0.18 0.16 1.04</th> <th>0.3 2.5 1.1 - 4.5 - 0.3 0.7 3.1 0.8 0.5 31.5</th>	- 0.4 0.7	1.2 0.4 - 1.6 - 0.4 2.0 0.4 0.8	1.0 0.5 - 4.1 - 2.1 - 0.5 8.2	0.6 1.3 1.9 - 1.9 - 0.6 1.3 0.6 0.6 11.9	- 0.7 1.3 0.7 - 5.3 2.0 0.7 - 24.7	- 0.8 2.4 - 1.6 1.6 0.8 - 30.6	- 8.8 1.1 - 7.7 7.7 - 1.1 1.1 9.9 3.3 1.1 68.2		4.5 6.8 - 18.1 - 2.3 4.5 4.5 4.5 2.3 117.9	3.0 6.0 15.1 - 12.1 - 3.0 6.0 6.0 3.0 3.0 138.9	2.3 9.1 11.4 - 11.4 - 2.3 9.1 6.8 2.3 4.5 234.2	0.1 0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1 1.7 0.5 0.4 15.1	0.11 0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94 0.67 0.53 21.54	0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29 0.18 0.16 1.04	0.3 2.5 1.1 - 4.5 - 0.3 0.7 3.1 0.8 0.5 31.5
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 - 1.6 - 0.4 2.0 0.4</td> <td>1.0 0.5 - 4.1 - - 2.1</td> <td>0.6 1.3 1.9 - 1.9 - 0.6 1.3</td> <td>1.3 0.7 - 5.3 - - 2.0 0.7</td> <td>- 2.4 - 1.6 1.6</td> <td>1.1 - - 7.7 - 1.1 1.1 9.9 3.3</td> <td>2.9 - 7.2 - 1.4 1.4 4.3</td> <td>6.8 - - 18.1 - 2.3 4.5 4.5 4.5</td> <td>3.0 6.0 15.1 - 12.1 - 3.0 6.0 6.0</td> <td>9.1 11.4 - 11.4 - 2.3 9.1 6.8 2.3</td> <td>0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1 1.7</td> <td>0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94 0.67</td> <td>0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29 0.18</td> <td>2.5 1.1 - 4.5 - 0.3 0.7 3.1 0.8</td>	0.7	1.2 0.4 - 1.6 - 0.4 2.0 0.4	1.0 0.5 - 4.1 - - 2.1	0.6 1.3 1.9 - 1.9 - 0.6 1.3	1.3 0.7 - 5.3 - - 2.0 0.7	- 2.4 - 1.6 1.6	1.1 - - 7.7 - 1.1 1.1 9.9 3.3	2.9 - 7.2 - 1.4 1.4 4.3	6.8 - - 18.1 - 2.3 4.5 4.5 4.5	3.0 6.0 15.1 - 12.1 - 3.0 6.0 6.0	9.1 11.4 - 11.4 - 2.3 9.1 6.8 2.3	0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1 1.7	0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94 0.67	0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29 0.18	2.5 1.1 - 4.5 - 0.3 0.7 3.1 0.8
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 - 1.6 - 0.4 2.0</td> <td>1.0 0.5 - 4.1</td> <td>- 0.6 1.3 1.9 - 1.9 - 0.6 1.3</td> <td>1.3 0.7 - - 5.3 - - - 2.0</td> <td>- 2.4 - 1.6 1.6</td> <td>1.1 - 7.7 - 1.1 1.1 9.9</td> <td>2.9 - - 7.2 - 1.4 1.4</td> <td>6.8 - - 18.1 - 2.3 4.5 4.5</td> <td>3.0 6.0 15.1 - 12.1 - 3.0 6.0</td> <td>9.1 11.4 - 11.4 - 2.3 9.1 6.8</td> <td>0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1</td> <td>0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94</td> <td>0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29</td> <td>2.5 1.1 - 4.5 - 0.3 0.7 3.1</td>	0.7	1.2 0.4 - 1.6 - 0.4 2.0	1.0 0.5 - 4.1	- 0.6 1.3 1.9 - 1.9 - 0.6 1.3	1.3 0.7 - - 5.3 - - - 2.0	- 2.4 - 1.6 1.6	1.1 - 7.7 - 1.1 1.1 9.9	2.9 - - 7.2 - 1.4 1.4	6.8 - - 18.1 - 2.3 4.5 4.5	3.0 6.0 15.1 - 12.1 - 3.0 6.0	9.1 11.4 - 11.4 - 2.3 9.1 6.8	0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1	0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32 1.94	0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24 0.29	2.5 1.1 - 4.5 - 0.3 0.7 3.1
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 - 1.6 - 0.4</td> <td>1.0 0.5 - 4.1</td> <td>- 0.6 1.3 1.9 1.9 0.6</td> <td>1.3 0.7 - 5.3 -</td> <td>- - 2.4 - - 1.6</td> <td>1.1 - - 7.7 - 1.1 1.1</td> <td>2.9 - - 7.2 - 1.4 1.4</td> <td>6.8 - - 18.1 - 2.3 4.5</td> <td>3.0 6.0 15.1 - 12.1 - 3.0 6.0</td> <td>9.1 11.4 - - 11.4 - 2.3 9.1</td> <td>0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1</td> <td>0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32</td> <td>0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24</td> <td>2.5 1.1 - 4.5 - 0.3 0.7</td>	0.7	1.2 0.4 - 1.6 - 0.4	1.0 0.5 - 4.1	- 0.6 1.3 1.9 1.9 0.6	1.3 0.7 - 5.3 -	- - 2.4 - - 1.6	1.1 - - 7.7 - 1.1 1.1	2.9 - - 7.2 - 1.4 1.4	6.8 - - 18.1 - 2.3 4.5	3.0 6.0 15.1 - 12.1 - 3.0 6.0	9.1 11.4 - - 11.4 - 2.3 9.1	0.3 1.5 0.8 0.0 - 2.2 - 0.2 1.1	0.31 1.77 1.19 0.03 - 2.81 - 0.28 1.32	0.11 0.28 0.25 0.03 - 0.37 - 0.12 0.24	2.5 1.1 - 4.5 - 0.3 0.7
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 - - 1.6</td> <td>1.0 0.5</td> <td>- 0.6 1.3 1.9 - - 1.9</td> <td>1.3 0.7 - - 5.3</td> <td>- - 2.4 -</td> <td>1.1 - - 7.7 - 1.1</td> <td>2.9 - 7.2 - 1.4</td> <td>6.8 - - 18.1 - 2.3</td> <td>3.0 6.0 15.1 - 12.1 - 3.0</td> <td>9.1 11.4 - - 11.4 - 2.3</td> <td>0.3 1.5 0.8 0.0 - 2.2 - 0.2</td> <td>0.31 1.77 1.19 0.03 - 2.81 - 0.28</td> <td>0.11 0.28 0.25 0.03 - 0.37 - 0.12</td> <td>2.5 1.1 - 4.5 - 0.3</td>	0.7	1.2 0.4 - - 1.6	1.0 0.5	- 0.6 1.3 1.9 - - 1.9	1.3 0.7 - - 5.3	- - 2.4 -	1.1 - - 7.7 - 1.1	2.9 - 7.2 - 1.4	6.8 - - 18.1 - 2.3	3.0 6.0 15.1 - 12.1 - 3.0	9.1 11.4 - - 11.4 - 2.3	0.3 1.5 0.8 0.0 - 2.2 - 0.2	0.31 1.77 1.19 0.03 - 2.81 - 0.28	0.11 0.28 0.25 0.03 - 0.37 - 0.12	2.5 1.1 - 4.5 - 0.3
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 -</td> <td>1.0 0.5</td> <td>0.6 1.3 1.9</td> <td>1.3 0.7 -</td> <td>•</td> <td>1.1 - - 7.7</td> <td>2.9 - - 7.2</td> <td>6.8 - - 18.1</td> <td>3.0 6.0 15.1 - - 12.1</td> <td>9.1 11.4 - - 11.4</td> <td>0.3 1.5 0.8 0.0 - 2.2</td> <td>0.31 1.77 1.19 0.03 - 2.81</td> <td>0.11 0.28 0.25 0.03 - 0.37</td> <td>2.5 1.1 - 4.5</td>	0.7	1.2 0.4 -	1.0 0.5	0.6 1.3 1.9	1.3 0.7 -	•	1.1 - - 7.7	2.9 - - 7.2	6.8 - - 18.1	3.0 6.0 15.1 - - 12.1	9.1 11.4 - - 11.4	0.3 1.5 0.8 0.0 - 2.2	0.31 1.77 1.19 0.03 - 2.81	0.11 0.28 0.25 0.03 - 0.37	2.5 1.1 - 4.5
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 -</td> <td>1.0 0.5</td> <td>0.6 1.3 1.9</td> <td>1.3 0.7 -</td> <td>•</td> <td>1.1 - - 7.7</td> <td>2.9 - -</td> <td>6.8</td> <td>3.0 6.0 15.1</td> <td>9.1 11.4 -</td> <td>0.3 1.5 0.8 0.0</td> <td>0.31 1.77 1.19 0.03</td> <td>0.11 0.28 0.25 0.03</td> <td>2.5 1.1 -</td>	0.7	1.2 0.4 -	1.0 0.5	0.6 1.3 1.9	1.3 0.7 -	•	1.1 - - 7.7	2.9 - -	6.8	3.0 6.0 15.1	9.1 11.4 -	0.3 1.5 0.8 0.0	0.31 1.77 1.19 0.03	0.11 0.28 0.25 0.03	2.5 1.1 -
C07-C08 - </td <td>0.7</td> <td>1.2 0.4 -</td> <td>1.0 0.5</td> <td>0.6 1.3 1.9</td> <td>1.3 0.7 -</td> <td>•</td> <td>1.1 - -</td> <td>2.9 - -</td> <td>6.8</td> <td>3.0 6.0 15.1</td> <td>9.1 11.4 -</td> <td>0.3 1.5 0.8 0.0</td> <td>0.31 1.77 1.19 0.03</td> <td>0.11 0.28 0.25 0.03</td> <td>2.5 1.1 -</td>	0.7	1.2 0.4 -	1.0 0.5	0.6 1.3 1.9	1.3 0.7 -	•	1.1 - -	2.9 - -	6.8	3.0 6.0 15.1	9.1 11.4 -	0.3 1.5 0.8 0.0	0.31 1.77 1.19 0.03	0.11 0.28 0.25 0.03	2.5 1.1 -
C07-C08 - </td <td>0.7 0.4</td> <td>1.2</td> <td>1.0</td> <td>0.6 1.3 1.9</td> <td>1.3</td> <td>- 0.8 - -</td> <td>20000</td> <td></td> <td>E. V.</td> <td>3.0 6.0</td> <td>9.1</td> <td>0.3 1.5 0.8</td> <td>0.31 1.77 1.19</td> <td>0.11 0.28 0.25</td> <td>2.5</td>	0.7 0.4	1.2	1.0	0.6 1.3 1.9	1.3	- 0.8 - -	20000		E. V.	3.0 6.0	9.1	0.3 1.5 0.8	0.31 1.77 1.19	0.11 0.28 0.25	2.5
C07-C08 - </td <td>0.7 0.4</td> <td>1.2</td> <td>1.0</td> <td>0.6 1.3 1.9</td> <td>1.3</td> <td>- - 0.8 -</td> <td>20000</td> <td></td> <td>E. V.</td> <td>3.0 6.0</td> <td>9.1</td> <td>0.3 1.5 0.8</td> <td>0.31 1.77 1.19</td> <td>0.11 0.28 0.25</td> <td>2.5</td>	0.7 0.4	1.2	1.0	0.6 1.3 1.9	1.3	- - 0.8 -	20000		E. V.	3.0 6.0	9.1	0.3 1.5 0.8	0.31 1.77 1.19	0.11 0.28 0.25	2.5
C07-C08 - </td <td>0.7 0.4</td> <td>1.2</td> <td>1.0</td> <td>0.6 1.3</td> <td>1.3</td> <td>- - 0.8</td> <td>20000</td> <td></td> <td>E. V.</td> <td>3.0 6.0</td> <td>9.1</td> <td>0.3 1.5</td> <td>0.31 1.77</td> <td>0.11 0.28</td> <td>2.5</td>	0.7 0.4	1.2	1.0	0.6 1.3	1.3	- - 0.8	20000		E. V.	3.0 6.0	9.1	0.3 1.5	0.31 1.77	0.11 0.28	2.5
C07-C08 - </td <td></td> <td></td> <td>-</td> <td>0.6</td> <td></td> <td>- 0.8</td> <td>- - 8.8</td> <td>- - 4.3</td> <td>4.5</td> <td>3.0</td> <td>-</td> <td>0.3</td> <td>0.31</td> <td>0.11</td> <td></td>			-	0.6		- 0.8	- - 8.8	- - 4.3	4.5	3.0	-	0.3	0.31	0.11	
C07-C08 - </td <td>- 0.4</td> <td>7</td> <td>-</td> <td></td> <td>0.7</td> <td>-</td> <td>-</td> <td>5</td> <td></td> <td>500000</td> <td>2.3</td> <td>6-50-5-1-1</td> <td>320000000000000000000000000000000000000</td> <td></td> <td>0.3</td>	- 0.4	7	-		0.7	-	-	5		500000	2.3	6-50-5-1-1	320000000000000000000000000000000000000		0.3
C07-C08 - </td <td>0.4</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>7</td> <td>3.0</td> <td>2.3</td> <td>0.1</td> <td>0.11</td> <td>0.00</td> <td>525</td>	0.4		-	-	-	-	-	-	7	3.0	2.3	0.1	0.11	0.00	525
C07-C08 - </td <td></td> <td></td> <td>1.0000.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>(0401140</td> <td></td> <td></td> <td></td> <td>0.08</td> <td>_</td>			1.0000.0							(0401140				0.08	_
C07-C08 - </td <td></td> <td>0.4</td> <td>1.5</td> <td>0.6</td> <td>1.3</td> <td>3.2</td> <td>5.5</td> <td>8.7</td> <td>20.4</td> <td>15.1</td> <td>43.2</td> <td>1.9</td> <td>2.74</td> <td>0.38</td> <td>3.0</td>		0.4	1.5	0.6	1.3	3.2	5.5	8.7	20.4	15.1	43.2	1.9	2.74	0.38	3.0
C07-C08 - </td <td>8 8</td> <td>#</td> <td>#3</td> <td>10.7</td> <td></td> <td>S*</td> <td>1.1</td> <td>(#</td> <td>ä</td> <td>3.0</td> <td>2.3</td> <td>0.1</td> <td>0.15</td> <td>0.09</td> <td>0.1</td>	8 8	#	#3	10.7		S *	1.1	(#	ä	3.0	2.3	0.1	0.15	0.09	0.1
C07-C08 - </td <td>* *</td> <td>#.</td> <td>*</td> <td></td> <td>3₩</td> <td></td> <td>*</td> <td>:-</td> <td></td> <td>*</td> <td>*</td> <td>*</td> <td>7,00</td> <td>D#</td> <td>X#</td>	* *	#.	*		3₩		*	: -		*	*	*	7,00	D#	X#
C07-C08 - </td <td>- 0.7</td> <td>#</td> <td>-</td> <td>8*</td> <td>0.7</td> <td>1.6</td> <td>36</td> <td>2.9</td> <td>2.3</td> <td>12.1</td> <td>6.8</td> <td>0.7</td> <td>0.94</td> <td>0.21</td> <td>0.8</td>	- 0.7	#	-	8*	0.7	1.6	36	2.9	2.3	12.1	6.8	0.7	0.94	0.21	0.8
C07-C08 - </td <td>4 4</td> <td>#</td> <td>1.5</td> <td>(·</td> <td>(-</td> <td>849</td> <td>1.1</td> <td>₹¥</td> <td>ä</td> <td>3.0</td> <td>2.3</td> <td>0.2</td> <td>0.24</td> <td>0.10</td> <td>0.4</td>	4 4	#	1.5	(·	(-	849	1.1	₹¥	ä	3.0	2.3	0.2	0.24	0.10	0.4
C07-C08 - </td <td>- 0.4</td> <td>0.4</td> <td>0.5</td> <td>0.6</td> <td>0.7</td> <td>12</td> <td>1.1</td> <td>1.4</td> <td>i i</td> <td>-</td> <td>ĕ</td> <td>0.4</td> <td>0.40</td> <td>0.12</td> <td>0.7</td>	- 0.4	0.4	0.5	0.6	0.7	12	1.1	1.4	i i	-	ĕ	0.4	0.40	0.12	0.7
C07-C08 - </td <td></td> <td>-</td> <td>2</td> <td>7/2</td> <td>1.3</td> <td>1.6</td> <td>3.3</td> <td>4.3</td> <td>20.4</td> <td>45.3</td> <td>88.7</td> <td>2.5</td> <td>3.76</td> <td>0.45</td> <td>1.5</td>		-	2	7/2	1.3	1.6	3.3	4.3	20.4	45.3	88.7	2.5	3.76	0.45	1.5
C07-C08 - </td <td>0.3 -</td> <td>0.4</td> <td>1.0</td> <td>0.6</td> <td>2.7</td> <td>3.2</td> <td>2.2</td> <td>1.4</td> <td>9.1</td> <td>9.1</td> <td>6.8</td> <td>0.9</td> <td>1.21</td> <td>0.25</td> <td>1.8</td>	0.3 -	0.4	1.0	0.6	2.7	3.2	2.2	1.4	9.1	9.1	6.8	0.9	1.21	0.25	1.8
C07-C08 - </td <td>a a</td> <td>7.</td> <td>-</td> <td>0.6</td> <td></td> <td>:=</td> <td>2.2</td> <td>57</td> <td>2.3</td> <td>ē</td> <td>2.3</td> <td>0.2</td> <td>0.24</td> <td>0.11</td> <td>0.4</td>	a a	7.	-	0.6		:=	2.2	57	2.3	ē	2.3	0.2	0.24	0.11	0.4
C07-C08 - </td <td>- 0.4</td> <td>0.4</td> <td>133</td> <td>1070</td> <td>0.7</td> <td>1.6</td> <td></td> <td>E#</td> <td></td> <td>3.0</td> <td>4.5</td> <td>0.3</td> <td>0.36</td> <td>0.12</td> <td>0.4</td>	- 0.4	0.4	1 33	1070	0.7	1.6		E#		3.0	4.5	0.3	0.36	0.12	0.4
C07-C08 - </td <td># H</td> <td>₹i</td> <td>5)</td> <td>(c)</td> <td></td> <td>8=8</td> <td>X #4</td> <td>(1</td> <td>· ·</td> <td></td> <td>=</td> <td>=</td> <td>3+3</td> <td>97.</td> <td>8#</td>	# H	₹i	5)	(c)		8=8	X #4	(1	· ·		=	=	3+3	9 7 .	8#
C07-C08 - </td <td></td> <td>*</td> <td>*</td> <td>8.</td> <td></td> <td>:</td> <td>*</td> <td>19</td> <td>H</td> <td></td> <td>-</td> <td></td> <td>18</td> <td>2.0</td> <td>8#</td>		*	*	8.		:	*	19	H		-		18	2.0	8#
C07-C08 - </td <td>0.3 -</td> <td>#</td> <td>1.0</td> <td>0.6</td> <td>1.3</td> <td>0.8</td> <td>2.2</td> <td>4.3</td> <td>11.3</td> <td>12.1</td> <td>20.5</td> <td>1.1</td> <td>1.56</td> <td>0.28</td> <td>1.6</td>	0.3 -	#	1.0	0.6	1.3	0.8	2.2	4.3	11.3	12.1	20.5	1.1	1.56	0.28	1.6
C07-C08 - - - - C09 - - - - C10 - - - - C11 - - - - - C12-C13 -	* E	2	123	(E)	-	12	2	14	g .		2	2	-	82	2
C07-C08 - </td <td>0.7 -</td> <td>-</td> <td>20</td> <td>1.3</td> <td>12</td> <td>72</td> <td>4.4</td> <td>1.4</td> <td>12</td> <td>2</td> <td>6.8</td> <td>0.5</td> <td>0.62</td> <td>0.16</td> <td>1.0</td>	0.7 -	-	20	1.3	12	72	4.4	1.4	12	2	6.8	0.5	0.62	0.16	1.0
C07-C08 - </td <td>- 0.4</td> <td></td> <td></td> <td></td> <td>-</td> <td>1.6</td> <td>-</td> <td>1.4</td> <td>-</td> <td></td> <td></td> <td>0.1</td> <td>0.17</td> <td>0.09</td> <td>0.4</td>	- 0.4				-	1.6	-	1.4	-			0.1	0.17	0.09	0.4
C07-C08 - </td <td>- 0.4</td> <td>2.4</td> <td>3.1</td> <td>7.5</td> <td>16.7</td> <td>44.3</td> <td>78.1</td> <td>144.4</td> <td>224.6</td> <td>274.8</td> <td>343.3</td> <td>20.9</td> <td>32.06</td> <td>1.31</td> <td>41.1</td>	- 0.4	2.4	3.1	7.5	16.7	44.3	78.1	144.4	224.6	274.8	343.3	20.9	32.06	1.31	41.1
C07-C08 - - - - C09 - - - - - C10 -		0.4	1.5	6.3	5.3	21.7	18.7	23.1	29.5	21.1	11.4	3.6	5.11	0.51	11.4
C07-C08		#:	0.5	1.3	-	1.6	-	(=	6.8	3.0	6.8	0.4	0.59	0.18	0.6
C07-C08 - - - C09 - - - C10 - - - C11 - - - C12-C13 - - - C14 - - - C15 - - - C16 - - - C17 - - - C18 - - - C19-C20 - - - C21 - - - C22 0.3 - 0.3 -		-	-	0.6	3.3	4.0	8.8	7.2	18.1	36.2	27.3	1.9	2.89	0.39	3.5
C07-C08		0.8	1.0	0.6	2.0	6.4	7.7	8.7	22.7	15.1	15.9	1.7	2.55	0.37	3.9
C07-C08	0.7 0.7	2.0	6.7	17.5	14.0	18.5	25.3	49.1	54.4	45.3	47.7	7.2	9.99	0.71	20.0
C07-C08 - - - C09 - - - C10 - - - C11 - - 0.3 0.7 C12-C13 - - - C14 - - - - C15 - - - - C16 - - - - C17 - - - - C18 - - - -	- 0.7	2.4	2.0	5.0	0.7	3.1	10.7	1.4	2.3		2.3	0.1	0.17	0.10	0.2
C07-C08	- 0.7	2.4	2.6	5.6	8.7	9.7	18.7	24.5	43.1	45.3	52.3	4.7	6.67	0.59	10.4
C07-C08	0.3 1.1	1.6	0.5	3.1	6.7	5.6	9.9	26.0	38.6	39.3	50.0	3.7	5.49	0.54	7.5
C07-C08		0.4	5.1	10.0	52.1	04.0	2.2	5.8	2.3	3.0	4.5	0.4	0.56	0.17	1.0
C07-C08	0.3 0.4	1.0	5.1	18.8	32.7	84.5	108.9	157.4	235.9	329.1	345.6	26.2	39.06	1.19	58.9
C07-C08	0.3 0.4	1.6	10.8	30.0	82.0	122.4	152.9	101.1	111.1	87.6	63.7	22.5	30.16	1.19	76.3
C07-C08 - - - C09 - - - C10 - - - C11 - 0.3 0.7	0.7 0.4	0.0	4.1	1.9	3.3	2.4	12.1	1.4	04.0	6.0	21,0	0.8	1.10	0.71	3.1
C07-C08	0.7 0.4	1800.55	4.1	11.9	13.3	45.9	45.1	53.4	34.0	33.2	27.3	7.6	10.36	0.71	25.8
C07-C08	- 0.7	1.2	1.5	4.4	8.7	13.7	19.8	26.0	27.2	12.1	25.0	3.8	5.17	0.16	10.9
C07-C08	- 0.4	0.4	0.5	1.9	2.7	2.4	2.2	1.4	2.3	3.0	2,3	1.5 0.6	0.72	0.31	1.8
CANADA WATER OF THE CANADA CONTROL OF THE CA	- 0.4	0.4	1.0	5.0	2.7	8.9	5.5	10.1	6.8	6.0	2.3		2.01	0.14	5.1
C03-C06	- 0.7 - 0.4	8.0	0.5	6.3 0.6	6.0	13.7	15.4	17.3 4.3	9.1	15.1 3.0	15.9	2.8 0.3	3.76	0.42	8.9 0.9
C01-C02	0.3 0.4	0.8	1.0	5.6	8.0	15.3	11.0	11.6	6.8	9.1	6.8	2.5	3.17	0.38	8.2
C00		# # # # # # # # # # # # # # # # # # #		-	0.7	1.6	14	12210		2.2	-	0.1	0.12	0.07	0.4
K8(\$0.00)	20-24 25-29	30-34 3	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 19(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Females Mizoram state

Catholicy Cath	ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
COS-COMB COS	C00	¥	-		12	<u> </u>	_ =	-	-	- 4	*	1.6	1.2	2.9	2.3	3.1	4.3	0.3	0.46	0.16	0.8
COPY-COPE	C01-C02	×		*	:=		+	8#	(Tentrology)	21000000	0.7	consis	1000000000	-1.2000	ON COLUMN	A0004043		8.0	WAR TO THE REAL PROPERTY.	MAN THREE TO	
Corporation	C03-C06	ā	T.=	1.7	(1		50		1.5		6.1			7.3	9.0	9.3	23.8		2.24	0.33	
C11	C07-C08		17	ा			5	0.4		1.3	(Cal	3.3	1.2	4.4	5.	0.5	100	0.4	0.49	0.15	1.5
C11	- Adjusted -		-		-		-	-	0.5	1.3	0.7	0.8	2.3	2.9	-		2.2	0.3	0.44	0.14	1.3
C12-C13	200000	2	-		12	10 E	2 0	5020	12290	0725007	900000	87903	2.5%	10780035				35537	2722	2022	202
C15	300000000000000000000000000000000000000	¥		-	14	1.0	8 0	0.4	10000000	1105500	2,010.00	120,000	103,000	962000	11 300100-00	7.4	10.8	\$5000 P	337 3333	0/200000	1,2000
C15 C16	Storene		-	74			0.4	7=	0.5	2.6	2.0	3500000		5.8	6.8	(-	-	Washing T	2000/07/2009	CONTRACTOR'S	University of
C16 C17 C18 C19	TOLONO COCCU	51	-		(n		53			15	E.		75.000.000	15		I PORTO DE	-		W/10/10/10/00	V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	0.1
C176 C18 C19 C20 C20 C20 C30 C30 C30 C30 C30 C30 C30 C30 C30 C3		3	27	57			5	15	-												15.0
C19		-	0.7	95		0.3	2.1	2	6.2	10.5	17.5	5 3			121.8			1000000		1-330000	0 1000000000000000000000000000000000000
C19-C20 - 0.3 - 0.4 0.3 1.1 1.6 1.0 1.3 3.4 8.9 13.9 21.8 22.5 37.1 30.3 3.2 4.82 0.48 C21 - - - 0.3 0.4 1.6 1.5 4.6 8.1 17.1 20.8 22.7 2.7 4.7 41.2 25.8 0.54 C22-C24 - - - - 1.0 1.3 - 1.8 23 4.4 22.0 1.4 21.2 0.3 0.4 1.4 21.2 0.3 0.4 1.4 21.2 0.3 0.3 1.4 21.0 0.3 <td>3555</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>20.2</td> <td>-</td> <td>- 40</td> <td></td> <td>9</td> <td>1024604</td> <td>-53</td> <td>-</td> <td>(2)</td> <td></td> <td>70000</td> <td>10.00</td> <td>8 15</td> <td>0.8</td>	3555	-	-		-	-	-	20.2	-	- 40		9	1024604	-53	-	(2)		70000	10.00	8 15	0.8
C21	120000 120000		-	-	-	0.0000	777 97	975537		2500	30.78	53503	1200000	100000000	1000000	98888	THE PERSON NAMED IN	022	20.000	28 500	1020020
C22	0.00000		0.3	-	0.4	0.3	1.1	1.6	1.0		2.012.0	1000000	2200	21.8	22.5	90)11/40-1	1000000	75.5	660,000,000	14/61/94/10	7,0000
C23-C24 - 0.3 0.4 - 0.5 0.7 1.3 2.4 3.5 - 1.5 1.2 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 1.3 1.3 2.4 3.5 1.3 1.3 1.2 4.0 1.0 1.0 0.0			-	-	Э	E 121721		000000	000,000	0.2400.00	240,000	050024134	- Constant of Co	727272	-	000000000000000000000000000000000000000	14104030000	UT 0000000	28/20/20/20/20	CARGO CALCORO	000000000
C25			-	S.#	(4	0.3	0.4	1.6	274744.0	20030000	2000000		Av All Marine	0.0400000000	4000000000	(0.177779696		A DATE OF THE PARTY	1900000000	200000000	11.6
C30-C31		5	237		57		70				-							1000000			
C32 - - 0.3 0.4 0.5 0.7 1.3 2.4 3.5 13.5 12.4 6.5 0.9 1.25 0.2e C37-C38 - 0.0 <	- LONDON A		1.70	•		- 1	25	•		1.3	2				24.8			- 1		3775885000	
C33-C34 - - 0.4 0.3 - 2.0 2.1 5.2 8.1 30.1 69.4 107.8 191.7 290.8 318.6 18.0 27.63 1.23 C37-C38 - 0.0 -	E5454	-	-		0.4		-		10.57.100		4 6	-	0.070	1.5	40.5	7472 C			1000000		10.000
C37-C38 - 0.3 0.3 - - - - - - 0.04 0.04 - - 0.04 0.04 0.04 0.04 0.04 0.04 0.04 0.08 0.02 0.08 0.02 0.08 0.02 0.08 0.02 0.04 0.08 0.04 0.08 0.00 0.0	81913 E3820	- 2		-	- 0.4	145003	0.4	- 0.0	100000	155.157		1000000	15,318,100	407.0	100.000	100000000000000000000000000000000000000	THE RESIDENCE OF THE PARTY OF T	1000000	12(0)14(0)	77000000	1.3
C40-C41 0.6 - 1.0 1.1 - 0.4 - 1.3 3.3 2.9 2.3 6.2 - 0.7 0.84 0.20 C43 -	1680000-198000			1100001	0.4	0.3	-	2.0	2.1	5.2	8.1	30.1	69.4	107.8	191.7	290.8	318.6	18-20-77	08774756	18000000	30.7
C43 - - 0.4 - <td>Common Supposed</td> <td>200.1508</td> <td>0.3</td> <td>1 marganit</td> <td></td> <td>-</td> <td>- 0.4</td> <td>-</td> <td>-</td> <td>4.6</td> <td>*</td> <td></td> <td></td> <td>- 00</td> <td></td> <td></td> <td></td> <td>Mession</td> <td>EATT 50 2.00</td> <td>MATTER STATE</td> <td>- 40</td>	Common Supposed	200.1508	0.3	1 marganit		-	- 0.4	-	-	4.6	*			- 00				Mession	EATT 50 2.00	MATTER STATE	- 40
C44 - - 0.4 - 0.8 - 1.3 1.3 2.4 1.2 5.8 6.8 21.7 21.7 1.2 1.71 0.30 C45 -	Contract of		O#3		-		0.4	S#:		1.3	Ħ)	3.3	14.0	2.9	2.3	6.2		0.7	0.84	0.20	1.2
C45 -		8	1.5		586		2			4.0	4.0	2.4		-	-	04.7	04.7	- 40	4 74	0.20	4.0
C46 -					0.4		2	0.8		1.3	1.3	2.4	1.2	5.8	6.8	21.7	21.7	1.2	1.71	0.30	1.8
C47+C49 - 0.3 - - 0.4 1.0 4.3 12.3 31.0 54.4 50.4 64.2 60.1 67.0 78.9 49.5 28.2 17.3 21.56 0.99 C51 - - - - - 0.7 0.8 1.2 1.5 2.3 3.1 4.3 0.3 0.43 0.15 C52 - - - - - - - - - 0.1 0.99 0.06 C53 - - 1.7 3.2 17.5 44.4 82.5 58.5 74.0 64.8 51.0 38.3 34.0 21.7 19.7 23.16 0.99 C54 - - 0.4 0.3 1.1 0.8 1.0 2.0 0.7 1.6 3.5 - - 2.2 0.6 0.68 0.16 C55 - - 0.3 1.1 0.8 1.0	33000		-		- 1 -	94	-		-			193			-	- 7-			-	-	
C50	West Street as street			0.3	-		-			-	-		i -				2.2	0.1	0.07	0.05	-
C51 -	Contract.		-		0.4	1.0	42	10.0	21.0	E4.4	EO 4	64.2	60.4	67.0	70.0	0-098190-0	Indiana Associa	racfat/Seas	1910001-1-101001	00000000	Listaneous
C52 - - - - - - - 0.1 0.09 0.06 C53 - - - 1.7 3.2 17.5 44.4 82.5 58.5 74.0 64.8 51.0 38.3 34.0 21.7 19.7 23.16 0.99 C54 - - - - 0.3 0.7 1.2 1.5 2.6 6.1 9.8 15.0 10.2 2.3 6.2 - 1.9 24.6 0.33 C55 - - 0.4 0.3 1.1 0.8 1.0 2.0 0.7 1.6 3.5 - - 2.2 0.6 0.68 0.16 C56 - - 0.3 1.1 2.0 3.6 5.6 6.7 7.9 12.1 14.6 5.8 8.7 4.5 34.0 10.8 4.2 4.8 0.2 2.2 0.2 0.2 0.2 10.0 0.8	Carrier V		1.5		0.4	La arreco		12.3	31.0		40.740.000	2000	or outside	2000000		1000000		1977077	2000000000	9 Bull 14 BOOK	0.6
C53 - - - 1.7 3.2 17.5 44.4 82.5 58.5 74.0 64.8 51.0 38.3 34.0 21.7 19.7 23.16 0.99 C54 - - - 0.3 0.7 12 1.5 2.6 6.1 9.8 15.0 10.2 2.3 6.2 - 1.9 246 0.33 C55 - - 0.4 0.3 1.1 0.8 1.0 2.0 0.7 1.6 3.5 - - - 2.2 0.6 0.68 0.16 C56 - - 1.0 1.1 -		2		100		0.5					0.7			1.0	2.5	3.1	4.5			- Contractor - Con	
C54 - - - - 0.3 0.7 1.2 1.5 2.6 6.1 9.8 15.0 10.2 2.3 6.2 - 1.9 2.46 0.33 C55 - - 0.4 0.3 1.1 0.8 1.0 2.0 0.7 1.6 3.5 - - 2.2 0.6 0.68 0.16 C56 - - 0.3 1.1 2.0 3.6 5.6 6.7 7.9 12.1 14.6 5.8 8.7 4.5 34.0 10.8 4.2 4.85 0.45 C57 - - - 1.0 1.1 - - 0.7 - - - - 0.2 0.21 0.08 C64 1.3 - - - - 0.5 0.7 - 0.8 - - 4.5 - 2.2 0.3 0.44 0.14 C66 -	1001000	5	0.5		-	17	3.2	17.5	44.4	82.5	59.5			51.0	38.3	34.0	21.7	1000000			
C55 - - 0.4 0.3 1.1 0.8 1.0 2.0 0.7 1.6 3.5 - - 2.2 0.6 0.68 0.16 C56 - - 0.3 1.1 2.0 3.6 5.6 6.7 7.9 12.1 14.6 5.8 8.7 4.5 34.0 10.8 4.2 4.85 0.45 C57 -		- 5				100000		100000			100000000	1111111111	1000000	102005123	ALC: ALC: ALC: ALC: ALC: ALC: ALC: ALC:	0.000	21.7	112011111	114404007400	A 100	
C56 - - 0.3 1.1 2.0 3.6 5.6 6.7 7.9 12.1 14.6 5.8 8.7 4.5 34.0 10.8 4.2 4.85 0.45 C57 - </td <td>385350</td> <td>2</td> <td>02</td> <td>124</td> <td>0.4</td> <td>12553</td> <td>(d) (g)</td> <td>1 58-63</td> <td>179.0</td> <td>900000</td> <td>98835</td> <td>(0,000)</td> <td>72/000</td> <td>10.2</td> <td>2.0</td> <td>0.2</td> <td>22</td> <td>5573</td> <td></td> <td>E 653</td> <td>2000</td>	385350	2	02	124	0.4	12553	(d) (g)	1 58-63	179.0	900000	98835	(0,000)	72/000	10.2	2.0	0.2	22	5573		E 653	2000
C57 -	330.4696>		_	Valence	1577	1200331	8/4/9	5485	100.000	2,933	1000	add Star	17/2/2015	8.7	45	34.0	No. of Contract of	7,550,6	950735032	St. 1500	9.4
C58 - - - - 1.0 1.1 - - 0.7 - - - - 0.2 0.21 0.08 C64 1.3 - - - - - 0.5 0.7 - 0.8 - - 4.5 - 2.2 0.3 0.44 0.14 C65 -	Lindones - r		_	0.0		2.0	0.0	0.0	0.7	7.0	12.1	14.0	0.0	0.7	4.0	04.0	10.0		4.00	0.40	0.4
C64 1.3 - - - - - 0.5 0.7 - 0.8 - - 4.5 - 2.2 0.3 0.44 0.14 C65 - <td>Outside the control of the control o</td> <td>_</td> <td>-</td> <td></td> <td>-</td> <td>1.0</td> <td>1.1</td> <td></td> <td>-</td> <td>-</td> <td>0.7</td> <td>D+5</td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td>0.2</td> <td>0.21</td> <td>0.08</td> <td>0.1</td>	Outside the control of the control o	_	-		-	1.0	1.1		-	-	0.7	D+5			_			0.2	0.21	0.08	0.1
C65 -		1.3	_		_	-	_		0.5	0.7		0.8		-	4.5	1	2.2				
C66 -		- 1.0	1/4		- 4	- 2	-	2	2.0	2	2	72		12		7/2		-	-	2	-
C67 - - - - 0.4 1.0 0.7 0.7 1.6 1.2 5.8 6.8 18.6 15.2 1.0 1.40 0.27 C68 -	53575	2	34	92	12	4	2	72	-	- 2	1	na.		- 32	2	12	72		ū	2	-
C68 -	10000000	2	740	:=:	14		2-7	50,000	1.0	0.7	0.7	1.6	1.2	5.8	6.8	18.6	15.2	1.0	1.40	0.27	1.6
C69 0.6 - - - - - - - - 2.2 0.1 0.16 0.08 C70-C72 - 1.3 1.7 0.4 - - 0.8 1.0 3.3 1.3 4.1 2.3 8.7 18.0 21.7 4.3 1.7 2.41 0.35 C73 - - 0.3 0.4 2.6 2.5 4.8 5.7 3.9 4.7 8.9 8.1 11.6 13.5 6.2 19.5 3.3 3.78 0.40 C74 - <td>940975</td> <td></td> <td>0.40</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>3=</td> <td>-</td> <td></td> <td>-</td> <td>1(*)</td> <td>-</td> <td>-</td> <td>-</td> <td>8.</td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td>	940975		0.40	-	-		-	3=	-		-	1(*)	-	-	-	8.	-		-		-
C70-C72 - 1.3 1.7 0.4 - - 0.8 1.0 3.3 1.3 4.1 2.3 8.7 18.0 21.7 4.3 1.7 2.41 0.35 C73 - - 0.3 0.4 2.6 2.5 4.8 5.7 3.9 4.7 8.9 8.1 11.6 13.5 6.2 19.5 3.3 3.78 0.40 C74 -	Taran was a	0.6			(=			:-		-		0.8			-	(e	2.2	0.1	0.16	0.08	0.1
C73 - - 0.3 0.4 2.6 2.5 4.8 5.7 3.9 4.7 8.9 8.1 11.6 13.5 6.2 19.5 3.3 3.78 0.40 C74 - <td>Total contract of the contract</td> <td></td> <td>1.3</td> <td>1.7</td> <td>0.4</td> <td>*</td> <td></td> <td>0.8</td> <td>1.0</td> <td>3.3</td> <td>1.3</td> <td></td> <td>2.3</td> <td>8.7</td> <td>18.0</td> <td>21.7</td> <td></td> <td></td> <td>The same of the sa</td> <td>100000000000000000000000000000000000000</td> <td></td>	Total contract of the contract		1.3	1.7	0.4	*		0.8	1.0	3.3	1.3		2.3	8.7	18.0	21.7			The same of the sa	100000000000000000000000000000000000000	
C74 -			-		0.00000000		2.5											-			
C82-C85 - - 0.3 0.4 0.7 0.4 0.8 2.6 1.3 1.3 4.9 4.6 2.9 6.8 18.6 10.8 1.4 1.84 0.30 C88 -		8	12		10	-	23	12	-		2	112	12		2	-		2	2	2	12
C98 -	C81	2	745	:-	:4	2	- 25	-			2	7(2)	1.2	2	¥	14		0.0	0.05	0.05	0.1
C90 -	C82-C85		174	0.3	0.4	0.7	0.4	0.8	2.6	1.3	1.3	4.9	4.6	2.9	6.8	18.6	10.8	1.4	1.84	0.30	2.8
C91 1.9 1.3 0.7 0.4 1.0 - - - - 1.6 - - 9.3 2.2 0.8 0.84 0.19 C92-C94 0.9 1.0 0.7 0.7 - 1.4 0.8 3.1 2.0 1.3 1.6 1.2 5.8 2.3 9.3 - 1.3 1.50 0.25 C95 0.3 0.7 0.3 - 0.4 0.5 0.7 - - 1.2 - 2.3 - 2.2 0.4 0.47 0.14 C96 - 0.7 0.3 - - - 0.5 - 0.7 - 2.3 - - - 6.5 0.3 0.39 0.12	C88	Ħ	(-)	ie.	18		50	1.				(#)	18			(F)	18			-	19-
C92-C94 0.9 1.0 0.7 0.7 - 1.4 0.8 3.1 2.0 1.3 1.6 1.2 5.8 2.3 9.3 - 1.3 1.50 0.25 C95 0.3 0.7 0.3 - 0.3 0.7 0.4 0.5 0.7 - - 1.2 - 2.3 - 2.2 0.4 0.47 0.14 C96 - 0.7 0.3 - - - 0.5 - 0.7 - 2.3 - - - 6.5 0.3 0.39 0.12	C90		1,5	15	15	*	5	27		0.7		117			*	3.1		0.1	0.10	0.07	0.1
C95 0.3 0.7 0.3 - 0.3 0.7 0.4 0.5 0.7 1.2 - 2.3 - 2.2 0.4 0.47 0.14 C96 - 0.7 0.3 0.5 - 0.7 - 2.3 6.5 0.3 0.39 0.12	C91	1.9	1.3	0.7	0.4	1.0			1-			1.6	-	5		9.3	2.2	0.8	0.84	0.19	0.3
C96 - 0.7 0.3 0.5 - 0.7 - 2.3 6.5 0.3 0.39 0.12	C92-C94	0.9	1.0	0.7	0.7	-	1.4	0.8	3,1	2.0	1.3	1.6	1.2	5.8	2.3	9.3		1.3	1.50	0.25	2.4
AND THE PROPERTY OF THE PROPER	C95	0.3	0.7	0.3	12	0.3	0.7	0.4	0.5	0.7	E	12	1.2	1	2.3	12	2.2	0.4	0.47	0.14	0.4
O&U* 0.9 - 0.3 1.4 0.7 1.8 2.4 8.3 9.8 13.4 30.9 50.9 75.7 90.2 136.1 140.9 12.1 17.36 0.95	C96	2	0.7	0.3	14	1 2	29	74	0.5	-	0.7	82	2.3	2	<u>=</u>	7/4/	6.5	0.3	0.39	0.12	1553
	O&U *	0.9		0.3	1.4	0.7	1.8	2.4	8.3	9.8	13.4	30.9	50.9	75.7	90.2	136.1	140.9	12.1	17.36	0.95	27.4
All Sites 6.6 5.6 6.8 7.8 15.2 26.7 57.3 129.0 218.8 228.0 396.8 460.3 607.2 841.0 1026.9 997.1 127.5 172.3 2.90	All Sites	6.6	5.6	6.8	7.8	15.2	26.7	57.3	129.0	218.8	228.0	396.8	460.3	607.2	841.0	1026.9	997.1	127.5	172.3	2.90	313.2

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2016 Males Mizoram state

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	374	2	3	100.0	8	V.	94	D.	2		12	¥ a	3	100.0
C01-C02	Tongue	1	1.4	71	97.3	1	1.4	04	=	- 2	12	(4		73	100.0
C03-C06	Mouth	1	1.2	81	97.6	-		ne.	-	1	1.2	12	-	83	100.0
C07-C08	Salivary Gland	(#)		9	100.0	:=	_	(-				3,0	-	9	100.0
C09	Tonsil	1	2.2	44	97.8	5 	-	50 5 5	-		-	1.5		45	100.0
C10	Oth. Oropharynx	-		17	100.0	-	-	, -	-	-	_			17	100.0
C11	Nasopharynx	1	0.9	103	92.8	1	0.9	74	2	6	5.4	15	-	111	100.0
C12-C13	Hypopharynx	1	0.4	219	97.3	1	0.4	84	2	4	1.8	12	125	225	100.0
C14	Pharynx Unspecified	174	-	24	96.0	84	:-	() 4 (2	1	4.0	왩	:	25	100.0
C15	Oesophagus	1	0.2	625	94.0	7	1.1	3	0.5	29	4.4	-	(4)	665	100.0
C16	Stomach	0.00	-	705	90.9	4	0.5	13	1.7	54	7.0	:=	-	776	100.0
C17	Small Intestine	-		11	100.0			7-	-	-	-			11	100.0
C18	Colon	1	0.9	102	92.7	1	0.9	-	_	6	5.5	-	_	110	100.0
C19-C20	Rectum	1	0.7	128	92.8	2	1.4	-		7	5.1	_		138	100.0
C21	Anus & Anal Canal	1	33.3	1	33.3		72	72		1	33.3	92	72	3	100.0
C22	Liver		00.0	165	77.5	28	13.1	3	1.4	17	8.0	2		213	100.0
C23-C24	Gallbladder etc.	02		35	68.6	7	13.7	-	1.7	9	17.6		524	51	100.0
C25	Pancreas	-		15	26.8	18	32.1	2	3.6	21	37.5			56	100.0
C30-C31	Nose, Sinuses etc.	1	8.3	10	83.3	10	52.1		3.0	1	8.3			12	100.0
C32	Larynx	(4)	0.0	96	89.7	3	2.8	3	2.8	5	4.7			107	100.0
C32-C34		1	0.2	507	82.0	70	11.3	11	1.8	29	4.7		13	618	100.0
C37-C38	Lung etc.	1	0.2	307	75.0	70	11.3	311	1.0	1	25.0	- 45	120	4	100.0
C40-C41	Other Thoracic Organs Bone	-		13		2	12.5	72			200000000				
	Melanoma of Skin		_	W/A	81.3	275	12.5		-	1	6.3			16	100.0
C43	Control of the Contro	1	2.4	31	00.0		-	./=	-	-	-	:=	-	32	100.0
	Other Skin		3.1	31	96.9		:=): - .	-	-				32	100.0
C45 C46	Mesothelioma	(+	-				-		=			in.		(2 4)	7.
	Kaposi Sarcoma	53:50		-	400.0	(*		85	3			55		-	400.0
C47+C49	Conn. & Soft Tissue	25	5	9	100.0			35 5	5		5	1.5	(S)	9	100.0
C50	Breast			5	100.0	-	-	-	•	-		-	-	5	100.0
C60	Penis	-	-	26	100.0				2.0	-	-			26	100.0
C61	Prostate	1940	-	67	91.8		-	1	1.4	5	6.8	14	-	73	100.0
C62	Testis	(4)	-	10	90.9	(=	-		-	-1	9.1			11	100.0
C63	Other Male Genital	1#	-	6	100.0	(H)	(=)) =)	-			-	(=)	6	100.0
C64	Kidney etc.	(*	-	20	95.2	1	4.8	(-	5.		=	-		21	100.0
C65	Renal Pelvis	127		50				107	=			1.7		107	5
C66	Ureter	13.7	-	3	100.0		.=	11.7		- 5		17	3.5	3	100.0
C67	Bladder	-		46	83.6	5	9.1	-	-	4	7.3	-	-	55	100.0
C68	Uns.Urinary Organs	74	2	2	100.0	12	-	\(\frac{1}{2}\)	2	- E	2	14	-	2	100.0
C69	Eye	040	-	6	75.0	(44) (0.34)	70.00077	04	-	2	25.0	14	•	8	100.0
C70-C72	Brain, Nervous System	-	-	14	31.8	15	34.1	(i=	-	15	34.1	-		44	100.0
C73	Thyroid	19	-	25	100.0			(5 *)	8		=		-	25	100.0
C74	Adrenal Gland	15		1	100.0	:=		15	*			(#		1	100.0
C81	Hodgkins Disease	195	5			5	(*	1950	5		.	12	(2)	85	5
C82-C85	NHL	-		64	98.5	-	-	1	1.5		-	-	•	65	100.0
C88	Malig Imn.Prol D	72	2	5	=	12	72	Y/21	2		- 2	75		1/21	-
C90	Multiple Myeloma	242	-	5	100.0		-	8 2	-	¥	<u>u</u>	14	-	5	100.0
C91	Lymphoid Leuk.	(4	2	34	100.0	14	(4)	(i u)	-	H	2	14	(4)	34	100.0
C92-C94	Myeloid Leukaemia	0.0	-	50	100.0	-		0=	-		*		:-	50	100.0
C95	Leukaemia Uns	(=	-	16	100.0	5 11	(#.	(1 .7		=		i n	(*)	16	100.0
C96	CMD,O&U LHM	15	-	13	100.0	:=	-	100		5	=	13	15	13	100.0
O&U *	Other and Uns	1	0.2	253	56.5	2	0.4	178	39.7	13	2.9	1	0.2	448	100.0
	All Sites	13	0.3	3693	85.4	168	3.9	215	5.0	233	5.4	1	0.0	4323	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2016 Females Mizoram state

ICD-10	Site	Clin	ical	Micros	copic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkn	own	Tot	al
100-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip		-	9	100.0	17	(.		97.		115	25	2.	9	100.0
C01-C02	Tongue	1	4.5	21	95.5	-	-		-	-				22	100.0
C03-C06	Mouth	-	_	48	100.0	- 1	-	12	182	92	92	1 2	2	48	100.0
C07-C08	Salivary Gland	=	-	11	100.0	34	940	-		8	11=	41	2	11	100.0
C09	Tonsil		-	10	100.0	<u>,=</u> ;	(-		:=	(14)	39			10	100.0
C10	Oth. Oropharynx		-				3.7			1.00		-		5	-
C11	Nasopharynx	-	_	62	100.0	1=	1.7	-		0.5	(-	-	_	62	100.0
C12-C13	Hypopharynx	- 1	4.2	23	95.8	- 2	-	12	-	-	14	2	2	24	100.0
C14	Pharynx Unspecified	2	9	1	100.0	14	12	75	-		NE	2	<u>u</u>	1	100.0
C15	Oesophagus		2	126	90.6	1	0.7	1	0.7	11	7.9	20	4:	139	100.0
C16	Stomach	_	-	337	90.1	3	0.8	7	1.9	27	7.2	_	_	374	100.0
C17	Small Intestine	-	_	9	90.0	1	10.0	-			-	-	_	10	100.0
C18	Colon	1	1.2	74	88.1	1	1.2	1	1.2	7	8.3	_	_	84	100.0
C19-C20	Rectum	1	1.1	85	91.4	2	2.2	1	1.1	4	4.3	- B	2	93	100.0
C21	Anus & Anal Canal	2	101	5	100.0		2.2	12	161		4.0	8	E 51	5	100.0
C22	Liver	1	0.8	95	76.6	17	13.7	2	1.6	9	7.3	-		124	100.0
LC USECCO COLOR DO CO	The state of the s	80	50000	195090	7075000000000	37.551		501	7.75	000000	711075-0	-	-	10000	1970000000
C23-C24	Gallbladder etc.	-1	1.1	55	63.2	16	18.4	1	1.1	14	16.1	=	*	87	100.0
C25	Pancreas	ħ.	-	8	20.0	16	40.0			16	40.0		5	40	100.0
C30-C31	Nose, Sinuses etc.		-	7	87.5	1	12.5			157.	(. *		2	8	100.0
C32	Larynx	-	-	21	84.0	-	-	•	•	4	16.0	-	•	25	100.0
C33-C34	Lung etc.	2	0.4	407	77.1	73	13.8	10	1.9	35	6.6	1	0.2	528	100.0
C37-C38	Other Thoracic Organs	=	-	2	100.0	(-	14	-	i@	E#	N#.	2	=	2	100.0
C40-C41	Bone	*	-	17	85.0	2	10.0		-	1	5.0		н.	20	100.0
C43	Melanoma of Skin	-	-			· ·	:=:		:*	:=:	7.5		8	-	-
C44	Other Skin	0	-	35	100.0	17	i#:	1.5	(11.7	- 5	8	35	100.0
C45	Mesothelioma	. 2	_	9	-	-	-	-	-	7-		- 1	¥	- 2	-
C46	Kaposi Sarcoma	- 2	2	2	12	12	12	4	-	? ≥	1/2	2	#	2	2
C47+C49	Conn. & Soft Tissue		~	2	100.0	(¥	194	(#	-	S=0	114	- 4	#	2	100.0
C50	Breast	2	0.4	499	98.6	3	0.6	2	0.4	:≠)	-		₩.	506	100.0
C51	Vulva	5	-	9	100.0	S#1	:::	: - :		(a -)	V. =		5.	9	100.0
C52	Vagina	Ø.	-	2	100.0		1.5			8.5	R. 2	53		2	100.0
C53	Cervix Uteri	14	2.4	551	95.5	3	0.5	7	1.2	2	0.3			577	100.0
C54	Corpus Uteri	<u>u</u>		57	100.0	12	-	14	12	84	02	<u>s</u> :	<u> </u>	57	100.0
C55	Uterus Unspecified	2	_	16	84.2	1	5.3	-	(4)	2	10.5	20	2	19	100.0
C56	Ovary etc.	-		108	87.1	8	6.5			8	6.5		-	124	100.0
C57	Other Female Genital	-	-				: :		:•:	(3 - 0	-	-		-	-
C58	Placenta	-	-	7	100.0	:=		-	-		-	-	-	7	100.0
C64	Kidney etc.	-	_	10	100.0	- 2	_			-	-		-	10	100.0
C65	Renal Pelvis	2				-				-	- 12	2	2	- , ,	100.0
C66	Ureter	<u></u>		2	2	82	924	945	-	1920	72	2	5		le:
C67	Bladder			25	89.3	3	10.7		0,0		1000			28	100.0
C68	Uns.Urinary Organs	-	-	23	05.3	3	10.7	-				*		20	100.0
C69	to the second se	1	25.0	2	50.0	17	(4)	8.7		1	25.0		5.	4	100.0
C70-C72	Eye	1	25.0	12		20	20.2	1	2.0	10.41		5 E			
	Brain, Nervous System		-		23.5	20	39.2	1	2.0	18	35.3			51	100.0
C73	Thyroid		-	95	99.0	- 14	: 4	8	-	1	1.0		-	96	100.0
C74	Adrenal Gland	-	-	# #	400.0		(14)	194	-	:=			*	¥ 2/	400.0
C81	Hodgkins Disease		-	1	100.0	-	-		-	(*)		-	*	1	100.0
C82-C85	NHL	-	-	42	100.0	18	· ·	:=			105	*	5 .	42	100.0
C88	Malig Imn.Prol D		-	ā	5	17	(2)	(A)	-	8.5	8.5	7	Ē.		7
C90	Multiple Myeloma		-	2	100.0	-	-	•		•	-	-	•	2	100.0
C91	Lymphoid Leuk.	12	-	22	100.0	12	12	12	- 2	12	172	2	2	22	100.0
C92-C94	Myeloid Leukaemia	2	- 4	38	100.0	· ·	:=	·	-	-	8#		말	38	100.0
C95	Leukaemia Uns		-	13	100.0		-		-	(*)	100		*	13	100.0
C96	CMD,O&U LHM			10	100.0				: -	0.00	105	-	#.	10	100.0
O&U *	Other and Uns	2	0.6	182	51.3	7	2.0	157	44.2	7	2.0	5		355	100.0
	All Sites	27	0.7	3173	84.9	178	4.8	190	5.1	167	4.5	1	0.0	3736	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Males Mizoram state

100.40		Pri.	Hist	Sec.	Hist	Cvto	logy	Blood	f Film	Bone M	arrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	2	20		10	12		室	- 70			3	100.0
C01-C02	Tongue	69	94.5	2		2	2.7	12	2	122		2	2.7	73	100.0
C03-C06	Mouth	79	95.2		_	2	2.4	1761				2	2.4	83	100.0
C07-C08	Salivary Gland	7	77.8		_	2	22.2		_	_			2.7	9	100.0
C09	Tonsil	43	95.6	-		1	2.2					1	2.2	45	100.0
C10	Oth. Oropharynx	15	88.2			2	11.8	3.7		:50	170	7.4	2.2	17	100.0
C11	Nasopharynx	90	81.1			13	11.7),E)		22		8	7.2	111	100.0
C12-C13	Hypopharynx	196	87.1	9		23	10.2	1/2	S S	12		6	2.7	225	100.0
C12-C13	Pharynx Unspecified	23	92.0			1	4.0	293		30	100	1	4.0	25	100.0
C15	Oesophagus	607	91.3			18	2.7	130			100	40	6.0	665	100.0
C16	Stomach	691	89.0	1	0.1	13	1.7			-	-	71	9.1	776	100.0
C16		10	11000000000000		0.1	100	27409012	1.0					9.1	00000	100.0
America const	Small Intestine		90.9		-	1	9.1	1.5	-			-	7.0	11	accumpants of
C18	Colon	100	90.9	5		2	1.8	2.52				8	7.3	110	100.0
C19-C20	Rectum	127	92.0			1	0.7	1.57	7	177	170	10	7.2	138	100.0
C21	Anus & Anal Canal		-			1	33.3		-			2	66.7	3	100.0
C22	Liver	58	27.2	1	0.5	106	49.8	12		12	-	48	22.5	213	100.0
C23-C24	Gallbladder etc.	28	54.9	1	2.0	6	11.8		2	署	14	16	31.4	51	100.0
C25	Pancreas	10	17.9	1	1.8	4	7.1	1.4		- 4	-	41	73.2	56	100.0
C30-C31	Nose, Sinuses etc.	8	66.7	90	₩.	2	16.7	100		*		2	16.7	12	100.0
C32	Larynx	90	84.1	1	0.9	5	4.7	07	5			11	10.3	107	100.0
C33-C34	Lung etc.	208	33.7	1	0.2	297	48.1	25		1	0.2	111	18.0	618	100.0
C37-C38	Other Thoracic Organs	1.7	-	5	-	3	75.0	1.57	-	- 5	-	1	25.0	4	100.0
C40-C41	Bone	12	75.0	-	2	1	6.3	7.5	<u> </u>	2	-	3	18.8	16	100.0
C43	Melanoma of Skin	12	024	2	2	- 1	:	1/20	2	벌	12	12	2	2	-
C44	Other Skin	30	93.8	-	-	1	3.1	7.4	2	12	-	1	3.1	32	100.0
C45	Mesothelioma	· ·	: *			19-) (4)		- *	3#	: <u>+</u>	8	-	:=
C46	Kaposi Sarcoma	7.00	10 9 0		-		-			*	:*:		5	*	(*
C47+C49	Conn. & Soft Tissue	9	100.0	=		(#)	i s	1.50	5	:55	:*:		#	9	100.0
C50	Breast	4	80.0		5	1	20.0	3.7					5	5	100.0
C60	Penis	26	100.0		-	-	-		-	-	-		-	26	100.0
C61	Prostate	63	86.3		- 4	4	5.5	12	-	2	- 4	6	8.2	73	100.0
C62	Testis	8	72.7	8	=	2	18.2	3743	=	- 1	=	1	9.1	11	100.0
C63	Other Male Genital	5	83.3	2	_	1	16.7	(4)	2	42	-	S=	2	6	100.0
C64	Kidney etc.	16	76.2	8	-	4	19.0	3.4			:=	1	4.8	21	100.0
C65	Renal Pelvis	-	(c . 1)			35	: - :	10	*				#	-	-
C66	Ureter	3	100.0		-	:=	19 7 6			:::			5	3	100.0
C67	Bladder	44	80.0	20		2	3.6	1.73	-	- 2	-	9	16.4	55	100.0
C68	Uns.Urinary Organs	2	100.0		<u> </u>	-					-		-	2	100.0
C69	Eye	6	75.0			12	12	12		2		2	25.0	8	100.0
C70-C72	Brain, Nervous System	14	31.8	8	¥	12	194	78	<u> </u>	沒	=	30	68.2	44	100.0
C73	Thyroid	12	48.0	-	2	13	52.0	849	2	- 12	92	-	-	25	100.0
C74	Adrenal Gland	-				1	100.0	54	_	12	-	1040	2	1	100.0
C81	Hodgkins Disease	7.0	_	_	_		- 100.0	-	_	-	-		_	-	-
C82-C85	NHL	45	69.2		_	17	26.2		_	2	3.1	1	1.5	65	100.0
C88	Malig Imn.Prol D	45	00.2	- B			20.2			-	0.1	10.0	1.0	-	100.0
C90	Multiple Myeloma	1	20.0	5 81	9	1E 32		7.5 7.5		4	80.0	157. 152.	20	5	100.0
C91	Lymphoid Leuk.	1	2.9	3		52	(3.44)	4	11.8	29	85.3	88	[2]	34	100.0
C92-C94	Myeloid Leukaemia	2	4.0	-	-	1	2.0	4	8.0	43	86.0	1940	No.	50	100.0
15.000		***	4.0	-	-		2.0	2	2000000	500.5	686779A		-	1000	10-110-02-04
C95	Leukaemia Uns	(*)	11#	-	-) -	2.8)	2	12.5	14	87.5	:*	-	16	100.0
C96	CMD,O&U LHM	- 04	40.0	40		470	40.0	1.0		13	100.0	405	40.5	13	100.0
O&U *	Other and Uns	61	13.6	12	2.7	179	40.0		-	1	0.2	195	43.5	448	100.0
	All Sites	2826	65.4	18	0.4	732	16.9	10	0.2	107	2.5	630	14.6	4323	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2012 - 2016 Females Mizoram state

ICD-10	Site	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	l Film	Bone N	Marrow	Oth	ers	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	9	100.0	-	-		-	-	-	-		-	-	9	100
C01-C02	Tongue	20	90.9	-	-	1	4.5	-	-	-	-	1	4.5	22	100
C03-C06	Mouth	46	95.8		_	2	4.2	_		_	_		-	48	100
C07-C08	Salivary Gland	5	45.5	-	_	6	54.5		- 8	-	-			11	100
C09	Tonsil	9	90.0		5	1	10.0		- A	2		- 83		10	100.
C10	Oth. Oropharynx	9	90.0	-	5 S	- 10	10.0			5. Sev				10	100.
E-5111111111	7/7	100105	07.4	-	-	-	40.0	-	-		-	-	1.	7.00000	400
C11	Nasopharynx	54	87.1	-		8	12.9	-	-	12				62	100.
C12-C13	Hypopharynx	21	87.5	-		2	8.3	-	*			1	4.2	24	100.
C14	Pharynx Unspecified	1	100.0				*		æ			195	-	1	100.
C15	Oesophagus	122	87.8	-		4	2.9		ē	:#		13	9.4	139	100
C16	Stomach	328	87.7	- 7		9	2.4		5		17	37	9.9	374	100
C17	Small Intestine	9	90.0	-			-					1	10.0	10	100.
C18	Colon	73	86.9	2	2	1	1.2		**	Ti Vi	F2	10	11.9	84	100.
C19-C20	Rectum	85	91.4	12	=	=	=	=	a a	2	12	8	8.6	93	100.
C21	Anus & Anal Canal	4	80.0	12	2	1	20.0	2	(4)	34	12	-	1=	5	100.
C22	Liver	35	28.2	1	0.8	58	46.8	-	-	1	0.8	29	23.4	124	100.
C23-C24	Gallbladder etc.	41	47.1	9	1.1	13	14.9	_	-	_	-	32	36.8	87	100.
C25	Pancreas	4	10.0			4	10.0					32	80.0	40	100.
C30-C31	Nose, Sinuses etc.	5	62.5	_	5	2	25.0	-				1	12.5	8	100.
C32		-				3			- II	- 2	- 12	4	16.0	25	
	Larynx	18	72.0	-			12.0						53,072-22,0	-	100.
C33-C34	Lung etc.	173	32.8	3	0.6	231	43.8	_	-	- 12	-	121	22.9	528	100.
C37-C38	Other Thoracic Organs	1	50.0	-	=	1	50.0		-	- 4	12	2	VEVS	2	100.
C40-C41	Bone	14	70.0	-	-	3	15.0	-	· ·	14	-	3	15.0	20	100.
C43	Melanoma of Skin)(#)	(*		•		-			ж	j e			(3)	
C44	Other Skin	31	88.6	-	=	4	11.4		慧	iĦ				35	100.
C45	Mesothelioma	13.5	11.75	-							la.			(2)	- 1
C46	Kaposi Sarcoma		-	-			-						-	•	
C47+C49	Conn. & Soft Tissue	2	100.0	2	2	2	2	2	2		12	2	12	2	100.
C50	Breast	334	66.0	1	0.2	164	32.4	2	· ·	2	12	7	1.4	506	100.
C51	Vulva	9	100.0	_	=	_	=	=	92	14	-	-) =	9	100.
C52	Vagina	2	100.0	-		*	-	-	*	196	-		-	2	100.
C53	Cervix Uteri	540	93.6	_	_	10	1.7	_	-	1	0.2	26	4.5	577	100.
C54	Corpus Uteri	56	98.2			1	1.8	_			-			57	100.
C55	Uterus Unspecified	15	78.9		7	4	5.3	153		55		3	15.8	19	100.
C56		102	82.3		3	5	4.0	(B)	- 3	1	0.8	16	12.9	-	100.
	Ovary etc.	102	02.3	-	· .	3	4.0			- 1	0.0	10	12.9	124	100.
C57	Other Female Genital		-		-		-	_	-		-	-	1 🛎		
C58	Placenta	7	100.0	-	-	-	-	-	-	-	-		-	7	100.
C64	Kidney etc.	10	100.0	-	-		*		*	*	-		7=	10	100.
C65	Renal Pelvis) e	(*				×	-				*		:=	
C66	Ureter	(10)	0.00		5.					æ	:=		1=		
C67	Bladder	25	89.3	-	5	50	-	=		Œ.	17	3	10.7	28	100.
C68	Uns. Urinary Organs		12.7	-	-	-			, .	-	-	:5	-	1270	
C69	Eye	2	50.0	-		-		ě		<u> </u>	-	2	50.0	4	100.
C70-C72	Brain, Nervous System	10	19.6	-	2	2	3.9	- 4	12	12	- 14	39	76.5	51	100.
C73	Thyroid	74	77.1	-	¥	20	20.8	1	1.0	2	12	1	1.0	96	100.
C74	Adrenal Gland	11=1	000	-	-	-	-	-	-		-	-	-	-	
C81	Hodgkins Disease	(i -	154		_	1	100.0	_	-	_	-	-	-	1	100.
C82-C85	NHL	27	64.3		_	15	35.7							42	100.
C88	Malig Imn.Prol D	21	04.0	-		13	33.7	- 8	5.	17			550	42	100
BILL OF THE PARTY.		155	167		•	- 5	7				400.0	- 5			400
C90	Multiple Myeloma				-	•	-			2	100.0	-	•	2	100.
C91	Lymphoid Leuk.	-	1/4		_ 2	- 2		4	18.2	18	81.8	~		22	100.
C92-C94	Myeloid Leukaemia	2	5.3	-	_	-	=	6	15.8	30	78.9	-	-	38	100
C95	Leukaemia Uns	(1 4)	1040	- 2	2	<u> </u>				13	100.0	-	1=	13	100
C96	CMD,O&U LHM)(#)	(*		-			-	-	10	100.0		-	10	100
O&U *	Other and Uns	61	17.2	5	1.4	116	32.7	15	i a	э	25	173	48.7	355	100
	All Sites	2386	63.9	11	0.3	689	18.4	11	0.3	76	2.0	563	15.1	3736	100

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males Mizoram state

ICD-10	Site		Years	0-74	Years
	200	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.3	0.3	0.3	0.3
C03-C06	Mouth	0.3	0.3	0.4	0.4
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.2	0.2	0.2	0.2
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	0.4	0.4	0.6	0.6
C12-C13	Hypopharynx	0.9	0.9	1.2	1.2
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	2.5	2.5	3.5	3.4
C16	Stomach	2.1	2.0	4.9	4.8
C17	Small Intestine	0.0	0.0	0.1	0.1
C18	Colon	0.3	0.3	0.7	0.7
C19-C20	Rectum	0.4	0.4	0.8	0.8
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.7	0.7	1.2	1.2
C23-C24	Gallbladder etc.	0.1	0.1	0.3	0.3
C25	Pancreas	0.1	0.1	0.4	0.4
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.1	0.1
C32	Larynx	0.4	0.4	0.6	0.6
C33-C34	According to the contract of t	1.5	1.5	4.0	3.9
C37-C38	Lung etc.	0.0	0.0	0.0	0.0
C40-C41	Other Thoracic Organs	101000	0.0		0.0
C43	Bone	0.0	0.0	0.0	0.0
C43	Melanoma of Skin	- 0.4	- 0.4	-	0.5
C45	Other Skin	0.1	0.1	0.2	0.2
CON-18080	Mesothelioma	5	7.0		69
C46 C47+C49	Kaposi Sarcoma	-		-	10
Lydr-drichtholdik	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	0.0	0.0	0.0	0.0
C60	Penis	0.1	0.1	0.2	0.2
C61	Prostate	0.1	0.1	0.4	0.4
C62	Testis	0.0	0.0	0.0	0.0
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.1	0.1
C65	Renal Pelvis	(=	3-	i e	23
C66	Ureter	0.0	0.0	0.0	0.0
C67	Bladder	0.1	0.1	0.3	0.3
C68	Uns.Urinary Organs	-	-	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.0	0.0	0.2	0.2
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	95			- 8
C82-C85	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	72	12	12	17
C90	Multiple Myeloma	0.0	0.0	0.0	0.0
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	0.0		0.1	
C96	CMD,O&U LHM	0.0		0.1	0.
O&U *	Other and Uns	1.1	1.1	2.4	2.4
st000a07	All Sites	12.48		24.46	21.70

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 19(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years): 2012 - 2016 Females Mizoram state

ICD-10	Site	0-64	Years	0-74	Years
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.1	0.1
C01-C02	Tongue	0.1	0.1	0.1	0.1
C03-C06	Mouth	0.1	0.1	0.2	0.2
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	-	_	4	
C11	Nasopharynx	0.2	0.2	0.3	0.3
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.5	0.5	0.9	0.9
C16	Stomach	1.1	1.1	2.4	2.3
C17	Small Intestine	0.0	0.0	0.1	0.1
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.6	0.6
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.4	0.4	0.7	0.7
C23-C24	Gallbladder etc.	0.2	0.2	0.5	0.5
C25	Pancreas	0.1	0.1	0.3	0.3
C30-C31	Nose. Sinuses etc.	0.0	0.0	0.1	0.1
C32	Larynx	0.0	0.0	0.2	0.2
C33-C34	Lung etc.	1.1	1.1	3.5	3.5
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	T-S	_	_	
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	_	
C46	Kaposi Sarcoma	-	_	1	
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	1.7	1.7	2.4	2.3
C51	Vulva	0.0	0.0	0.0	0.0
C52	Vagina	0.0	0.0	0.0	0.0
C53	Cervix Uteri	2.0	2.0	2.3	2.3
C54	Corpus Uteri	0.2	0.2	0.3	0.3
C55	Uterus Unspecified	0.1	0.1	0.1	0.1
C56	Ovary etc.	0.3	0.3	0.5	0.5
C57	Other Female Genital	0.5	0.5	0.5	0.0
C58	Placenta	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.0	0.0
C65	Renal Pelvis	0.0	0.0	0.0	0.0
C66	Ureter	-	7.		•
C67	Bladder	0.1	0.1	0.2	0.2
C68	Uns.Urinary Organs	0.1	0.1	0.2	0.2
C69		0.0	0.0	0.0	0.0
C70-C72	Eye	88	0.0	100000	19275
C73	Brain, Nervous System	0.1	180000	0.3	0.3
C74	Thyroid		0.3		0.4
WWW.Com.	Adrenal Gland	- 0.0	- 0.0	- 0.0	0.0
C81 C82-C85	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL Malia Ima Brat D	0.1	0.1	0.2	0.2
C90	Malig Imn.Prol D	- 0.0		0.0	
NAME OF THE OWNER OWNER OF THE OWNER OWNE	Multiple Myeloma	0.0	0.0	0.0	0.0
C91	Lymphoid Leuk.	0.0	0.0	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.2	0.2
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	1.0	1.0	2.1	2.1
HE JOHN HOURS HE SHE SHE	All Sites	10.83	10.27 6, C77, C78, 0	20.17	18.27

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)