








# Table 22-1(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2012 - 2016 Papumpare district

	Male	s	Fema	ales
Age Group	Number	%	Number	%
00-04	47426	9.52	45319	9.02
05-09	52727	10.59	53277	10.61
10-14	62023	12.45	66586	13.26
15-19	62824	12.61	68827	13.70
20-24	58410	11.73	62460	12.43
25-29	48636	9.76	50877	10.13
30-34	36684	7.36	39111	7.79
35-39	32790	6.58	35653	7.10
40-44	32148	6.45	29360	5.85
45-49	25451	5.11	19823	3.95
50-54	16531	3.32	11408	2.27
55-59	10127	2.03	6401	1.27
60-64	5592	1.12	5495	1.09
65-69	2738	0.55	2720	0.54
70-74	1681	0.34	1943	0.39
75+	2328	0.47	3048	0.61
Total	498116	100.00	502308	100.00

Area(Sq.Km): 3462.0

Figure 22-1(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016

Papumpare district











### Table 22-1(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Males %= Relative Proportion of Cancers of All Sites

#### Papumpare district

CORDING   CORD		-55%	36/2003/200				lands and the	No.	252 (Sec. 45)				RISOSTONIA.	15.55.05.00	Ballaria and	Eroccionis de	F-2-10-01		2007.3	West and	1933
CORPORATION CONTROLLED	ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
003-006 Mowth	Studenter reserves	alara di Santa di Sa	£7.	- 12	() <del>=</del>	17	*	5	(=	-	0.00	#3 9400	-	5			( <del>-</del>	7.	-		
027-028 Salvany Gland	C01-C02	Tongue	Э	•	) (=	1	*		1.0	•		1		1	2		1	•	8	6	1.27
Tonesi  Order  O	C03-C06	Mouth	(4	14	(?=	12	8	2	(4	3	2	2	2	3	1	) <b>=</b>	(%)	20	2	13	2.75
010 Obs. Originarynyx	C07-C08	Salivary Gland	12	12	84	12	2	2	12	-	84	2		2	- 2	12	(FE)	2	2	2	0.42
C1T Masopharyx	C09	Tonsil	72	12	Y/ <u>2</u>	12	62	9	\$ <u>5</u>	-	7.2	2	9	5	1	12	772	2	5	6	1.27
C12-C13   Mysopharynx	C10	Oth. Oropharynx	-	-	/-	-	2	-	12	-	-	2	2	-	1	-	-	-		3	0.64
C14 Phanymu Unspecified	C11	Nasopharynx			-	1	2	ě	1	3		4	7	1	5	1		-		25	5.30
C14 Phanymu Unspecified	C12-C13	Hypopharynx	£	(2)	15					1	4	7	4	1	2	3		51		15	3.18
C15	C14	Pharvnx Unspecified	-			-					1	1						-		2	0.42
C16 Stomach  C17 Small Intestine  C18 Colon  C19 Colon	(Auguston)	The second secon	_	_	()-	-	_	_	2	1	0.00	10 MASH	11	3	9	4	1	2	_	The state of	9.53
C171 Small Intestine	Cascorno	Daniel Co.	72		94	1	- 1	4	100	200	11190	Toronto Company	5050	0.000	2000	750	129-60	0.00	_	4550	19.70
C18	engating:	TO 3110 VOCO 201	32		792			30	752			- 10	10		10	- A		2		-	0.42
C19-C20 Rectum		2004 MINE ACCIDENTAL AND A STREET OF THE STR	101		200	- 4	od.	300		4		-					4	- 4		-	
C21 Arus & Anal Canal	STREAMBIF S	LESS CONTROL II	74	(-)	37-	81	9			-	-	-	-	-		(-)	3370	21		100	(Valorica)
C22 Liver		(CONTRACTOR CO	-	-	1/4	-	ા	2	-	4	1	-	-			-	1	-	-	- 100	1.91
C23-C24 Gallbladder etc.	20 00 00 VI	The second of th	-	•		N.		9		•		•			- 1	•		•	•		0.21
C25 Pancreas	Commence	Liver	類		1	1.75	58	4					9				9	5	(ii)	227.00	14.83
C30-C31 Nose, Sinuses etc.	C23-C24	Gallbladder etc.	<b>8</b> 5		() <del>5</del>	5.5	į.	in in	1		2	2	1	1	1	1	S3 <del>5</del> 3	53			2.12
C32 Larynx	C25	Pancreas		-	)) <del>=</del>	15		Ħ	1	2	-	-		×	1	1.00	(#	1		5	1.06
C33-C34 Lung etc.	C30-C31	Nose, Sinuses etc.	- 1	-	) <del>=</del>	>=		-	19	-	·*	+1	-	-	-	-	( <del>-</del> )		-	14	-
C37-C38 Other Thoracic Organs	C32	Larynx	(4	- 1-	() <del>=</del>	(2	=	=	14	1=	2	1	6	7	2	) <del>=</del>	1	-	2	19	4.03
C46-C41 Bone	C33-C34	Lung etc.	12	(2)	814		2	3	1	12	2	2	11	3	9	7	152	20	2	38	8.05
C43 Melanoma of Skin	C37-C38	Other Thoracic Organs		- 2	172	12	2	- 2	1	1	14		-	2	12	1	7/4	-	- 2	5	1.06
C43 Melanoma of Skin	C40-C41	Bone	- 6	-	2			1	-	1		2	1		- 4	-		-	- 6	7	1.48
C44 Other Skin	Secretory order	Melanoma of Skin	-		105	_		-		-		-				1	-		-	- Mt.	0.21
C45 Mesothelioma	200000000	CONTRACTOR OF THE CONTRACTOR O	-	_	1	-		_	5		2	2	3	2			1	4	_	200	4.24
C47+C49 Conn. & Soft Tissue	G		101	65			19	56		62	-		-		116	(A)	10.0	5010			CONTRACTOR OF THE PARTY OF THE
CAT+C49 Conn. & Soft Tissue	Contract of	Particle of the Control of the Contr	17L		335		- R		- 15		100						100	- E		15	
CSO Breast	Continent surrented	- X		1.7	2.5							7.5	-				8.7	7.		100	0.42
C60 Penis		25 25	( <del></del>		) (i.e.	-		-		•	( <del>*</del>		-1	- 1			( <b></b>	-		7.0	CV-25500
C61 Prostate	N2-501103	Control Control	:4		( <del>*</del>	-	-	*		•		- 6	-	*	-		-	-	-	100	0.21
C62 Testis 1 1 2 - 1 1 4 0.0  C63 Other Male Genital 1 1 1 1	E-CONTROL	Location const.	- 82	-	0.4	-	*	-		-	-	3	- 101	~		(*)		-	-		0.85
C63 Other Male Genital 1 1 1	To the same of the	E INTEROPERO	-	-	1/4	-	2	-	12	-	-	2	2	-	2	-	2	1	-		1.48
C64 Kidney etc.	CACAMOUNT	Testis	1	-		1.5		•	2	•	1	-		•	ė	•	•	•	•		0.85
C65       Renal Pelvis       -	C63	Other Male Genital	:	(Z	8.7	1.7	1	5	:5	12	1.5	7	1	- 5	:5			7.0	ē	2	0.42
C66 Ureter	C64	Kidney etc.	95		92		1	5				*	1				: ::::::::::::::::::::::::::::::::::::			2	0.42
C67       Bladder       -	C65	Renal Pelvis	85		330	-		*	<b>15</b>	•		•	-				: ·	#3	*	æ	
C68 Uns.Urinary Organs	C66	Ureter	39	-	P#	7+	8		19	-		*					(#)	*		:=	-
C69       Eye       4       - <td>C67</td> <td>Bladder</td> <td>(#)</td> <td></td> <td>. (i)#</td> <td>T-E</td> <td>2</td> <td>2</td> <td>(2</td> <td>-</td> <td>8*</td> <td>43</td> <td></td> <td>1</td> <td>1</td> <td>14</td> <td>5(4)</td> <td>1</td> <td>2</td> <td>3</td> <td>0.64</td>	C67	Bladder	(#)		. (i)#	T-E	2	2	(2	-	8*	43		1	1	14	5(4)	1	2	3	0.64
C69       Eye       4       - <td>C68</td> <td>Uns.Urinary Organs</td> <td>12</td> <td>-</td> <td>Na</td> <td>-</td> <td>2</td> <td>ш</td> <td>2</td> <td></td> <td>74</td> <td>4</td> <td>- 2</td> <td>ш</td> <td>12</td> <td>-</td> <td>74</td> <td>- 2</td> <td>2</td> <td><b>=</b></td> <td>-</td>	C68	Uns.Urinary Organs	12	-	Na	-	2	ш	2		74	4	- 2	ш	12	-	74	- 2	2	<b>=</b>	-
C70-C72 Brain, Nervous System 1 1 1	C69		4	12	192	12	20		12	-	82	2	2	9	2	-	772	2		4	0.85
C73 Thyroid 1 2 1 3 1 1 - 1 - 1 10 2. C74 Adrenal Gland	C70-C72	Brain, Nervous System	- 3	-		-	1			-	1		-	-		-	-			2	0.42
C74 Adrenal Gland	C73		-	-	10-2	_		2	-	-		3	1	1		1		_	-		2.12
C81 Hodgkins Disease	6				8=	-		-	5=	-	: (+		_	_				-	-		
C82-C85 NHL			50), (#	119	540 64	_	_	-	(a)		(3 <del>-</del>		_	_		17	100 m	-	-		:-
C88       Malig Imn.Prol D       -			170		100		- fi	- 15 	18		1000	ri)			- 1		:000 :000	E-	- 5	4	0.21
C90 Multiple Myeloma	Accuracy		5.Tj		20.00				2.5 por		0.5					-	0.70	-		- 4	0.21
C91         Lymphoid Leuk.         -	7177500							-			( <del>*</del> )	-	-	-		-	(**)	•		-	
C92-C94 Myeloid Leukaemia	10/1/10		(4)	-	Q <del>*</del>	-		-	- 1	-	7	-			-	-	2.4	-	-	4	
C95 Leukaemia Uns - 1 1 1 2 3 3 2 13 2.  C96 CMD,O&U LHM	6	The state of the s	82	-	7. <del>4</del>	12	9	2	82	1.0	24		-	-	82	-	( a	2	2	ä	-
C96 CMD,O&U LHM	E. H. Park and P. H. Park		-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	780	0.21
O&U* Other and Uns 2 - 1 - 1 - 1 1 3 2 - 1 - 1 - 13 2.	C95	S. C.		1	1	1	2	3	- 1		3	2			ě	•	•		•	13	2.75
	C96	CMD,O&U LHM	<b>5</b> 7	180	1.7	1.0		ā			8.7	75	•	5	8		8.5	7.5	ē	表	2.5
All Sites 5 1 7 5 14 21 22 31 34 67 86 53 57 28 23 18 - 472 100	O&U *	Other and Uns	£		2	1.5	1	Ħ	1		1	1	3	2	8	1		1		13	2.75
		All Sites	5	1	7	5	14	21	22	31	34	67	86	53	57	28	23	18		472	100.0

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









### Table 22-1(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Females %= Relative Proportion of Cancers of All Sites

#### Papumpare district

	No.	January sample			· ·		Taxaa aa	haman sanah	Salvanova v T	DOMESTIC STATE			The contract of	Territoria (	in a second	Communicate T	terrore Ti	- CANDADAN		The same of
ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip			(15)	*	Ť	ā.	17	- 3		1	7.		Ž.					1	0.19
C01-C02	Tongue		15	1.5	7.	•		:5	ia,	1	1	3	1	1	i.		(5)		7	1.33
C03-C06	Mouth	-	19	: <del>-</del>	*			লি	2	-	2	1	1	2	:	- 1	2		10	1.89
C07-C08	Salivary Gland	7.5		i <del>-</del>	-		*	- 15	-		I(€)	1	*			)#.			1	0.19
C09	Tonsil	-	7.	-		1	*	18	2		114	*			-			-	3	0.57
C10	Oth. Oropharynx	14	-	124	-		-	74	-	-	(*)	2	1	1	1		1	-	4	0.76
C11	Nasopharynx	- 1	14	74	2	2		2	1	3	- 1	1		2	14		1	1 12	11	2.08
C12-C13	Hypopharynx			14	2	1	¥	12	12	12	-	2	0	12	12		1	12	2	0.38
C14	Pharynx Unspecified		12	94	3	360		-	-	-	1	2	1	9	-	1	-	-	3	0.57
C15	Oesophagus		9	0.5			1		2	1	1	4	3	2	4	2	1		21	3.98
C16	Stomach			1.7	5.	2	2	1	5	7	5	11	5	15	1		4		58	10.98
C17	Small Intestine	-		3.5				(1)			1.5		-	8	:	- 1				
C18	Colon	-	-	-		1		1	-		1	F	2	3				-	8	1.52
C19-C20	Rectum	-	7.4	-	1		1	-	2		1	3	-	3	-	-	(*)	-	11	2.08
C21	Anus & Anal Canal	747	-	7.2	2	2	2	125	7=		1	2	2	4	12	-	8-	120	1	0.19
C22	Liver	12	72	72	2	-1	2	2	2	3	3	7	2	5	1	3		12	29	5.49
C23-C24	Gallbladder etc.	(10)	025	102	-	-	=	4	3	2	1	6	3	2	2		1	1/6	24	4.55
C25-C24	Pancreas		157	1984		- 84	26		3	2		Ü	1	1		155		-	4	0.76
C30-C31	Nose, Sinuses etc.		9	3.5					1		1.0		1	- 1		-				45/45/4/00/00/00
0.040.004.000.000.00.15	Color	( <del></del>		0.2	3	<u></u>	ā	- E	12.				-		1	1.7	/.5	1.15	2	0.38
C32	Larynx	- 1		85	5		2	15	1		2	1920	2	2		(E)	(E)	1.5	7	1.33
C33-C34	Lung etc.			-	*	- 5	1		1=	4	2	1	2	5	1	4	1	1.5	21	3.98
C37-C38	Other Thoracic Organs	190	1 -		-		н	18	:=:	- 10	(*)	*	*							827222
C40-C41	Bone	1,00	-	.1	-		- 2	34	-	1	-	40	-	9	14	-	-		2	0.38
C43	Melanoma of Skin	-	•	-	*	- 2	2	## (5)	7=	-		2	=	<u>#</u>	14	-		-	₽	50 900
C44	Other Skin	-	72		2	- 2	1	1	1	2	2	1	1	2	-	12	14	-	11	2.08
C45	Mesothelioma	120	12	7/2	-	2	¥	12	12	-	172	2	=	22	Fig.	2	12	74	2	ĕ
C46	Kaposi Sarcoma		-	(-	•	•	•	:	•	•	(6	•		(*)	•	•	•	-	•	3
C47+C49	Conn. & Soft Tissue	(5)		0.5	5	ē	ā	標	15	:	1.5	1	-	175	æ		Į.	- 5	1	0.19
C50	Breast	17	-	8-	5	3	4	8	20	12	14	10	10	3	1	2	2	15	89	16.86
C51	Vulva		-	X <del></del>	*	8	=		7-		2	1	1	#	:=	1	: <del>-</del>	T Je	5	0.95
C52	Vagina			-		-		18	-	1	( <del>-</del> )	*	-	я				-	1	0.19
C53	Cervix Uteri	-	134	134	¥	1	1	4	8	13	11	10	7	6	2	4	-	16	67	12.69
C54	Corpus Uteri	- 1	194	-	¥	2	- 4	12	12	-	1725	1	=	1	14	-	14	1123	2	0.38
C55	Uterus Unspecified	100	12	72	2	1	12	2	15	12	1	1	<u></u>	62	12	12	12	- 2	5	0.95
C56	Ovary etc.	1	-	74	0.0	3	1	3	3	7	7	6	2	2	1	-	3	1.63	39	7.39
C57	Other Female Genital	-	-	0.7			9		-	-					-	-	-	-		-
C58	Placenta			12.7	-	1			1	1			-				15.70		3	0.57
C64	Kidney etc.	-		-							1				1			-	2	0.38
C65	Renal Pelvis	-						14	-					*		-	() <del>*</del>		*	-
C66	Ureter	-	-				_	12	_		74		_	-	-	-			2	_
C67	Bladder	-	124	74			-	12	_	-	72	20	_	9	74	_				_
C68	Uns.Urinary Organs	32	(54)	7725	ş	9	2	£	198		77.00	2	0	2	510	-	792	r Is	6	9
C69	Eye	-	192	72		8	122	12	135			1		65		12			1	0.19
C70-C72	Brain, Nervous System		54	(9 <u>8</u> )	20	15	1	19		1995	UE.	23	12	126	5	(e)	kaži	1.83	1	0.19
C73	Thyroid			- 1	2	6	6	6	3	4	7	5	3	3	2	1	1		49	9.28
C74	Adrenal Gland	· 5		0.5	2	-	0	0	3	4	1	3	3	3		- 3		W.E.	49	3.20
	ACCOUNT OF A COUNTY OF A COUNT		(a)	: :	5	8	ā		189	S#.	1.5				13	120			Į Ā.	8
C81	Hodgkins Disease	1.5	1.5mg	1.5	3			- 65					5	. A	(#.					-
C82-C85	NHL	: *	-		-		-				-	*			75	-		-	-	
C88	Malig Imn.Prol D	: ••	2*	-				**	(*)		(6)		*			7.00	(*	-	#	(E)
C90	Multiple Myeloma	(4)	-	-	2	- 2	2	(4)	-	-	-	2	-	12	14	1		-	1	0.19
C91	Lymphoid Leuk.	-	-	174	-	- 2	¥	12	-	-	-	- 2	-	4	- 1		10-	-	=	-
C92-C94	Myeloid Leukaemia	(2)	- 2	0/4	-	-	2	92	12	-	1/2	20	2	22	72	020	-	74	2	2
C95	Leukaemia Uns	1	•	1	1	2	•	1	2	•	1	•		1	-	•	1	-	11	2.08
C96	CMD,O&U LHM	1.5	:	95	-	5	5	45	15	-	15	7.	=	7.5	1,5		). 	1.15	5	5
O&U *	Other and Uns	87	1	8.5	5	2		1	1	13.5	1	2	-	2					10	1.89
	All Sites	2	1	2	4	25	19	36	60		70	77	48	64	18	19	19	\ <b>#</b> .	528	100.0
* 0811 in	cludes the Sites(ICD-1	0.006	C20 (	C49 C	75 C7	6 C77	C79	C70 C	200 00	171										

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









#### Table 22-1(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Males **Papumpare district**

			No.				Economic variable					San Control of the Co								
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	-	7	3#				12.5	- 12			- 5	(2)	1.75			87		17	-	- 5
C01-C02		-	•	1.6		-	- 0			3.9	-	9.9	35.8	- 3	59.5	-	1.2	3.39	1.63	6.6
C03-C06	. 2		- 2		2	<u> </u>	1923	9.1	6.2	7.9	12.1	29.6	17.9	2	살	1/2	2.6	3.90	1.20	12.6
C07-C08	=			-	3.4	#	82 <u>-</u> 3	-		=	2	-	-	=	i i	84	0.4	0.27	0.19	2000
C09	=	-	- 14		<b>%</b>	¥	0€	14	12	-	=	49.4	17.9	#	¥	( <del>-</del>	1.2	2.69	1.14	8.7
C10	*	=	:≖		<b>*</b>	×	n <del>e</del>	:•	- 1	*	12.1	( <del>*</del>	17.9	æ	₩:	(i <b>≠</b>	0.6	1.32	0.83	4.3
C11	5	-	ζ <b>≑</b> ,	1.6	3.4	#	2.7	9.1	ie.	15.7	42.3	9.9	89.4	36.5		35	5.0	9.26	2.23	24.5
C12-C13		-			170	-	0.5	3.0	12.4	-	24.2	9.9	35.8	109.6		U.	3.0	7.25	2.31	12.8
C14	-	-		-	-		-		3.1	3.9	-	•	-		-		0.4	0.42	0.30	1.4
C15	2	2	1	-	일	2	5.5	3.0	3.1	43.2	66.5	29.6	160.9	146.1	59.5	85.9	9.0	21.53	3.81	44.9
C16		21	194	1.6	1.7	8.2	2.7	24.4	24.9	58.9	108.9	118.5	232.5	146.1	356.9	85.9	18.7	40.32	5.14	83.8
C17	-	#3	-	*	· ·	2.1	2.7	14	- 9		#3		-		¥:	( *	0.4	0.33	0.23	
C18	*	-	13-	1.6	1.7	2.1	33 <del>+</del> 3	3.0		-	<del>-</del> 0	:-	) <del>-</del>		59.5	43.0	1.2	2.68	1.50	0.6
C19-C20	55	=			1.7	4.1	(0 <del>1</del> )	12.2	3.1		50		:=:		59.5	(S <del></del> )	1.8	2.57	1.29	3.0
C21		7.				7.	11.	1.7	-	-	6.0	-	-		5.	u.=	0.2	0.30	0.30	1.0
C22	-	-	1.6	-	<b>=</b>	8.2	13.6	12.2	6.2	55.0	54.4	69.1	107.3	146.1	535.4	214.8	14.1	35.19	5.23	45.8
C23-C24	0	20	-	12	92	25	2.7	3.0	6.2	7.9	6.0	9.9	17.9	36.5	5	1741	2.0	3.70	1.48	7.9
C25	2	<u>a</u>	194	2	2	ş	2.7	6.1	-	_	2	-	17.9	12		43.0	1.0	2.10	1.16	3.5
C30-C31	-	÷.		74	*	¥.	194	140		_	#3	-		9	H	(*)	78	; <u>=</u>		
C32		-	-		·*	<del>#</del>	): <del>=</del> :	( <del></del> -)	6.2	3.9	36.3	69.1	35.8	*	59.5	Ω <del>*</del>	3.8	7.81	2.05	21.4
C33-C34	-	-				6.2	2.7	:-	6.2	7.9	66.5	29.6	160.9	255.7	-	-	7.6	20.12	3.84	38.0
C37-C38	-	-	-	-	-	-	2.7	3.0	-	-	-	19.7		36.5	-	-	1.0	2.23	1.25	3.1
C40-C41	_	_	3.2	-	-	2.1	_	3.0		7.9	6.0	-	-	-		-	1.4	1.41	0.55	3.1
C43	<u> </u>	_			22		1/2			- 1.0	_		12	36.5	2	(15)	0.2	1.10	1.10	-
C44	9	2	1.6	-	- 4	2	13.6	100	6.2	7.9	18.1	19.7	925	-	59.5	171.8	4.0	8.13	2.30	8.2
C45	_	_	1.0	-			10.0		U.L.	- ,	10.1	10.7	-	-	-	17 1.0	4,0	0.10	2.00	0.2
C46	-	_			-		(i=	-			_		-	_		_	-		_	
C47+C49		7.					100				6.0	9.9			70	11.5	0.4	0.70	0.50	2.2
C50	- 5	76	27		- 57	-	10.70			3.9	0.0	0.0	1570		- B	1.5	0.4	0.70	0.24	0.8
C60	8				8		(12) (12)	15	12	11.8	6.0		(E)	三 点	20	100	0.8	1.01	0.51	3.3
C61			100		100	5.	192	100	- 3	11.0	12.1		35.8	- 3	119.0	43.0	1.4	5.27	2.18	6.6
C62	2.1	10		-	12	120	5.5	76	3.1		12.1		33.0	12	119.0	43.0	0.8	0.77	0.39	0.6
C63	2.1				1.7		5.5		3.1		6.0						0.4	0.44	0.33	1.0
33360		-		-	1.7	-				-	6.0		-			1.5	0.4	0.44	0.33	1.0
C64	-	-	A#E			7.	127		-		0.0	( T	1.7			11.7	0.4	0.44	0.33	1.0
C65	- 5	-	iat.			7.0	10%						1.50		5.0	1.5	- (2)		8	
C66		7.		T			1.5			-	5	-	47.0	5	<u>5.</u>	42.0	- 0.0	1.07	4.40	2.0
C67		-	•	-				•		-		9.9	17.9		•	43.0	0.6	1.97	1.19	3.6
C68	-	-		-		-	114	-	-	-				- 4	-	-	- 0.0	4 04	0.54	-
C69	8.4	-	-	-	9	4	114	(-)	0.4	-		-	12			-	0.8	1.01	0.51	-
C70-C72	-	*		*	1.7	9. 12.13.1	\(\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		3.1	-	11/20	1202			#	(*)	0.4	0.32	0.23	0.6
C73	-	+	.*		1.7	4.1	() <del>*</del>		3.1	11.8	6.0	9.9	*	36.5	#	( <del>*</del>	2.0	3.15	1.31	5.1
C74	-	7)	S.		15	Ħ	128	(*)		-	10		:#:	ä	Ħ					*
C81		7.			jā.	5:	15		i i		7	(S)	-	- 5	₹:	11.5				
C82-C85	- 8	-	•	-	-	•	-	•	•	=			17.9	•	•	-	0.2	0.72	0.72	2.3
C88	2	2		-	<b>E</b>	2	-	-	2	-	23	-	*	- 2	<u></u>	(Fig.	- 1	12	-	2
C90	~ ~	4	*	*	谱	<u>\$</u>	7/4	12	- 4	-	-	*	*	*	2	8*	*	(2	-	- 4
C91		40	26		*	*	) e			-	- 6		(4)	-	H	(*		-		
C92-C94	E	5		1-		Ħ	30	3.0	-		5	1.		-	Ħ.	7.0	0.2	0.18	0.18	0.6
C95	=	1.9	1.6	1.6	3.4	6.2	(5.0	10	9.3	7.9	- 5	- 1	-			[52]	2.6	2.28	0.64	3.3
C96	-	-	17	- 5		7.	10.5			-	-	U.T.	(5)			( <del>-</del>	15	-		
O&U *	= 2	-	3.2	-	1.7	-	2.7	-	3.1	3.9	18.1	19.7	-	36.5		43.0	2.6	4.67	1.64	6.8
All Sites	10.5	1.9	11.3	8.0	24.0	43.2	60.0	94.5	105.8	263.3	520.2	523.4	1019.3	1022.6	1368.2	773.2	94.8	201.2	11.46	372.7

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







# Table 22-1(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Females Papumpare district

						-														
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00		-	-	( <del>*</del>	· ·	-	-	199	987000	5.0	#) 2000-0000	See	7000000	(#	- 4		0.2	0.30	0.30	1.0
C01-C02		-	- 10	) <del>-</del>	:=	-			3.4	5.0	26.3	15.6	18.2	· ·		-	1.4	3.17	1.28	10.2
C03-C06	:=	=	-	19	( <del>-</del>	-	-	5.6	:*:	10.1	8.8	15.6	36.4	i <del>n</del>	-	65.6	2.0	4.77	1.66	11.2
C07-C08		- 5	1.5	17	17		- 5	17-			8.8	107	- 17	- 5		( <del>-</del>	0.2	0.44	0.44	1.4
C09	-	-	-	15	1.6	-	-	5.6	- 5	-		0.7	17	-	- 7	-	0.6	0.46	0.27	1.1
C10	==	-		12	12		20	-	( <u>a</u> )	2	2	15.6	18.2	36.8		32.8	0.8	3.11	1.60	4.4
C11	- 2	-	(4)	12	( <u>1</u>	-	5.1	2.8	10.2	5.0	8.8	(2)	36.4	9	2	32.8	2.2	3.94	1.41	9.6
C12-C13	;≆		-	34	1.6		-	-	7#	*	2	(i <del>=</del>	7#	Œ		32.8	0.4	0.78	0.67	2
C14		*	ne.	13 <del>4</del> 3	:=	. *	*	199		5.0	H	15.6	·*	· ·	51.5	(*)	0.6	1.96	1.24	3.0
C15	35	π.	-	187	<u>(</u> ₹	2.0	- 5	5.6	3.4	5.0	35.1	46.9	36.4	147.1	102.9	32.8	4.2	13.21	3.26	19.1
C16	5		1.5	5.5	3.2	3.9	2.6	14.0	23.8	25.2	96.4	78.1	273.0	36.8	5	131.2	11.5	27.10	3.99	73.1
C17		-	-	-	-	-	-		-	-		-	-		-	-	-	-	-	-
C18	==	-	72	14	1.6	-	2.6	-	· 2	5.0	2	31.2	54.6	2	2	74	1.6	4.02	1.58	12.1
C19-C20		2	(4)	1.5	(2)	2.0		5.6		5.0	26.3	R#	54.6	12		72	2.2	4.43	1.53	13.3
C21	~		548	Ω <b>±</b> 3	3 <del>4</del> .		20	-	190	5.0	20	8€	24	*	2	74	0.2	0.30	0.30	1.0
C22	5 <del>6</del>	-	0-	); <del>+</del> ;	1.6	-	5.1	5.6	10.2	15.1	61.4	31.2	91.0	36.8	154.4	10-	5.8	14.44	3.11	31.7
C23-C24	=	-	-	(清)	:=	-	10.2	8.4	6.8	5.0	52.6	46.9	36.4	73.5		32.8	4.8	10.65	2.57	23.2
C25	5	-		1.7			7.0	9.	6.8	果	#.	15.6	18.2			11.00	0.8	1.76	1.00	5.7
C30-C31	-		-	- 3				2.8		iş.	÷			36.8			0.4	1.27	1.12	0.5
C32	-	2	(2)	12	92		2	2.8	2	10.1	<u> </u>	31.2	36.4	- 2		1	1.4	3.48	1.43	11.2
C33-C34	2	-	74	92	12	2.0	20	-	13.6	10.1	8.8	31.2	91.0	36.8	205.9	32.8	4.2	12.78	3.14	21.8
C37-C38	14	_	5-3	(84)	:4	=	- 2	9=	-	-	20	11=	1=		_	7-1	-	(4	-	=
C40-C41	-	-	1.5	5:40	:=:	_	-	-	3.4		*	( <b>-</b>	19		8	-	0.4	0.34	0.25	0.7
C43	:-	-	-	5. <b>-</b> 0		_	-	:-	1=	-	-	0 <b>-</b>	-	:-	-	-	-	(-	-	-
C44	-	-	-	/-		2.0	2.6	2.8	6.8	10.1	8.8	15.6	36.4	.=	-	-	2.2	4.01	1.41	11.9
C45	- 2	-			- 3			-	-	_		-	-			/_	-	-	_	
C46	12	-	12	100	14	_	- 2	02	-	2	2	1/2	- 1	- 2	25		120	12	6	
C47+C49	2	- 2		141	840		2	-	-	12	8.8	72	140	22	2		0.2	0.44	0.44	1.4
C50	-	_		24	4.8	7.9	20.5	56.1	40.9	70.6	87.7	156.2	54.6	36.8	102.9	65.6	17.7	29.59	3.78	73.8
C51				-	-	- 1.0	20.0	00.1	40.0	10.1	8.8	15.6	04.0	- 00.0	51.5	00.0	1.0	2.70	1.35	5.4
C52	-	_	_	140		_	_		3.4	-	0.0	10.0	-		01.0	_	0.2	0.20	0.20	0.7
C53		(27	_	155	1.6	2.0	10.2	22.4	44.3	55.5	87.7	109.4	109.2	73.5	205.9		13.3	27.68	4.05	66.0
C54	- S		17/	19	1.0	2.0	10.2	22,4	44.0	00.0	8.8	103.4	18.2	70.0	200.0		0.4	1.17	0.85	3.8
C55	2	- 3		12	1.6	- 2	5.1	12	- 3	5.0	8.8	12	10.2	- 2			1.0	1.18	0.59	2.4
C56	2.2	-	-	100	4.8	2.0	7.7	8.4	23.8	35.3	52.6	31.2	36.4	36.8	2	98.4	7.8	13.73	2.59	30.3
C57	2.2		Ī	100	4,0	2.0	1.1	0.4	23.0	33.3	32.0	31.2	30.4	30.0		30,4	7.0	13.73	2,39	30.3
C58				_	1.6			2.8	3.4								0.6	0.50	0.29	1.2
C64			-	6. <del>3</del> 6	1.0	-				5.0			(.e.	20.0		10-	0.4	Seemotics	200 10000	1.0
			-	1.70	( <del>1</del> )		- 5	13.00		5.0	Ē.	1.5	-	36.8	70		0.4	1.41	1.14	1.0
C65	- IS	•	1,7	3	1.7 (S	200	7		100		R.		198			1.5	2.5	15 ch		
C66		-	-	•		-	-		5.0			-		•	-		•			
C67		-	-	1 =	-	-		-		-	2	-	-	- 2		-	-	-	- 2	-
C68	- 2	-	-	-	12	-		-	-	*		-				-		- 0.44	0.44	2 2
C69	~	-		1+				-	*	*	8.8		*	i e	2	-	0.2	0.44	0.44	1.4
C70-C72	19		Œ		-	2.0	(2000) (2000)	( Tracket	*	H WHIP	Hi Ngangar	*	(#) (#)		# E	-	0.2	0.16	0.16	E 1909 0 190
C73	:		-	2.9	9.6	11.8	15.3	8.4	13.6	35.3	43.8	46.9	54.6	73.5	51.5	32.8	9.8	16.48	2.99	31.3
C74		5		0 <del>.</del> 7	)5		-	35			7.	((-	-			1.7	-		-	-
C81	- 3	-	-	•	-	-		•		- 4	8	-	-			-	•	- 3	2	-
C82-C85	12	-	2	12	12	-	20	-		**	ŭ.	14	14	*	2		-	- 1	-	
C88	3	-	-	124	14	_	2	•	*	: 12	¥	N#		( <u>@</u>	€: yymexxxx	-	14 700491	(4	Exc. 200	-
C90	<u>:</u>	-	06	8#		-	*	-		×	H	(A)		18	51.5	-	0.2	1.03	1.03	
C91	=	*	-	120	i <del>r</del>		5		*	Ħ	Ħ:	() <b>#</b>	17	ĕ		10-2		19	×	5
C92-C94	13		1.7	-	17		- 2	-		æ	ž.	(57)	15		2	-	3-5	2		-
C95	2.2		1.5	1.5	3.2		2.6	5.6	15	5.0	70	I.T.	18.2	-	7.	32.8	2.2	2.96	1.13	4.4
C96	€	-	- 4	-	-	-	- 2		- 4	2	9	-	-	- 4	÷		-	3	- 2	
O&U *	2	1.9	- 2		3.2	ш	2.6	2.8	14	5.0	17.5	(92)	36.4	12	2		2.0	3.40	1.29	9.0
Back and a second										18000100										

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









#### Table 22-1(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2016 Males Papumpare district

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	12	*	-	949	-	8.4	20	<u></u>	-	14	14	198	12
C01-C02	Tongue	*		6	100.0	-	S#	()#	-	¥	-		-	6	100.0
C03-C06	Mouth			13	100.0		-	( <del>*</del>	-	*	-		: <del>-</del>	13	100.0
C07-C08	Salivary Gland		1.	2	100.0	1.5		55 <del>*</del>	2.		-	:5	17	2	100.0
C09	Tonsil			6	100.0	(5)	15	11.0	5	754		13		6	100.0
C10	Oth. Oropharynx	-	2	3	100.0	-	•	-		<u> </u>	_	- 2	-	3	100.0
C11	Nasopharynx	2		25	100.0	15	12	E-2	2	살	-	12	- 1	25	100.0
C12-C13	Hypopharynx	*	2	14	93.3	1	6.7	1/4	2	9	-	22	14	15	100.0
C14	Pharynx Unspecified			2	100.0		-	( <b>*</b>	-	¥	-		-	2	100.0
C15	Oesophagus			43	95.6	1	2.2			1	2.2	. <del></del>		45	100.0
C16	Stomach	2	2.2	87	93.5	1	1.1	95		3	3.2	謙	15	93	100.0
C17	Small Intestine			2	100.0	(A)	:5	11.7		Ē.	_	12	15	2	100.0
C18	Colon		-	6	100.0	-			ě		-		-	6	100.0
C19-C20	Rectum	-	ĕ	9	100.0		12	1/2	=	-	-		75	9	100.0
C21	Anus & Anal Canal	=	2	1	100.0	. 12	12	32	<u> </u>	¥	=	14	14	1	100.0
C22	Liver			67	95.7	1	1.4	(i=	2	2	2.9		Œ.	70	100.0
C23-C24	Gallbladder etc.			10	100.0			8-	-		-		1-	10	100.0
C25	Pancreas	×.	-	4	80.0	1	20.0	() <b>*</b> (	-	*	-	:=	( <b>-</b>	5	100.0
C30-C31	Nose, Sinuses etc.	-	-			.=		85	_		-			-	
C32	Larynx	-	-	19	100.0	7-	-		_	-	_	_	-	19	100.0
C33-C34	Lung etc.	3	9	36	94.7	2	5.3	Y=2	2	2	<u> </u>	- 2	-	38	100.0
C37-C38	Other Thoracic Organs	9		4	80.0	1	20.0	(a)	2	¥		單	2	5	100.0
C40-C41	Bone	2	28.6	4	57.1	12	- 20,0	24	2	1	14.3	12	74	7	100.0
C43	Melanoma of Skin			1	100.0	_		94	-		- 1.0		_	1	100.0
C44	Other Skin	_	-	20	100.0			-	_		_		-	20	100.0
C45	Mesothelioma	-	_		-	_			_	-	_	-	-		100.0
C46	Kaposi Sarcoma			500		1.00	100	33.54	_	- 100			_	-	
C47+C49	Conn. & Soft Tissue	2	2	2	100.0	- 4	92	172	= = = = = = = = = = = = = = = = = = =	2		- 2	12	2	100.0
C50	Breast	2	-	1	100.0	12	12	74	2	20		12		1	100.0
C60	Penis	-	9	4	100.0	122	920	1722	2	2			12	4	100.0
C61	Prostate	-1	14.3	5	71.4	_	-	Tre-	_	1	14.3	_	_	7	100.0
C62	Testis		14.0	4	100.0						14.0			4	100.0
C63	Other Male Genital		-	2	100.0		Paths	-	_		_	200		2	100.0
C64	Kidney etc.		-	2	100.0	10.		207	_	-	_	-	171	2	100.0
C65	Renal Pelvis				100.0		- 3	1155 0155				3	- 3		100.0
C66	Ureter		E	- 5			100	1/2					UE UE	6.50 (e)	
C67	Bladder	1	33.3	9		2	66.7	7252	_	102	-	90	20	3	100.0
C68	Uns.Urinary Organs	- 1	33,3				00.7		-		_			3	100.0
20072-022	Control of the Contro	-	-	3	75.0	3	25.0		_	-	_		-	4	100.0
C69	Eye		-		75.0		25.0			#:			-	4	100.0
C70-C72	Brain, Nervous System	ă.		2	100.0		S#-	13.5		-		in the	57	2	100.0
C73	Thyroid		7	10	100.0		-	57	5		-		7	10	100.0
C74	Adrenal Gland		-		-		-	13.7		7.	-		57.	(5)	
C81	Hodgkins Disease	-	-	- 4	400.0		7-	100	-		-	-	-	9	400.0
C82-C85	NHL		-	1	100.0	-	-	S-40	-		-		1-4	1	100.0
C88	Malig Imn.Prol D		-	<u>≆</u>	- 4	)=)		(i¥)	-	*	-	- 4		74	
C90	Multiple Myeloma		-	<u>;</u> ∺			) <del>-</del>	( <del>*</del>	-	H:	-	H	-	198	134
C91	Lymphoid Leuk.	*	-	E par				() <del>*</del>		<b>8</b>				1 <b>3</b>	
C92-C94	Myeloid Leukaemia			1	100.0			( <del>-1</del>	5	Ħ				1	100.0
C95	Leukaemia Uns	-	2	13	100.0	-	-		-		-	-	-	13	100.0
C96	CMD,O&U LHM	- 2	-	- 3	-		-	-	į į	. 2	-	. 3	-	(2)	5.
O&U *	Other and Uns	2	-	12	92.3	111000	7.7	72	2	#	2000	14	(4	13	100.0
	All Sites	6	1.3	446	94.5	12	2.5	7.4		8	1.7		14	472	100.

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









#### Table 22-1(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2016 Females Papumpare district

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	То	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	_	1	100.0	-	_	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	1	14.3	6	85.7	2	2	- 2		02		14		7	100.0
C03-C06	Mouth	1	10.0	9	90.0	2	2	2	-	8	<b>1</b>	1/2		10	100.0
C07-C08	Salivary Gland	-		1	100.0	9		:4	-	12	-	94		1	100.0
C09	Tonsil	_		3	100.0							-	_	3	100.0
C10	Oth. Oropharynx			4	100.0		_							4	100.0
C11	Nasopharynx	ST.		10	90.9	1	9.1	100		173	100	121		11	100.0
C12-C13		-		2	100.0		3.1						15	2	100.0
	Hypopharynx		•			-	22.2	5.		1.5					
C14	Pharynx Unspecified		-	2	66.7	- 1	33.3		-	-	-			3	100.0
C15	Oesophagus		-	21	100.0		-	-	-	-	-		-	21	100.0
C16	Stomach	14	-	56	96.6		-	(4)	-	2	3.4	14	-	58	100.0
C17	Small Intestine	:*	(*)			*	*	*	*	19		( <del>)</del>	( <del>*</del> )	0,00	***************************************
C18	Colon	S#	10th	8	100.0		-			(7		17	! <del>*</del>	8	100.0
C19-C20	Rectum		157	11	100.0	5			1.5	1.77	17.	12	1.5	11	100.0
C21	Anus & Anal Canal	•	•	1	100.0		-			•	-		•	1	100.0
C22	Liver	-	2	27	93.1	1	3.4	22	12	1	3.4	92	12	29	100.0
C23-C24	Gallbladder etc.	74	14	24	100.0	=	¥	14	-	12	7 <b>4</b>	84		24	100.0
C25	Pancreas	(+	( <b>-</b>	3	75.0	1	25.0	~	~	=		:	ne)	4	100.0
C30-C31	Nose, Sinuses etc.	-		2	100.0	*	-	×	· ·	-	;●)	( <del>**</del>	-	2	100.0
C32	Larynx	-	120	7	100.0	5	-	)#	-	i <del>n</del>		· +		7	100.0
C33-C34	Lung etc.		15 <del>4</del>	20	95.2	1	4.8		_	:=	: =-	-	× <del>=</del>	21	100.0
C37-C38	Other Thoracic Organs		-		_		-	-		_	_		-	-	
C40-C41	Bone	- 4		1	50.0	1	50.0	72	2	12			72	2	100.0
C43	Melanoma of Skin			192				2		73	12	946	202	-	100.0
C43	Other Skin	74		11	100.0		_			70		774		11	100.0
C45	Mesothelioma				100.0						-			2431	100.0
	The second secon		( <del>)</del>	1*	-		-						( <del>-)</del>		· · · ·
C46	Kaposi Sarcoma	1.00	( <del>*</del>	5 m	****			· · · · · · · · · · · · · · · · · · ·		E.	2.7	5 <del>.1</del>	( <del>*</del>	S	7 4 4 7
C47+C49	Conn. & Soft Tissue			1	100.0	5			5	177	<u></u>			1	100.0
C50	Breast	-		89	100.0		-	•	-	-	-	•	•	89	100.0
C51	Vulva	-	-	5	100.0	- 2		- 2	-	12	12	-	-	5	100.0
C52	Vagina		164	1	100.0	2	2	12	-	(4)	52	1948	-	- 1	100.0
C53	Cervix Uteri	-	34	66	98.5	- 1	1.5	9		74		:⊭	( <del>-</del>	67	100.0
C54	Corpus Uteri	. <del>≠</del>	( <del>+</del> )	2	100.0	*	×	æ	-	) <del>-</del>	<u>∵</u>	•	( <del>**</del> )	2	100.0
C55	Uterus Unspecified	:=	J. <del></del>	4	80.0	1	20.0			( <del>1</del>	3.5	12	j <del>e</del>	5	100.0
C56	Ovary etc.		1.5	33	84.6	2	5.1			4	10.3		1.5	39	100.0
C57	Other Female Genital	-	-	-		3	-	-	- 3	9	-	-	-	-	
C58	Placenta	-	12	3	100.0	9	2	- 2	12	15	2	-	12	3	100.0
C64	Kidney etc.	194	14	2	100.0	2	2			(4)	) <u>=</u>	14	174	2	100.0
C65	Renal Pelvis	-	14	5±	=	¥		(#	=	:=	14	19	140	94	
C66	Ureter	S#3	f( <del>*</del> )	0+	-		_	:=	-	-	-	-	(r <del>-</del> )		
C67	Bladder	-	-	U.	_	_	_			( <b>=</b>			11-		
C68	Uns.Urinary Organs	100 E		0.0	_			<i>1</i> 3		67), (#				100	
C69	Eye		1276	1	100.0	2	-						15 E	1	100.0
C70-C72	Brain, Nervous System	- 4	94	1	100.0		-	(Z)		1.5	(3) (4)	98	partie partie	1	100.0
223	Thyroid		1.5	49	NAME OF TAXABLE PARTY.	E.V.	-	901			-	-		49	Version
C73	The state of the s	-	· ·	49	100.0	-	-	-	-	(=)	-	-		49	100.0
C74	Adrenal Gland	-	(1 <del>.0</del> )	-		-	-			-	-	; <del>4</del>	(-)	-	
C81	Hodgkins Disease	: <del>-</del>	(#				-			: <del>*</del>		:*	(*)	•	
C82-C85	NHL	17	127	( <del>-</del>	5		-			85	1.7	15	9. <del>*</del>	S.	
C88	Malig Imn.Prol D		9.5	1.7	-	5		<b>57.</b>	-	17	:5	-	12	1. <del>5</del> .	
C90	Multiple Myeloma	-	•	1	100.0		-	•		-	-	-	-	1	100.0
C91	Lymphoid Leuk.	-	54	12	2	2	-	발	12	12	12	92	52	72	
C92-C94	Myeloid Leukaemia	( <del>4</del>	164	84	2		u u	9	<u> </u>	(4)		84	-	84	
C95	Leukaemia Uns		(*)	11	100.0	÷	-	9	×			-	(*)	11	100.0
C96	CMD,O&U LHM		D#	0.00	-		-	æ	>	<b>*</b>	:-	-	3 <del>+</del> .	o <del>*</del>	
O&U *	Other and Uns			10	100.0	*	_	:=		(#	:*:	(j <del>.)</del>		10	100.0
	All Sites	2	0.4	509	96.4	10	1.9	_		7	1.3			528	100.0

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









# Table 22-1(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Males Papumpare district

ICD 40	Cita	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone N	larrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1.4	14	2	_	:4		141	74	-	¥		-	929	Pa
C01-C02	Tongue	5	83.3		¥	1	16.7	-		(6)	H	*	-	6	100.0
C03-C06	Mouth	9	69.2		-	4	30.8	-	8-	-	-	-	-	13	100.0
C07-C08	Salivary Gland	2	100.0		_	:=	-			_	_	-	-	2	100.0
C09	Tonsil	3	50.0	-	-	3	50.0	-	1200	_	_	_	-	6	100.0
C10	Oth. Oropharynx		2	2		3	100.0			- 2	100	2	12	3	100.0
C11	Nasopharynx	7	28.0	2		18	72.0	-1	192	2	2	5	12	25	100.0
C12-C13	Hypopharynx	13	86.7	9		1	6.7	12	102	1723	9	1	6.7	15	100.0
C14	Pharynx Unspecified	2	100.0		_	- 2	-	72	-				-	2	100.0
C15	Oesophagus	33	73.3		_	10	22.2	_				2	4.4	45	100.0
C16	Stomach	71	76.3		_	15	16.1	100		1	1.1	6	6.5	93	100.0
C17	Small Intestine	2	100.0	2			10.1	10000	10.75		161	U	0.0	2	100.0
C18	Colon	4	66.7			2	33.3	157	11.5	53			5	6	100.0
C19-C20	Rectum	8	88.9		-	1		020	1.5	120	5			9	100.0
C19-C20	TEN TEN STEEL BY		VIV0-0000	-	-		11.1	-	real)	-	-	-	·-	10	7,100,000,000
1835(0)	Anus & Anal Canal	1	100.0	-	-	-	05.7	-		-	-	-	4.0	1	100.0
C22	Liver	7	10.0	-	-	60	85.7	-	(*)	-	-	3	4.3	70	100.0
C23-C24	Gallbladder etc.	6	60.0	-	-	4	40.0		: +	(6)	H		-	10	100.0
C25	Pancreas	1	20.0			3	60.0		(14)	1.77	T:	1	20.0	5	100.0
C30-C31	Nose, Sinuses etc.	:#	17	-	π.			1.7	15.77	-		- 5	:5	1.5	17.000
C32	Larynx	9	47.4	-		10	52.6	-	10.7	-	-	-	-	19	100.0
C33-C34	Lung etc.	12	31.6	-	-	24	63.2	-	-	-	-	2	5.3	38	100.0
C37-C38	Other Thoracic Organs	2	40.0	2	_ =	2	40.0	1/4	(4)	-		1	20.0	5	100.0
C40-C41	Bone	2	28.6	2	_ =	2	28.6	-	17.4	F-2	¥	3	42.9	7	100.0
C43	Melanoma of Skin	1	100.0		-	# P		-	J. <del></del>		H			1	100.0
C44	Other Skin	13	65.0		-	7	35.0		15#	17	B:		-	20	100.0
C45	Mesothelioma	· ·	187	-				15	85		E.		æ	1.5	: <del>-</del>
C46	Kaposi Sarcoma	-	<u> </u>	-	-	7	-	-	1,2	-	-	-	-	-	.=
C47+C49	Conn. & Soft Tissue	12	12		. =	2	100.0	14	74	-	=	. =	-	2	100.0
C50	Breast	7 <u>4</u>	-	-		1	100.0	14	F <u>4</u>	i i	¥	9	2	1	100.0
C60	Penis	4	100.0	2	Ψ.	124	-	-	( <del>-</del>	140	¥	¥	- 1	4	100.0
C61	Prostate	2	28.6		-	3	42.9	-	[ <del>*</del>		×	2	28.6	7	100.0
C62	Testis	1	25.0	5	-	3	75.0	( <del>) (</del> )	() <del>-</del>	160	<del>-</del>	-	-	4	100.0
C63	Other Male Genital	1	50.0	5	-	1	50.0	S#6	55 <del>-5</del>				-	2	100.0
C64	Kidney etc.	1	50.0	-	-	1	50.0	12	31.7	1.7	2	a		2	100.0
C65	Renal Pelvis		-		-		-		-	-			9		
C66	Ureter	- 2	772	2	2	- 2	12	(4)	772	128	<u>u</u>	8	52	(2)	- 2
C67	Bladder	-	(2)	5	2	- 4	-		<u> </u>	Ta:	¥	3	100.0	3	100.0
C68	Uns.Urinary Organs	14	(i=	-	¥	Œ	-	-	(7 <del>4</del> )	-	¥.	-	~		14
C69	Eye	3	75.0	-	-		-	-	100	Ge.	H	1	25.0	4	100.0
C70-C72	Brain, Nervous System	:#:	10 <del>4</del> 1		-	2	100.0		15		=		:	2	100.0
C73	Thyroid	4	40.0	-	-	6	60.0		15-	-		-	-	10	100.0
C74	Adrenal Gland				-	-	_		, <u>-</u>	-	_		-	-	-
C81	Hodgkins Disease	- 1	1/2	2	-	2		74	74	728	2	2	- 2	- 4	
C82-C85	NHL	1	100.0	2	-	9	-	949	17-17	160	E.	E		1	100.0
C88	Malig Imn.Prol D	1847	1-	2	_	94	-	14	(7 <b>4</b> )	-	2	2	-	74	15-
C90	Multiple Myeloma	(-		-		18	_		14	(#)		_	-	-	-
C91	Lymphoid Leuk.	_	1.00		_	-					_	-	-		
C92-C94	Myeloid Leukaemia	95		_				(45)	. ]	1	100.0		-	1	100.0
C95	Leukaemia Uns	14	100			- B		7	53.8		46.2	8		13	100.0
C96	CMD,O&U LHM		7/2		- E			(E)	00.0	3	10.2			19	.00.0
O&U *	Other and Uns	2	15.4		(E)	10	76.9	(E)	1920		5	1	7.7	13	100.0
Juo	Outer and Ons		10.4		_	10	10.9			_	_	- 1	1.1	10	100.0

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









# Table 22-1(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Females Papumpare district

ICD 40	Cita	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone M	larrow	Oth	ers	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	100.0	2	20	- //	70	ne	- 70	2	20	12	70	1	100
C01-C02	Tongue	5	71.4	20	=	1	14.3	( <u>2</u>	2	-	15	1	14.3	7	100
C03-C06	Mouth	8	80.0		-	1	10.0		-	-	-	1	10.0	10	100
Company of Prints			00.0		-	9.11	Party Control Special		-	-	-		10.0	55.0	10000
C07-C08	Salivary Gland	-	400.0			1	100.0	(3€	-	-			-	1	100
C09	Tonsil	3	100.0			(E)		18		-		£		3	100
C10	Oth. Oropharynx	4	100.0		-		-	). <del>*</del>		-	-		-	4	100
C11	Nasopharynx	4	36.4		2	6	54.5	774	2	- 2		1	9.1	11	100
C12-C13	Hypopharynx	2	100.0	- 1	¥	-	-	164	=	- 2	- 4	- 1	-	2	100
C14	Pharynx Unspecified	(3#3	-	2	=	2	66.7	(?€)	2	2	=	1	33.3	3	100
C15	Oesophagus	16	76.2		-	5	23.8	)) <del></del> )	-		:=			21	100
C16	Stomach	40	69.0			16	27.6	(I <del>=</del> )	*	=	*	2	3.4	58	100
C17	Small Intestine	1.5	5			-	1.0	15.75	5			; <del>=</del>		85	
C18	Colon	5	62.5	-	-	3	37.5				-		-	8	100
C19-C20	Rectum	7	63.6	<u>u</u>	- 2	4	36.4	174	2	2	2	- 1	72	11	100
C21	Anus & Anal Canal	1920		20	E	1	100.0	84	=	20	=	- 2	12	1	100
C22	Liver	3	10.3	-		24	82.8	172-	5	-	-	2	6.9	29	100
C23-C24	Gallbladder etc.		45.8			13	54.2						0.0	24	10.00
	- The second second second	11	25.0			2	50.0	11=	*.	-	-	1	25.0	225	100
C25	Pancreas					-		(*)			.7	1	25.0	4	100
C30-C31	Nose, Sinuses etc.	1	50.0		5	1	50.0	8: <del>*</del>	5	5.	.5	2.7	1.00	2	100
C32	Larynx	2	28.6			5	71.4		*	-		-	-	7	100
C33-C34	Lung etc.	4	19.0		- 2	16	76.2	174	- 2	2	12	1	4.8	21	100
C37-C38	Other Thoracic Organs	840	=	2	<u>=</u>		-	(r <u>a</u> )	2	2	<b>E</b>	14	-	5 <u>4</u> 3	
C40-C41	Bone	((4)	<u> </u>	*	2	1	50.0	( <del>*</del>	2	2	~	1	50.0	2	100
C43	Melanoma of Skin	-	-		-			10		*	-	:-		34	
C44	Other Skin	7	63.6	=		4	36.4	1970	5			<b>a</b>	-	11	100
C45	Mesothelioma	13.7	-	=	-	177	1.7	1725	=	-	-		1.7	0.27	
C46	Kaposi Sarcoma	-			=	- 6	-	12		-	=	- 4	-	7.2	
C47+C49	Conn. & Soft Tissue	1	100.0	2	2	12	12	R4	2	2	2	12	-	1.	100
C50	Breast	28	31.5	달	9	61	68.5	(24)	2	달	<u>=</u>	(4		89	100
C51	Vulva	3	60.0		-	2	40.0	1741	2		~	72	-	5	100
C52	Vagina	1	100.0				-	0.2	_				_	1	100
C53	Cervix Uteri	50	74.6			16	23.9	105	2			1	1.5	67	100
						10	23.5	357				- '	1.0	-	
C54	Corpus Uteri	2	100.0					11/5/ 0/00	2				-	2	100
C55	Uterus Unspecified	3	60.0	-	-	1	20.0	( <u>~</u>		-	-	1	20.0	5	100
C56	Ovary etc.	19	48.7	2	2	14	35.9	Si 🕳	2	2	2	6	15.4	39	100
C57	Other Female Genital	(A <del>4</del> )	<u>₽</u> 1	= ==	- 1	( <del>4</del> )	(*	(A)	2	=	130	i ii	(=	(8 <del>4</del> )	Unger
C58	Placenta	1	33.3	- 8	-	2	66.7	)(#)		*	-			3	10
C64	Kidney etc.	1	50.0		æ	1	50.0	(S#	5		=	8	:=	2	100
C65	Renal Pelvis	17	=	=	=	-	:-	(S.E.)	5	5	=	æ	:=:	85	
C66	Ureter	157.5	_	-	-		3-	10 <del>5</del>	-	-	-	17	.=	10.75	
C67	Bladder	-	ě	2	-	-		%	ş	2	-	12	/=	14	
C68	Uns.Urinary Organs	12	2	2	껠	12	12	94	2	말	2	12	12	72	
C69	Eye	1	100.0	25	2	14	(4)	((4)	2	2	:2	(4	(4)	1	100
C70-C72	Brain, Nervous System	-	-	-	-	1	100.0	27	-	_	-	-	-	1	100
C73	Thyroid	12	24.5	_		37	75.5				_	_	_	49	100
C74	Adrenal Gland	12	24.0			01	70.0	3053	20	2	10.	171	979	10	10
C81	1	155 725	5		- 点		150 	155	5	5				15. 16.1	
	Hodgkins Disease		•		-				5		•	nr.			
C82-C85	NHL Malia Issa Basi B	14	-	-	-		-	1/2	-			14	-	-	
C88	Malig Imn.Prol D	82	-		2	14	-	02	2		- 100 March 1988	-	•	84 84	9.00
C90	Multiple Myeloma	: 4	2		<b>E</b>	12	-	i (e	2	1	100.0	<b>19</b>		1	10
C91	Lymphoid Leuk.	(100)	50	*	*		(m)	(1 <del>0</del>	8	*	*	·	3#	89	
C92-C94	Myeloid Leukaemia	35			3	17		138	5	*		17		)( <del>=</del> (	
C95	Leukaemia Uns	15.7	7.		=			2	18.2	9	81.8		15	11	10
C96	CMD,O&U LHM	-					-		-	-	•	-	-		
O&U *	Other and Uns	1	10.0	25	2	9	90.0	172		2	2	95	V2	10	100
	All Sites	247	46.8	20		250	47.3	2	0.4	10	1.9	19	3.6	528	10

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









## Table 22-1(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males Papumpare district

COURATE	ICD-10	Site	0-64	Years	0-74	Years
C01-C02         Tongue         0.3         0.3         0.6         0.6           C03-C06         Mouth         0.4         0.4         0.4         0.6         0.0	100-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C03-C06         Mouth         0.4         0.4         0.4         0.4         0.4         0.4         0.0         0	C00	Lîp	2	<u> </u>		84
COT-COS   Salivary Gland   COS   C	C01-C02	Tongue	0.3	0.3	0.6	0.6
C09	C03-C06	Mouth	0.4	0.4	0.4	0.4
C10	C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C11-C13	C09	E	0.3	0.3	0.3	0.3
C11	C10		-	A STATE OF THE STA		0.1
C12-C13	C11					1.0
C144         Pharynx Unspecified         0.0	C12-C13	7/47		1000	9000	1.0
C15         Oesophagus         1.6         1.5         2.6         3           C16         Stomach         2.9         2.9         5.4         3           C17         Small Intestine         0.0         0.0         0.0         0.0         0.0           C18         Colon         0.0         0.0         0.0         0.0         0.0           C19-C20         Rectum         0.1         0.1         0.1         0.4         0.0           C21         Anus & Anal Canal         0.0         0.0         0.0         0.0         0.0           C22         Liver         1.6         1.6         1.6         5.0         0.0	C14	The second secon	2000	7,000	701921	0.0
C16         Stomach         2.9         2.9         5.4         1           C17         Small Intestine         0.0	C15		030148	n=45000	Alternation	2.6
C17         Small Intestine         0.0	C16	Commence Manager Manag				5.3
C18	(MANAGE)	Contract of the Contract of th				0.0
C19-C20         Rectum         0.1         0.1         0.4         (c)           C21         Anus & Anal Canal         0.0         0.0         0.0         0.0           C22         Liver         1.6         1.6         5.0         0.0           C23-C24         Gallbladder etc.         0.3         0.3         0.5         0.0           C25         Pancreas         0.1         0.1         0.1         0.1           C30-C31         Nose, Sinuses etc.         -         -         -         -           C32         Larynx         0.8         0.8         1.1         -	1000000				20000	0.3
C21         Anus & Anal Canal         0.0         0.0         0.0         0.0           C22         Liver         1.6         1.6         5.0         4           C23-C24         Gallbladder etc.         0.3         0.3         0.5         0           C25         Pancreas         0.1         0.1         0.1         0.1           C30-C31         Nose, Sinuses etc.         -         -         -         -           C32         Larynx         0.8         0.8         1.1         1         2.7         2           C33-C34         Lung etc.         1.4         1.4         2.7         2         2           C37-C38         Other Thoracic Organs         0.1         0.1         0.3         0         0           C43         Melanoma of Skin         -         -         0.2         0         0           C44         Other Skin         0.3         0.3         0.6         0	13/42			-		0.4
C22         Liver         1.6         1.6         5.0         4           C23-C24         Gallbladder etc.         0.3         0.3         0.5         6           C25         Pancreas         0.1         0.1         0.1         0.1         0.1           C30-C31         Nose, Sinuses etc.         -         -         -         -         -           C32         Larynx         0.8         0.8         1.1         .         -		TO SOLID MICH.	-	10000		0.0
C23-C24         Gallbladder etc.         0.3         0.3         0.5         (c25           Pancreas         0.1         0.1         0.1         0.1           C30-C31         Nose, Sinuses etc.         -         -         -           C32         Larynx         0.8         0.8         1.1           C33-C34         Lung etc.         1.4         1.4         2.7         2           C37-C38         Other Thoracic Organs         0.1         0.1         0.3         0.3           C40-C41         Bone         0.1         0.1         0.1         0.1         0.1           C43         Melanoma of Skin         -         -         0.2         0.0         0	Tripatos		9593	7790	86078	4.9
C25         Pancreas         0.1         0.1         0.1         0.1           C30-C31         Nose, Sinuses etc.         -         -         -           C32         Larynx         0.8         0.8         1.1           C33-C34         Lung etc.         1.4         1.4         2.7         2           C37-C38         Other Thoracic Organs         0.1 <td></td> <td>A STATE OF THE STA</td> <td>1000000</td> <td>10000000</td> <td>76072.1</td> <td>X4801</td>		A STATE OF THE STA	1000000	10000000	76072.1	X4801
C30-C31 Nose, Sinuses etc.	State Section 2	The same of the sa	W11.00	T annual	0.00 0.00	0.4
C32	7977075		0.1	0.1	0.1	0.1
C33-C34				-	5	10
C37-C38	TOTAL CONTRACTOR OF THE CONTRA			7		1.0
C40-C41         Bone         0.1         0.1         0.1         0.1           C43         Melanoma of Skin         -         -         0.2         0           C44         Other Skin         0.3         0.3         0.6         0           C45         Mesothelioma         -         -         -           C46         Kaposi Sarcoma         -         -         -           C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.1         0.1         0.1         0.1           C61         Prostate         0.2         0.2         0.8         0         0.0			10 TE	H 100		2.6
C43         Melanoma of Skin         -         -         0.2         0.4           C44         Other Skin         0.3         0.3         0.6         0.0           C45         Mesothelioma         -         -         -           C46         Kaposi Sarcoma         -         -         -           C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	Samuelmanous	1010	2000	2000	78 77	0.3
C44         Other Skin         0.3         0.3         0.6           C45         Mesothelioma         -         -         -           C46         Kaposi Sarcoma         -         -         -           C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.1         0.1         0.1         0.1           C61         Prostate         0.2         0.2         0.8         0         0           C62         Testis         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.0 <t< td=""><td>Section 1</td><td>distribution of the second</td><td>0.1</td><td></td><td>900000</td><td>0.1</td></t<>	Section 1	distribution of the second	0.1		900000	0.1
C45         Mesothelioma         -         -         -           C46         Kaposi Sarcoma         -         -         -           C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.0	-	San Caraca Carac				0.2
C46         Kaposi Sarcoma         -         -         -           C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.0<	DAWNIN III					0.6
C47+C49         Conn. & Soft Tissue         0.1         0.1         0.1         0.1           C50         Breast         0.0         0.0         0.0         0.0           C60         Penis         0.1         0.1         0.1         0.1           C61         Prostate         0.2         0.2         0.8         0           C62         Testis         0.1         0.1         0.1         0.1           C63         Other Male Genital         0.0         0.0         0.0         0.0           C63         Other Male Genital         0.0         0.0         0.0         0.0           C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -         -           C66         Ureter         -         -         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.1         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.	2000	A CONTROL OF THE CONT		.=	7.	
C50	180024	Kaposi Sarcoma		-		-
C60         Penis         0.1         0.1         0.1         0.1           C61         Prostate         0.2         0.2         0.8         0           C62         Testis         0.1         0.1         0.1         0.1           C63         Other Male Genital         0.0         0.0         0.0         0.0           C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -         -           C66         Ureter         -	(2.01) 2.15. (apple	The state of the s	909	10000		0.1
C61         Prostate         0.2         0.2         0.8         0           C62         Testis         0.1         0.1         0.1         0.1           C63         Other Male Genital         0.0         0.0         0.0         0.0           C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -         -           C66         Ureter         -	New Assertion		933	0.5000	ACOUN	0.0
C62         Testis         0.1         0.1         0.1         0.1           C63         Other Male Genital         0.0         0.0         0.0         0.0           C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -           C66         Ureter         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0         0.0         0.0         0.0         0.0           C70-C72         Brain, Nervous System         0.0 <td>(40.00)</td> <td>Penis</td> <td>0.1</td> <td>0.1</td> <td>0.1</td> <td>0.1</td>	(40.00)	Penis	0.1	0.1	0.1	0.1
C63         Other Male Genital         0.0         0.0         0.0         0.0           C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -           C66         Ureter         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0 <td>San San</td> <td>Prostate</td> <td>0.2</td> <td>0.2</td> <td>0.8</td> <td>0.8</td>	San San	Prostate	0.2	0.2	0.8	0.8
C64         Kidney etc.         0.0         0.0         0.0         0.0           C65         Renal Pelvis         -         -         -         -           C66         Ureter         -         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -	- Contraction	Testis	0.1	0.1	0.1	0.1
C65         Renal Pelvis         -         -         -           C66         Ureter         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0         0.0         0.0         0.0         0.0           C70-C72         Brain, Nervous System         0.0 </td <td>C63</td> <td>Other Male Genital</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td>	C63	Other Male Genital	0.0	0.0	0.0	0.0
C66         Ureter         -         -         -           C67         Bladder         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0         0.0         0.0         0.0         0.0           C70-C72         Brain, Nervous System         0.0 <td>C64</td> <td>Kidney etc.</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td>	C64	Kidney etc.	0.0	0.0	0.0	0.0
C67         Bladder         0.1         0.1         0.1         0.1           C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0         0.0         0.0         0.0         0.0           C70-C72         Brain, Nervous System         0.0         0	C65	Renal Pelvis	0	(4)	2	72
C68         Uns.Urinary Organs         -         -         -         -           C69         Eye         0.0         0.0         0.0         0.0           C70-C72         Brain, Nervous System         0.0         0.0         0.0         0.0           C73         Thyroid         0.2         0.2         0.4         0.0           C74         Adrenal Gland         -         -         -           C81         Hodgkins Disease         -         -         -           C82-C85         NHL         0.1         0.1         0.1         0.1           C88         Malig Imn.Prol D         -         -         -         -           C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	C66	Ureter	٥	-	-	14
C69         Eye         0.0 <td>C67</td> <td>Bladder</td> <td>0.1</td> <td>0.1</td> <td>0.1</td> <td>0.1</td>	C67	Bladder	0.1	0.1	0.1	0.1
C70-C72         Brain, Nervous System         0.0 <td>C68</td> <td>Uns.Urinary Organs</td> <td>*</td> <td></td> <td>-</td> <td></td>	C68	Uns.Urinary Organs	*		-	
C73 Thyroid 0.2 0.2 0.4 ( C74 Adrenal Gland C81 Hodgkins Disease C82-C85 NHL 0.1 0.1 0.1 0.1 C88 Malig Imn.Prol D C90 Multiple Myeloma C91 Lymphoid Leuk C92-C94 Myeloid Leukaemia 0.0 0.0 0.0 ( C95 Leukaemia Uns 0.2 0.2 0.2 ( C96 CMD,O&U LHM	C69	Eye	0.0	0.0	0.0	0.0
C74         Adrenal Gland         -         -         -           C81         Hodgkins Disease         -         -         -           C82-C85         NHL         0.1         0.1         0.1         0.1           C88         Malig Imn.Prol D         -         -         -         -           C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	C70-C72	Brain, Nervous System	0.0	0.0	0.0	0.0
C81         Hodgkins Disease         -         -         -         -           C82-C85         NHL         0.1         0.1         0.1         0.1           C88         Malig Imn.Prol D         -         -         -         -           C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -         -	C73	Thyroid	0.2	0.2	0.4	0.4
C82-C85         NHL         0.1         0.1         0.1         0.1           C88         Malig Imn.Prol D         -         -         -         -           C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -         -	C74	Adrenal Gland	- 2	1	-	75
C82-C85         NHL         0.1         0.1         0.1         0.1           C88         Malig Imn.Prol D         -         -         -         -           C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -         -	C81	Hodgkins Disease	2	16		14
C88     Malig Imn.Prol D     -     -     -       C90     Multiple Myeloma     -     -     -       C91     Lymphoid Leuk.     -     -     -       C92-C94     Myeloid Leukaemia     0.0     0.0     0.0     0.0       C95     Leukaemia Uns     0.2     0.2     0.2     0.2       C96     CMD,O&U LHM     -     -     -     -	C82-C85		0.1	0.1	0.1	0.1
C90         Multiple Myeloma         -         -         -         -           C91         Lymphoid Leuk.         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	C88	The second secon	-		-	:=
C91         Lymphoid Leuk.         -         -         -         -           C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	C90	Charles Marie and Control of the Con	_		-	
C92-C94         Myeloid Leukaemia         0.0         0.0         0.0         0.0           C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	CONTRACTOR		-	-		3-
C95         Leukaemia Uns         0.2         0.2         0.2         0.2           C96         CMD,O&U LHM         -         -         -         -	ECOROLIC CO.		0.0	0.0	0.0	0.0
C96 CMD,O&U LHM						0.2
WARF 2 (17)	100000			0.2		U.Z
Out of and One 0.5 0.4 0.4	Tana Angle Asia ang	Control Control	01000	0.3	491 700	0.4
All Sites 13.43 12.56 25.38 22.		10407A207E	100000000000000000000000000000000000000	9-940-04843	202-97433	22.42

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









## Table 22-1(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years): 2012 - 2016 Females Papumpare district

100 40	011-	0-64 Y	ears	0-74 Y	ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.3	0.3	0.3	0.3
C03-C06	Mouth	0.4	0.4	0.4	0.4
C07-C08	Set Sin for the set were construct	William	W 7000	11076000	65%
MDT/30	Salivary Gland	0.0	0.0	0.0	0.
C09	Tonsil	0.0	0.0	0.0	0.
C10	Oth. Oropharynx	0.2	0.2	0.4	0.
C11	Nasopharynx	0.3	0.3	0.3	0.
C12-C13	Hypopharynx	0.0	0.0	0.0	0.
C14	Pharynx Unspecified	0.1	0.1	0.4	0.
C15	Oesophagus	0.7	0.7	1.9	1.
C16	Stomach	2.6	2.6	2.8	2.
C17	Small Intestine	2.0	-	2.0	
C18	Total description	~		0.5	0
NAME OF THE PARTY	Colon	0.5	0.5	0.5	0.
C19-C20	Rectum	0.5	0.5	0.5	0.
C21	Anus & Anal Canal	0.0	0.0	0.0	0.
C22	Liver	1.1	1.1	2.1	2.
C23-C24	Gallbladder etc.	0.8	0.8	1.2	1.
C25	Pancreas	0.2	0.2	0.2	0.
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.2	0.
C32	Larynx	0.4	0.4	0.4	0.
C33-C34	2				
	Lung etc.	0.8	8.0	2.0	2.
C37-C38	Other Thoracic Organs	-	1-	/-	-
C40-C41	Bone	0.0	0.0	0.0	0.
C43	Melanoma of Skin	¥		·	
C44	Other Skin	0.4	0.4	0.4	0.
C45	Mesothelioma	-	i <del>-</del>	5 <del>-</del> 3	
C46	Kaposi Sarcoma	-			
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	2.5	2.5	3.2	3.
C51	Vulva	0.2	0.2	0.4	0.
C52	537 70	57050		1000	En.
Company of	Vagina	0.0	0.0	0.0	0.
C53	Cervix Uteri	2.2	2.2	3.6	3.
C54	Corpus Uteri	0.1	0.1	0.1	0.
C55	Uterus Unspecified	0.1	0.1	0.1	0.
C56	Ovary etc.	1.0	1.0	1.2	1.
C57	Other Female Genital	-	-	-	
C58	Placenta	0.0	0.0	0.0	0.
C64	Kidney etc.	0.0	0.0	0.2	0.
C65	Renal Pelvis	-	0.0		0.
C66	The state of the s	-	-		
	Ureter	*	-		
C67	Bladder	5	-	57	
C68	Uns.Urinary Organs		17	17	
C69	Eye	0.0	0.0	0.0	0.
C70-C72	Brain, Nervous System	0.0	0.0	0.0	0.
C73	Thyroid	1.2	1.2	1.8	1.
C74	Adrenal Gland	=	=	24	
C81	Hodgkins Disease	*	-	1.0	
C82-C85	NHL	_			
C88	Control of the Contro				
NC-0910-21	Malig Imn.Prol D		-	-	*
C90	Multiple Myeloma	Ē.	-	0.3	0.
C91	Lymphoid Leuk.	-	-	•	
C92-C94	Myeloid Leukaemia	발	2	12	
C95	Leukaemia Uns	0.2	0.2	0.2	0.
C96	CMD,O&U LHM	9	æ	34	
O&U *	Other and Uns	0.3	0.3	0.3	0.
		.0.0			0.

<sup>\*</sup> O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)