







Table 2(a) Population by Five Year Age Group and Gender

Number and Relative Proportion (%): 2012 - 2016

Patiala district

	Male	es	Fema	ales
Age Group	Number	%	Number	%
00-04	406876	7.67	353240	7.42
05-09	429082	8.08	348633	7.33
10-14	483269	9.11	353028	7.42
15-19	555818	10.47	430335	9.05
20-24	547583	10.32	510891	10.74
25-29	501746	9.45	462163	9.71
30-34	413416	7.79	383615	8.06
35-39	366166	6.90	353703	7.43
40-44	334160	6.30	336737	7.08
45-49	316511	5.96	295411	6.21
50-54	246506	4.64	226275	4.76
55-59	180701	3.40	179855	3.78
60-64	182932	3.45	204950	4.31
65-69	142929	2.69	124507	2.62
70-74	94586	1.78	85475	1.80
75+	105301	1.98	108659	2.28
Total	5307582	100.00	4757477	100.00

Area(Sq.Km): 3325

Figure 2(a) Population Pyramid showing Five Year Age Distribution: 2012 - 2016 Patiala district












Table 2(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Males %= Relative Proportion of Cancers of All Sites

Patiala district

ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	00-04	03-09	10-14	10-19	20-24	25-28	30-34	33-38	1	43-43	7	2	00-04	1	2	3	Ulikii	16	0.30
C01-C02	Tongue		1	2=	_	1	4	11	9	22	27	38	28	41	25	14	23	198	244	4.52
C03-C06	Mouth			20	200		2	8	15	16	24	35	45	41	21	16	15		238	4.41
C07-C08	Salivary Gland	9	12	75	3		1	4	1	2	2	4	3	6	6	3	2	950	37	0.69
C09	Tonsil	- 2	12		-	2		2	2	3	14	13	4	14	7	1	4		66	1.22
C10	Oth. Oropharynx	2		92		1	1		1	-	1000	1	4	2	4	5	1	- 2	20	0.37
C11	Nasopharynx	- 2		- 3	1		4	1	3	1	2	3	4	8	1	-	2		27	0.50
C12-C13	Hypopharynx		15	100				-	-	1	4	12	13	15	19	6	9	100	79	1.46
C14	Pharynx Unspecified	150	- 101			15.00	E	3	1		1	2	2	5	3	2		953	19	0.35
C15	Oesophagus		- 15	3	1		4	4	21	48	53	62	76	87	81	56	73	1	570	10.57
C16	Stomach		, AT	0	4	1	2	3	7	10	22	12	24	16	18	14	10	260	143	2.65
C17	Small Intestine			000		0.00	1	3		3	2	2	6	3	2	3	10	201	22	0.41
C17	Colon					3	2	4	7	8	25	19	10	12	11	10	10		121	2.24
C19-C20	INCOTO:	27	100	96	6	3	4	3	8	5	13	4	5	7	12	6	13	201	86	1.59
C19-C20	Rectum Anus & Anal Canal	- 5		(5)	0	3	4	179700	5	5	1	4	4	3	51,305	4	5		46	0.85
C21	Liver	4		1.5	100		1	3	4	10	17	20	26	43	11 33	17	21	1	197	3.65
The second second second	(Control of the Cont	:4	15	(E)	3	1.5	120	1			10	000000		16		9	7	- 31	2000000	
C23-C24	Gallbladder etc.		15.				1		2	5		8	11		14		200	:*:	83	1.54
C25	Pancreas	æ	1		•	1.0	, st	1	2	1	1	5 2	8	12 3	8	16 1	4		59	1.09
C30-C31	Nose, Sinuses etc.		. 1			-			1	10	32	25	- 04	37	26	17	3		12	0.22 3.78
	Larynx				•	-	1	1	7	5000	20000	11,5557	34	70.57.3	157654	20000	18		204	3200/2516
C33-C34	Lung etc.	-	1		-	2	2	2		8	30	58	50	82	47	51	34	-	374	6.93
C37-C38 C40-C41	Other Thoracic Organs	1	-		-	-	-	2	1	-	-	1	-	3	-		-	-	8	0.15
	Bone Malanana of Chin		3	1	4	8	2	2	3	4	5	6	4	2.4	4	4	4	- 4	54	1
C43	Melanoma of Skin		2	1.7	9.73	-	7	3	2	6	9	3	7	11	11	8	14	1	78	1.45
C44	Other Skin		17	1.70		1		3	1	5	4	2	3	3	2	4	8	ST.	36	0.67
C45	Mesothelioma	:=		(#.	1. 7 1	7.5			:::		17	(15)	05.	T:		- 27			100	
C46	Kaposi Sarcoma		3	-	-	-		-		-	-	-		-	-	-			40	- 0.00
C47+C49	Conn. & Soft Tissue	2	1	6	3	2	-1	2	1	2	4	7	1	2	5	2	2		43	0.80
C50	Breast		-	-	-	-	-	1	2	4	7	13	9	14	12	8	7	1	78	1.45
C60	Penis		-	72	-	-	1	-	2	8	2	7	13	12	5	9	14		73	1.35
C61	Prostate		•	-	•	1		1	1	1	9	21	20	46	65	71	103	1	340	6.30
C62	Testis	12		1		4	6	9	8	2	5	6	1	2	1	3	1	- 55	49	0.91
C63	Other Male Genital		17	1.5	-			-	2	· ·	1			1	1	- 5	(T)	17	3	0.06
C64	Kidney etc.	7	3		2	(*	6	2	1	2	9	10	8	11	10	7	9	17	87	1.61
C65	Renal Pelvis			-			*	-	*		-) =	•	#	-					-
C66	Ureter		-	-		-		-		-		-	-			-	-	-	407	
C67	Bladder	*	2	-	-		*	-	5	5	5	17	21	31	39	25	47	-	197	3.65
C68	Uns.Urinary Organs	7	-	F	-		-		-	*	-	F14	-	2	-	12	-	84	74.00	0.00
C69	Eye	,	4	1	-	1	-	-	-	- 04	2	-	-	- 07	-	-	-	-	15	0.28
C70-C72	Brain, Nervous System	Ø.	-	2	6	2	9	11	20	21	17	32	23	27	16	3	9		198	3.67
C73	Thyroid	9				10	1	1	4	4	2	3	3	3	2	2	15	- 1	26	0.48
C74	Adrenal Gland	5	1	-	-	-		-		-	1	1	-		-	1.7	<u></u>	17	8	0.15
C81	Hodgkins Disease	1	4	5	3	2	-	2	4	8	3	1	2	1	2		1	1.7	39	0.72
C82-C85	NHL		6	4	4	8	10	5	6	5	11	9	17	16	9	18	15	-	143	2.65
C88	Malig Imn.Prol D	- 4	-	24	χ-	-	-	- 3	-	-		-	-	- 4	-		45	10-	-	4.00
C90	Multiple Myeloma	45	47	4.4	4.4	-	-	1	3	4	-	6	8	17	8	7	15	-	69	1.28
C91	Lymphoid Leuk.	15	17	14	14	6	8	2	2	2	7	10	9	8	4	11	10	2	141	2.61
C92-C94	Myeloid Leukaemia	3	4	1	6	14	9	11	20	22	17	14	10	17	18	18	15	•	199	3.69
C95	Leukaemia Uns		1	17) 24	77	2		1		3	3	4	2	2	1	5	3	1.7	27	0.50
C96	CMD,O&U LHM		-	1	-	1	1	1	1	2	-	2	2	4	2	2	1	-	20	0.37
O&U *	Other and Uns	40	9	10	9	5	7	14	27	52	62	77	87	111	121	65	134	6	800	14.83
* 0011:5	All Sites	49	60	49	66	71	679	125	213	322	465	588	609	795	688	525	669	13	5394	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Females %= Relative Proportion of Cancers of All Sites

Patiala district

100.40	0.11-	00.04	05.00	40.44	45.40	00.04	05.00	00.04	05.00	40.44	45.40	F0 F4	FF 50	00.04	05.00	70.74	75.	DESTRUCTION	Total	0/
ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-			-			-	-	2	-	-	-		1	-	-	-	3	0.05
C01-C02	Tongue	(VA)	- <u> </u>	<u> </u>	ā	5	1	2	2	6	17	6	3	4	5	5	5	157	56	0.92
C03-C06	Mouth	1.5	2	ē	7	- E	1.5	1	3	3	5	12	4	12	9	6	8	1.5	63	1.04
C07-C08	Salivary Gland	7.5					1	(#)	1	1	3	3	2	2	2	1		5.5	16	0.26
C09	Tonsil	1.00	#.	*	*				8,70	X.	1		-	3	1	2	2	(★)	9	0.15
C10	Oth. Oropharynx			8	-		:=		(*)		*	- 1	=	3	1		(*))(6)	5	0.08
C11	Nasopharynx	7.0	×		-		1	3#	1	1		-	1	6	3	2	0.4	(4)	15	0.25
C12-C13	Hypopharynx	743	¥	2	2	(4)		-	3	1	9	3	3	4	2	-	4	743	29	0.48
C14	Pharynx Unspecified	-	2	2	2	2	2	: SE	12	-	1	2	2	4	¥	1	12	12	8	0.13
C15	Oesophagus	04	1	10:	<u>.</u>	1	5	7	9	34	27	73	39	61	60	36	39	12	392	6.45
C16	Stomach		- X	è	•	1	7	2	5	5	11	10	11	17	12	13	6	3	100	1.65
C17	Small Intestine	1.7	Æ	(7:			2	1	1	6	2	2	1	2	1	:	1.5	3.74	18	0.30
C18	Colon			*			3	1	2	7	10	12	7	9	14	3	5	15	73	1.20
C19-C20	Rectum			*	3		1	10	7	2	4	6	12	13	9	9	1	(=	77	1.27
C21	Anus & Anal Canal			1				1		100	2	-	1	7	1	1	2) (16	0.26
C22	Liver	1	2		-	5	2	3	5	5	7	5	9	9	13	4	10	2	80	1.32
C23-C24	Gallbladder etc.	-	¥	-	2	3	1	3	7	14	32	41	29	40	23	8	8		209	3.44
C25	Pancreas	12	2	2	<u>_</u>	12	-	-	12	6	3	3	10	10	11	1	6	12	50	0.82
C30-C31	Nose, Sinuses etc.	0 <u>4</u> .	3	110	=	-	- 2			75	1	2	-	6	1	-	4	74	10	0.16
C32	Larynx							2	2	3	5	4	5	10	7	1	5		44	0.72
C33-C34	Lung etc.					-	1	3	6	9	6	17	29	14	19	11	19		134	2.21
C37-C38	Other Thoracic Organs						-		2				-		4				6	0.10
C40-C41	Bone	-	1	1	-	2	8	6	5	-	2	6	3	5	1	1	2		43	0.71
C43	Melanoma of Skin		2	*	-		2	1	3	3	9	4	4	7	4	5	4		48	0.79
C44	Other Skin	-	*	*		*	-		4			9	1	4	3	2	6	160	29	0.48
C45	Mesothelioma	0.40	€	2	2	(2)	-			02	2	2	2	2			14	74	2	-
C46	Kaposi Sarcoma	743	ā	120	=	2	-	1 12		5745	a a	-	=	9	-		14	163	Ē	=
C47+C49	Conn. & Soft Tissue	1/2	2	101	- 2	7	2	14	3	1	2	2	-	3	1	1	2	129	22	0.36
C50	Breast	(2)	:	1	4	13	20	79	128	235	285	267	222	257	154	82	75	3	1825	30.03
C51	Vulva			-	-	7.00	-	1	1	1	2	-	2	-	3	2	2	1577	14	0.23
C52	Vagina		-	-	1	_		5-0	2	3	1	4	1	3	2	1	-	1 = 1	18	0.30
C53	Cervix Uteri	-	_		_	1	10	11	46	80	95	107	86	100	66	30	36	2	670	11.03
C54	Corpus Uteri	-		-			1	1	3	13	9	33	29	39	24	14	1	Tes	167	2.75
C55	Uterus Unspecified	-	_	-	1	3		4	7	11	12	7	17	19	14	5	8	1	109	1.79
C56	Ovary etc.	0.25	2 2	1	2	7	6	10	20	27	52	41	54	48	32	10	9	71	317	5.22
C57	Other Female Genital	-	2	0 % @	2	- 2	2	/=		370	1	1	1			1			4	0.07
C58	Placenta	1/2	2	12:		2	- 2	72	-	1/2	2			2			-	1/2	2	50-250
C64	Kidney etc.	3	1	1			1	5	7.0	5	9	10	6	7	2	4	5		59	0.97
C65	Renal Pelvis						8.2				-				-	100		N.S.		-
C66	Ureter	-	_	-	-	-	_	544 0=0		V.35	_	-	_	2		(m	120	7.26	2	0.03
C67	Bladder	1	-	-	_	-	_	1	2	5	10	5	6	9	9	5	11	_	64	
C68	Uns.Urinary Organs	-	_	-	_	-	-	-	_	-	-	-	-	-	-	-	-	_	-	-
C69	Eye	5		9	_		_	2	2	-	1	1	-	1			7	1 -	10	0.16
C70-C72	Brain, Nervous System	1	3	2	4	2	6	5	8	11	7	14	15	9	3	3	9	7.2	102	1.68
C73	Thyroid	-	-	1	2	2	2	7	5	2	3	5	3	3	2	2	4	723	43	1000000
C74	Adrenal Gland	2	2	2			1		-		1		<u></u>			-		Y	4	0.07
C81	Hodgkins Disease	72	2	4	1	7	2	1	1	2	2	2	3	1	2			74	19	0.31
C82-C85	NHL	1	-	5	2	2	3	2	5	6	10	14	7	18	6	5	7	_	93	200000000
C88	Malig Imn.Prol D		_	-	_	-	_	-		0.000 0.000	-	First.	-			-	V.		-	-
C90	Multiple Myeloma	7.	_	56 •	-		-		1	1	8	11	10	4	10	7	1		53	0.87
C91	Lymphoid Leuk.	9	12	5	5	3	4	4	2	2	6	6	3	6		4	1		72	1.18
C92-C94	Myeloid Leukaemia	1		2	3	6	17	13	16	16	17	17	7	11	9	2	13	16	150	2.47
C95	Leukaemia Uns	1	2		1	-	-	1	1	4	2		2	4	4	-	3		23	100,000
C96	CMD,O&U LHM	1	2		2	12	2		100	1/4 1/4	2	2	2	2	1	1	3	743	12	0.20
O&U *	Other and Uns	2	1	5	2	10	6	12	27	51	70	74	75	113	104	57	79	2	690	
	All Sites	28	21	29	29	77	116	200	348	584	758	842	722	911	653	348	401	10	6077	100000000000000000000000000000000000000
			55.00	20		100	,,,,	200		004		The state of the s		911	500	3,13	,,,,	10		,00.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 2(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Males Patiala district

						Part Seed	No. of the Control of		No.					EQUIPMENT OF	III CONTRACTOR OF THE PARTY OF	1000	0.220		(P\$25)	
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	-	***		£ <u>+</u> :	Joseph .	(#	(E)	-	0.3	2795785	2.8	1.1	## ### No.00	0.7	2.1	2.8	0.3	0.32	0.08	0.7
C01-C02	-	0.2	N	: *	0.2	0.8	2.7	2.5	6.6	8.5	15.4	15.5	22.4	17.5	14.8	21.8	4.6	4.86	0.31	10.8
C03-C06		*	:=	17	-	0.4	1.9	4.1	4.8	7.6	14.2	24.9	22.4	14.7	16.9	14.2	4.5	4.80	0.31	11.6
C07-C08	-	5.		0.5		0.2	1.0	0.3	0.6	0.6	1.6	1.7	3.3	4.2	3.2	1.9	0.7	0.72	0.12	1.2
C09	3	- 2	-	•	0.4	Į.	0.5	0.5	0.9	4.4	5.3	2.2	7.7	4.9	1.1	3.8	1.2	1.31	0.16	3.3
C10	2	T T		-	0.2	0.2	2	0.3	(SE)	12	0.4	2.2	1.1	2.8	5.3	0.9	0.4	0.41	0.09	0.5
C11	-	¥	-	0.2	-	0.2	0.2	0.8	0.3	0.6	1.2	2.2	4.4	0.7	-	1.9	0.5	0.53	0.10	1.4
C12-C13	-	H	-	()★-	-	· ·	9	-	0.3	1.3	4.9	7.2	8.2	13.3	6.3	8.5	1.5	1.65	0.19	3.1
C14		*	U. * .	137			0.7	0.3		0.3	0.8	1.1	2.7	2.1	2.1	Œ	0.4	0.38	0.09	0.7
C15		5.	0.6	0.2		0.8	1.0	5.7	14.4	16.7	25.2	42.1	47.6	56.7	59.2	69.3	10.7	11.52	0.48	22.8
C16	- 3		-	0.7	0.2	0.4	0.7	1.9	3.0	7.0	4.9	13.3	8.7	12.6	14.8	9.5	2.7	2.85	0.24	5.9
C17	2	살	-	1/2	(<u>a</u>)	0.2	2		0.9	0.6	0.8	3.3	1.6	1.4	3.2	12	0.4	0.45	0.10	1.1
C18	2	¥		72	0.5	0.4	1.0	1.9	2.4	7.9	7.7	5.5	6.6	7.7	10.6	9.5	2.3	2.37	0.22	5.2
C19-C20	~	¥	-	1.1	0.5	0.2	0.7	2.2	1.5	4.1	1.6	2.8	3.8	8.4	6.3	12.3	1.6	1.64	0.18	2.6
C21	~	*		() -	-	0.2	0.7	1.4	1.5	0.3	1.6	2.2	1.6	7.7	4.2	4.7	0.9	0.90	0.13	1.4
C22	1.0	5	/-	1.7	-		0.2	1.1	3.0	5.4	8.1	14.4	23.5	23.1	18.0	19.9	3.7	4.07	0.29	8.0
C23-C24		Ē.	D.	G a		0.2		0.5	1.5	3.2	3.2	6.1	8.7	9.8	9.5	6.6	1.6	1.70	0.19	3.4
C25	3	3	-		-	0.2	0.2	0.5	0.3	0.3	2.0	4.4	6.6	5.6	16.9	3.8	1.1	1.22	0.16	2.0
C30-C31	-	0.2	72	74	· ·	-	-	0.3	0.3	12	0.8		1.6	7/2	1.1	2.8	0.2	0.24	0.07	0.5
C32	2	#	- 12	12	-	0.2	0.2	0.8	3.0	10.1	10.1	18.8	20.2	18.2	18.0	17.1	3.8	4.18	0.29	9.4
C33-C34	-	0.2		194	0.4	0.4	0.5	1.9	2.4	9.5	23.5	27.7	44.8	32.9	53.9	32.3	7.0	7.73	0.40	15.8
C37-C38	0.2	#	00	8=			0.5	0.3	(s =)	-	0.4	-	1.6	(F =)		; -	0.2	0.16	0.06	0.3
C40-C41	-	0.7	0.2	0.7	1.5	0.4	0.5	0.8	1.2	1.6	2.4	2.2	8	2.8	4.2	3.8	1.0	1.00	0.14	1.4
C43	-	0.5		S.		0.2	0.7	0.5	1.8	2.8	1.2	3.9	6.0	7.7	8.5	13.3	1.5	1.54	0.18	2.5
C44	-		-		0.2		0.7	0.3	1.5	1.3	0.8	1.7	1.6	1.4	4.2	7.6	0.7	0.69	0.12	1.1
C45	9	2	-	12	12	E E	2	_	-		- 2	2	20	92	-	12	12	u u	1/2	12
C46	_	<u></u>	14	74	-	· · · · · · · · · · · · · · · · · · ·	2	12		-		=	40	74	-	12	j <u>u</u>	=	-	14
C47+C49	0.5	0.2	1.2	0.5	0.4	0.2	0.5	0.3	0.6	1.3	2.8	0.6	1.1	3.5	2.1	1.9	0.8	0.84	0.13	1.1
C50	-	+	-	7 4	-		0.2	0.5	1.2	2.2	5.3	5.0	7.7	8.4	8.5	6.6	1.5	1.57	0.18	3.2
C60	-	Ε.		5 m	-	0.2	5	0.5	2.4	0.6	2.8	7.2	6.6	3.5	9.5	13.3	1.4	1.48	0.17	2.9
C61	-				0.2	-	0.2	0.3	0.3	2.8	8.5	11.1	25.1	45.5	75.1	97.8	6.4	6.93	0.38	6.7
C62	2	2	0.2		0.7	1.2	2.2	2.2	0.6	1.6	2.4	0.6	1.1	0.7	3.2	0.9	0.9	0.86	0.12	1.4
C63	- 5	i i	-	84	-	- 1	2	_	100	0.3	12	_	0.5	0.7	-	14	0.1	0.06	0.04	0.1
C64	1.7	0.7	Nº	0.4	920	1.2	0.5	0.3	0.6	2.8	4.1	4.4	6.0	7.0	7.4	8.5	1.6	1.81	0.20	2.7
C65	-	+	0.00	2.0	-	-		-	-	-		-		7.4	-	-	-	-	7 =	-
C66	-	ж.		0-0					S -	/=					1-	о н	-		ç.	10=
C67	-	0.5				-	-	1.4	1.5	1.6	6.9	11.6	16.9	27.3	26.4	44.6	3.7	4.04	0.29	5.7
C68	-	-	_		-	_	-	_	-	_	-	-		-	_	-	-	-	-	-
C69	1.7	0.9	0.2	-	0.2	12	2			0.6	2	8	2	-	2	-	0.3	0.37	0.10	0.1
C70-C72	33740	0.0	0.4	1.1	0.4	1.8	2.7	5.5	6.3	5.4	13.0	12.7	14.8	11.2	3.2	8.5	3.7	3.81	0.27	9.0
C73	-	<u></u>	0.4	94.0	0.2	0.2	0.2	1.1	1.2	0.6	1.2	1.7	1.6	1.4	2.1	0.0	0.5	0.50	0.10	1.2
C74	1.2	0.2	_		0.2	0.2	0.2	- '	-	0.3	0.4	-	1.0				0.2	0.21	0.08	0.1
C81	0.2	0.9	1.0	0.5	0.4	-	0.5	1.1	2.4	0.9	0.4	1.1	0.5	1.4	-	0.9	0.7	0.74	0.00	1.1
C82-C85	0.2	1.4	0.8	0.7	1.5	2.0	1.2	1.6	1.5	3.5	3.7	9.4	8.7	6.3	19.0	14.2	2.7	2.79	0.12	4.2
C88		1.4	0.0	0.7	1.0	2.0	1.2	1.0	1.0	3.3	3.7	9.4	0.7	0.3	19.0	14.2	2.1	2.19	0.24	4.2
C90		10		No.			0.2	0.8	1.2		2.4	4.4	9.3	5.6	7.4	14.2	1.3	1.41	0.17	2.6
C90	3.7	4.0	2.9	2.5	1.1	1.6	0.2	0.5	0.6	2.2	4.1	5.0	4.4	2.8	11.6	9.5	2.7	2.86	0.17	2.5
C92-C94	0.7	0.9	0.2	1.1	2.6	1.8	2.7	5.5	6.6	5.4	5.7	5.5	9.3	12.6	19.0	14.2	3.7	3.77	0.25	6.2
CUSTON		500000			26000000		382738		/ 1875/65	0000000	2516.68		825-327	200.00	075756	1049820	20000	2000-000	125-T-T-Cas	V-9896
C95	~	0.2	0.2	(+	0.4	- 0.2	0.2	- 0.2	0.9	0.9	1.6	1.1	1.1	0.7	5.3	2.8	0.5	0.53	0.10	0.9
			0.2	58	0.2	0.2	0.2	0.3	0.6		0.8	1.1	2.2	1.4	2.1	0.9	0.4	0.39	0.09	0.7
C96 O&U *	1.0	2.1	2.1	1.6	0.9	1.4	3.4	7.4	15.6	19.6	31.2	48.1	60.7	84.7	68.7	127.3	15.1	15.97	0.57	27.3

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 2(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Females

Patiala district

ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	12	<u>=</u>	2	172	100	2	0	2	0.6	12	2	2	_ 2	0.8	-	22	0.1	0.06	0.03	0.1
C01-C02	64	2	1	19 4 0	-	0.2	0.5	0.6	1.8	5.8	2.7	1.7	2.0	4.0	5.8	4.6	1.2	1.14	0.15	2.5
C03-C06	34	-		-	-	H	0.3	0.8	0.9	1.7	5.3	2.2	5.9	7.2	7.0	7.4	1.3	1.31	0.17	2.6
C07-C08	35	-	-) -		0.2	-	0.3	0.3	1.0	1.3	1.1	1.0	1.6	1.2	(6	0.3	0.33	0.08	0.8
C09	85	æ		(1 .7)		: ::	*	=	: -	0.3	: *		1.5	0.8	2.3	1.8	0.2	0.19	0.06	0.3
C10	-	-	- 1		-	3		-	-	-	0.4	-	1.5	0.8			0.1	0.10	0.05	0.3
C11	72		2	172	-	0.2	- 2	0.3	0.3	12	200	0.6	2.9	2.4	2.3	2000	0.3	0.31	0.08	0.6
C12-C13	12	-		3=	-	-	=	0.8	0.3	3.0	1.3	1.7	2.0	1.6	AVSE	3.7	0.6	0.58	0.11	1.5
C14	24	₩ ##	-	1/-	(-	(=	9077000	-	(**	0.3	0.9	*	2.0	14	1.2	(2	0.2	0.17	0.06	0.5
C15	·*	0.3	*	17=1	0.2	1.1	1.8	2.5	10.1	9.1	32.3	21.7	29.8	48.2	42.1	35.9	8.2	8.22	0.42	16.1
C16	S#		*	(*	0.2	1.5	0.5	1.4	1.5	3.7	4.4	6.1	8.3	9.6	15.2	5.5	2.1	2.07	0.21	3.9
C17	15	-		11.7		0.4	0.3	0.3	1.8	0.7	0.9	0.6	1.0	0.8	17		0.4	0.34	0.08	0.9
C18	-	-		-		0.6	0.3	0.6	2.1	3.4	5.3	3.9	4.4	11.2	3.5	4.6	1.5	1.53	0.18	3.1
C19-C20	12		12 EV CO. 1	0.7	-	0.2	2.6	2.0	0.6	1.4	2.7	6.7	6.3	7.2	10.5	0.9	1.6	1.57	0.18	2.9
C21	(<u>a</u>	<u> </u>	0.3	(1 4)	11/250	5 <u>4</u> 82=8007	0.3	, ¥	10000	0.7	F180000	0.6	3.4	0.8	1.2	1.8	0.3	0.32	0.08	0.6
C22	0.3	-		P#	1.0	0.4	0.8	1.4	1.5	2.4	2.2	5.0	4.4	10.4	4.7	9.2	1.7	1.59	0.18	2.6
C23-C24			-	j(=	0.6	0.2	0.8	2.0	4.2	10.8	18.1	16.1	19.5	18.5	9.4	7.4	4.4	4.35	0.30	10.8
C25	17		7.	357	1.7	· ·		-	1.8	1.0	1.3	5.6	4.9	8.8	1.2	5.5	1.1	1.05	0.15	2.1
C30-C31	1.5		70	11.5	17	17				0.3	0.9	-	2.9	0.8	17.	177	0.2	0.21	0.07	0.6
C32				-	-	•	0.5	0.6	0.9	1.7	1.8	2.8	4.9	5.6	1.2	4.6	0.9	0.90	0.14	1.9
C33-C34	- 12	-	-	(4)	-	0.2	0.8	1.7	2.7	2.0	7.5	16.1	6.8	15.3	12.9	17.5	2.8	2.81	0.24	5.4
C37-C38	12	100000	200000	(=	(#)	100000	207000	0.6	:=:	94	(SE)	20,793	#3 #3 #3	3.2	(4)	2018	0.1	0.13	0.05	0.1
C40-C41	14	0.3	0.3	-	0.4	1.7	1.6	1.4	(*)	0.7	2.7	1.7	2.4	0.8	1.2	1.8	0.9	0.82	0.13	1.4
C43	(=	0.6		(*	-	0.4	0.3	0.8	0.9	3.0	1.8	2.2	3.4	3.2	5.8	3.7	1.0	1.00	0.15	1.9
C44	-			1.0				1.1			4.0	0.6	2.0	2.4	2.3	5.5	0.6	0.60	0.11	1.2
C45	-	-	-	-	-	•	-	-	-	-		-	-	-	-	•		-	-	-
C46	- 12		2	1-	12	(E) (E)	12	2	02 2020		200	-	2	12	New Year	200	875	-	50002	-
C47+C49	84	2	# # # # # # # # # # # # # # # # # # #	134	1.4	0.4	1202702	0.8	0.3	12	0.9	70.00007	1.5	0.8	1.2	1.8	0.5	0.40	0.09	0.6
C50	36	-	0.3	0.9	2.5	4.3	20.6	36.2	69.8	96.5	118.0	123.4	125.4	123.7	95.9	69.0	38.4	36.90	0.87	90.3
C51	85	-	= =	(*	1.70		0.3	0.3	0.3	0.7	S202	1.1	#3	2.4	2.3	1.8	0.3	0.29	0.08	0.4
C52	15	<u> </u>		0.2	-	-	-	0.6	0.9	0.3	1.8	0.6	1.5	1.6	1.2	-	0.4	0.37	0.09	0.9
C53	15		7.0	U.T.	0.2	2.2	2.9	13.0	23.8	32.2	47.3	47.8	48.8	53.0	35.1	33.1	14.1	13.68	0.53	33.4
C54	14	-	-		-	0.2	0.3	0.8	3.9	3.0	14.6	16.1	19.0	19.3	16.4	0.9	3.5	3.56	0.28	8.4
C55	82	-		0.2	0.6	- 40	1.0	2.0	3.3	4.1	3.1	9.5	9.3	11.2	5.8	7.4	2.3	2.19	0.21	4.7
C56	12	-	0.3	(· ·	1.4	1.3	2.6	5.7	8.0	17.6	18.1	30.0	23.4	25.7	11.7	8.3	6.7	6.49	0.37	15.9
C57	-	-		-	- 0.4	-	-	-	(*)	0.3	0.4	0.6	*	-	1.2		0.1	0.09	0.04	0.2
C58	- 0.0	-		(-	0.4	-		-		-		- 0.0		- 40	4.7	- 4.0	0.0	0.03	0.02	- 0.5
C64	8.0	0.3	0.3	0.70		0.2	1.3	-	1.5	3.0	4.4	3.3	3.4	1.6	4.7	4.6	1.2	1.25	0.17	2.5
C65					•	15		-		100	- E	-	4.0				- 0.0	0.04	- 0.00	- 0.4
C66		-			7-	-		0.0	4.5	0.4	0.0	- 0.0	1.0	7.0	-	40.4	0.0	0.04	0.03	0.1
C67	0.3		2	-	-		0.3	0.6	1.5	3.4	2.2	3.3	4.4	7.2	5.8	10.1	1.3	1.33	0.17	2.4
C68		#		()				-	•	-	-				(4)			0.07	0.00	- 0.0
C69	1.4	-		- 0.0	-	100	*	0.6	- 0.0	0.3	0.4	-	0.5	-	-		0.2	0.27	0.09	0.3
C70-C72	0.3	0.9	0.6	0.9	0.4	1.3	1.3	2.3	3.3	2.4	6.2	8.3	4.4	2.4	3.5	8.3	2.1	2.07	0.21	4.2
C74	0.6		0.3	0.5	0.4	0.4	1.8	1.4	0.6	1.0	2.2	1.7	1.5	1.6	2.3	3.7	0.9	0.83	0.13	1.3
C74	0.6	-		0.2		0.2	0.2	-	-	0.3			0.5	()	•	-	0.1	0.11	0.05	0.1
C81	0.2	-	1.1	0.2	1.4	0.4	0.3	0.3	0.6	2.4	6.2	2.0	0.5	40	- E 0	- 0.4	0.4	0.35	0.08	0.2
C82-C85	0.3	-	1.4	0.5	0.4	0.6	0.5	1.4	1.8	3.4	6.2	3.9	8.8	4.8	5.8	6.4	2.0	1.92	0.20	3.9
C88	-	-	*				-	0.0	0.3	2.7	4.0	- -	2.0	8.0	8.2	- 0.0	- 4.4	1 10	0.40	2.4
C90	2.5	2.4	3.3	4.0	0.6	0.0	4.0	0.3		100000000	4.9	5.6	2.0	8.0	1.000.00	0.9	1.1	1.16	0.16	
C91	2.5	3.4	1.4	1.2	0.6	0.9	1.0	0.6	0.6	2.0	2.7	1.7	2.9	7.0	4.7	0.9	1.5	1.68	0.20	1.6
C92-C94 C95	0.3	-	0.6	0.7	1.2	3.7	3.4	4.5	4.8 1.2	5.8 0.7	7.5	3.9	5.4	7.2 3.2	2.3	12.0	3.2	2.89	0.24	5.3
5-23-3	0.3	-		0.2	-	-	0.3	0.3	1.2	0.7	0.9	1.1	2.0 1.0	0.8	12	2.8	0.5	0.47	0.10	0.8
C96	0.3	0.0	4.4	0.5	- 0.0	4.0	2.4	7.0	1E 4	22.7	32.7	1.1	2000 37	100000000000000000000000000000000000000	1.2	2.8	20/7/00/22	0.26	0.08	0.4
O&U *	0.6 7.9	0.3 6.0	1.4 8.2	0.5 6.7	2.0	1.3 25.1	3.1 52.1	7.6 98.4	and the second	23.7 256.6	372.1	41.7	55.1	83.5	66.7	72.7	14.5	14.30	0.55	26.8
DESCRIPTION OF STREET	i - conservacio		1CD-10	// Personana Pa	15.1	Val. Honoration	CONTROL GOVERNOR DEP	Delivery of the Control of the Contr	per may member	GOVERNMENT GOVE	2000	401.4	444.5	524.5	407.1	369.0	127.7	124.6	1.61	271.4

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2016 Males Patiala district

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	То	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	:=:	i t i	16	100.0			15	:=	: ::		375	-	16	100.0
C01-C02	Tongue		(#	225	92.2	5		14	5.7	1.5	SE	5	2.0	244	100.0
C03-C06	Mouth			212	89.1	1	-	22	9.2		-	4	1.7	238	100.0
C07-C08	Salivary Gland	12	32	36	97.3		12	1	2.7	10.00	12	12		37	100.0
C09	Tonsil	12	12	62	93.9	2		12	12	123	12	4	6.1	66	100.0
C10	Oth. Oropharynx	14		19	95.0	¥		1	5.0	·	:=:	17. 4	-	20	100.0
C11	Nasopharynx	-	_	25	92.6			1	3.7		:-	1	3.7	27	100.0
C12-C13	Hypopharynx	-	-	77	97.5	-		2	2.5	-		((+)	-	79	100.0
C14	Pharynx Unspecified	-		14	73.7	-	-	2	10.5	75		3	15.8	19	100.0
C15	Oesophagus		_	400	70.2		_	120	21.1	1	0.2	49	8.6	570	100.0
C16	Stomach			112	78.3		-	26	18.2	1	0.7	4	2.8	143	100.0
C17	Small Intestine		72	20	90.9		-	2	9.1	120		7/2		22	100.0
C18	Colon	92	940	115	95.0	20	2	6	5.0	12	941	854	2	121	100.0
C19-C20	Rectum	120	040	80	93.0			6	7.0	720	02	Jinga .		86	100.0
C21	Anus & Anal Canal			45	97.8			1	2.2			17=		46	100.0
C22	Liver			105	53.3	11	5.6	67	34.0	(-0)		14	7.1	197	100.0
C23-C24	Gallbladder etc.		(5)	72	86.7	2	2.4	8	9.6	(5)	17	14	1.2	83	100.0
C25-C24			ানী	49		2		8	13.6			1.45	1.2	59	
C30-C31	Pancreas				83.1	2	3.4	1	8.3			255 241	5		100.0
Address to Address 1	Nose, Sinuses etc.	-	- 15	11	91.7		(基) (1)		7.8	100		1.5		12	100.0
C32	Larynx	_		188	92.2	-	- 0.5	16	-		-		-	204	100.0
C33-C34	Lung etc.	-	-	328	87.7	2	0.5	33	8.8	-	-	11	2.9	374	100.0
C37-C38	Other Thoracic Organs	-	:*	7	87.5		-	1	12.5	-		-		8	100.0
C40-C41	Bone		**	41	75.9		-	10	18.5	(*)	(#	3	5.6	54	100.0
C43	Melanoma of Skin		i *	73	93.6	*	-	3	3.8	-		2	2.6	78	100.0
C44	Other Skin	15		36	100.0			if.		15	15	5070		36	100.0
C45	Mesothelioma	15	1.5	115	-			i.e.		17	1/2	1.5	-	5	
C46	Kaposi Sarcoma	-	•	-	-		-	-	-	-	•	-	-	•	
C47+C49	Conn. & Soft Tissue	-	02	40	93.0		1	3	7.0	72	72	-		43	100.0
C50	Breast	1	1.3	60	76.9	2	-	17	21.8	- 14	12	(<u>-</u>	2 2	78	100.0
C60	Penis	2	2.7	66	90.4	2	-	2	2.7	750	(FE)	3	4.1	73	100.0
C61	Prostate	-	7.8	311	91.5			22	6.5	(A)	2.45	7	2.1	340	100.0
C62	Testis	1.5	7	48	98.0		-	1	2.0	7.90	(#)	() +	-	49	100.0
C63	Other Male Genital		ē †	2	66.7		-	1	33.3) _	15 4 1	35 7	5	3	100.0
C64	Kidney etc.	:=	85	71	81.6	4	4.6	7	8.0	45	18	5	5.7	87	100.0
C65	Renal Pelvis	-		-	-		-	-	-	-	-	-		÷	
C66	Ureter	-	22	74	2	<u> </u>	-	- 4	-	- 2	-	12	2		2
C67	Bladder	12	92	183	92.9	2	- 4	12	6.1	14	34	2	1.0	197	100.0
C68	Uns.Urinary Organs	12	88)(4)	#5	<u></u>	9	94	- 4	740	R#3	184	2		-
C69	Eye	14) =	12	80.0	3	20.0	9	-		19	84	-	15	100.0
C70-C72	Brain, Nervous System		:#:	146	73.7	6	3.0	31	15.7	1	0.5	14	7.1	198	100.0
C73	Thyroid		SĦ	25	96.2		-	1	3.8		S T A	(i d	-	26	100.0
C74	Adrenal Gland		-	8	100.0			2月	17	150	la T	88	-	8	100.0
C81	Hodgkins Disease		· -	38	97.4		-	1	2.6	100	/s T /	11.77	-	39	100.0
C82-C85	NHL	- 2	74	138	96.5		2	4	2.8	1145	12	1	0.7	143	100.0
C88	Malig Imn.Prol D	12		11 <u>4</u> 1	20		· ·	12		12	12	940	2	2	-
C90	Multiple Myeloma	140	()	59	85.5	3	4.3	6	8.7	740	2#	1	1.4	69	100.0
C91	Lymphoid Leuk.	(4)	4	127	90.1		-	11	7.8	3	2.1	P(#)	-	141	100.0
C92-C94	Myeloid Leukaemia	-		150	75.4	*	_	42	21.1	3	1.5	4	2.0	199	100.0
C95	Leukaemia Uns			4	14.8		_	23	85.2		-	::-::		27	100.0
C96	CMD,O&U LHM		_	1	5.0	-	-	12	60.0	1.7	-	7	35.0	20	100.0
O&U *	Other and Uns	2	0.3	152	19.0		-	619	77.4	-		27	3.4	800	100.0
	All Sites	5	0.1	4009	74.3		0.6	1166	21.6	9	0.2	172	3.2	5394	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2016 Females Patiala district

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/li	maging	D.C	0.0	Oth	ers	Unkn	nown	Tot	al
100-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	82	2	3	100.0	#	14	14	14	79	2	¥	-	3	100.0
C01-C02	Tongue	(-		53	94.6	#	-	2	3.6	(E=)		1	1.8	56	100.0
C03-C06	Mouth	10-	-	55	87.3	-		8	12.7	77	-		-	63	100.0
C07-C08	Salivary Gland		-	16	100.0		5 			13-	51			16	100.0
C09	Tonsil		-	9	100.0	17.	1.5			1100	-		-	9	100.0
C10	Oth. Oropharynx	12	-	4	80.0	<u></u>	-	1	20.0	14	-	2	-	5	100.0
C11	Nasopharynx	12	2	15	100.0	12	12		10	794	1.21	골	<u>u</u>	15	100.0
C12-C13	Hypopharynx	-	2)	26	89.7	144	215	2	6.9	774	2	1	3.4	29	100.0
C14	Pharynx Unspecified			7	87.5				-)7=	- 2	1	12.5	8	100.0
C15	Oesophagus	1	0.3	305	77.8	_		63	16.1	-	-	23	5.9	392	100.0
C16	Stomach		0.0	62	62.0			23	23.0	1242		15	15.0	100	100.0
C17	Small Intestine	100		17	94.4	- 8	15	1	5.6	3.65		10	10.0	18	100.0
C18	Colon	- 15 M	- T/	69		原		2	2.7	1	1.4	1	1.4	73	
- nonetenia					94.5				31000.0	10.0	1.4		1332000	2000	100.0
C19-C20	Rectum	-	-	72	93.5		~	4	5.2	114	-	1	1.3	77	100.0
C21	Anus & Anal Canal	22	-	16	100.0	:=	-	12	-	N#	-		40.0	16	100.0
C22	Liver	(¥)	-	34	42.5	:4	(4	38	47.5	(%)	-	8	10.0	80	100.0
C23-C24	Gallbladder etc.	8.6	-	191	91.4		-	11	5.3	0.60	-	7	3.3	209	100.0
C25	Pancreas	(#	=	45	90.0	# A	(#	5	10.0	(*)	=		-	50	100.0
C30-C31	Nose, Sinuses etc.	37	-	8	80.0	1	10.0	1	10.0	19-				10	100.0
C32	Larynx	17.5	-	41	93.2		:	2	4.5	M2	-	1	2.3	44	100.0
C33-C34	Lung etc.	-	-	113	84.3	-	-	18	13.4	-	-	3	2.2	134	100.0
C37-C38	Other Thoracic Organs	172	2	5	83.3	. 2	12	1	16.7	172	- 2	<u> </u>	2	6	100.0
C40-C41	Bone	72	2	34	79.1	=	14	9	20.9	172	2	2	_	43	100.0
C43	Melanoma of Skin	(±)	21	45	93.8		14	3	6.3	9 =)	-	E	-	48	100.0
C44	Other Skin			25	86.2		æ	3	10.3	31=	-	1	3.4	29	100.0
C45	Mesothelioma		-				17	-	-	12 5 0	-				:-
C46	Kaposi Sarcoma	1375	-	53	-	2	15	670	0.5	155	7.	53			3.7
C47+C49	Conn. & Soft Tissue	-		20	90.9	1	4.5	1	4.5	-			-	22	100.0
C50	Breast	12	4	1671	91.6	1	0.1	118	6.5	12	1.2	35	1.9	1825	100.0
C51	Vulva	12	20	14	100.0	- 4	74	-	-	(7 <u>2</u> 4	23			14	100.0
C52	Vagina	04	-	18	100.0	- 1	(4)	760	-	19	20	#	*	18	100.0
C53	Cervix Uteri			614	91.6			49	7.3	-		7	1.0	670	100.0
C54	Corpus Uteri	·-	-	161	96.4			5	3.0	(0=)	-	1	0.6	167	100.0
C55	Uterus Unspecified		_	61	56.0	-	-	27	24.8		-	21	19.3	109	100.0
C56	Ovary etc.	-	-	297	93.7	2	0.6	15	4.7	2	0.6	1	0.3	317	100.0
C57	Other Female Genital	12		2	50.0	1 12	-	2	50.0	72	-		-	4	100.0
C58	Placenta	(2)	2	1	50.0	1	50.0		-	100	2	8		2	100.0
C64	Kidney etc.	102		50	84.7	**	50.0	7	11.9	77527	21	2	3.4	59	100.0
C65	Renal Pelvis			- 50	04.7				11.5				5.4	00	100.0
C66	Ureter			2	100.0									2	100.0
	Bladder	0.5		62	A	17.		2	3.1	71. 0)	-		-		Name of the Party
C67		175	-	62	96.9	i i	17	2	3.1	75		罰	ā	64	100.0
C68	Uns.Urinary Organs	B.\$	7.	-	-		-	(Z)	(3)		-		-	46	400.0
C69	Eye		•	6	60.0	2	20.0	- 04	-	2	20.0	Ď	7	10	100.0
C70-C72	Brain, Nervous System	-	-	74	72.5	2	2.0	21	20.6	r.	-	5	4.9	102	100.0
C73	Thyroid		-	41	95.3	14	4	1	2.3	12	-	1	2.3	43	100.0
C74	Adrenal Gland	:=		4	100.0	(#	:=	-	-); =	-	¥	-	4	100.0
C81	Hodgkins Disease	(*	₩.	19	100.0	æ	;#) =)		£ *	#:	€	*	19	100.0
C82-C85	NHL	9.5	-	92	98.9	:#	\$#.	1	1.1	(*)	-		-	93	100.0
C88	Malig Imn.Prol D	85	-			27	æ	a		15-5	-		7	15	į.
C90	Multiple Myeloma	-	-	47	88.7	1	1.9	4	7.5	1	1.9	Ť	-	53	100.0
C91	Lymphoid Leuk.	172	2	67	93.1	<u> 2</u>		4	5.6	772	2	1	1.4	72	100.0
C92-C94	Myeloid Leukaemia	(<u>4</u>)	-	114	76.0	T T	-	33	22.0	3	2.0	¥	-	150	100.0
C95	Leukaemia Uns	(i =)	2	1	4.3	:4	(4	22	95.7	(r =)	2	¥3	=	23	100.0
C96	CMD,O&U LHM		-	1	8.3	*	-	8	66.7)) = (3	25.0	12	100.0
O&U *	Other and Uns	((-	-	121	17.5	н	(=	546	79.1	1	0.1	22	3.2	690	100.0
	All Sites	1	0.0	4830	79.5	11	0.2	1063	17.5	10	0.2	162	2.7	6077	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2012 - 2016 Males Patiala district

100.40	0.4-	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone M	Marrow	Oth	ers	Tot	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	13	81.3	1	6.3	2	12.5	2	=	-	12	- 4	-	16	100.0
C01-C02	Tongue	197	80.7	7	2.9	21	8.6	<u></u>	발	2	12	19	7.8	244	100.0
C03-C06	Mouth	175	73.5	7	2.9	30	12.6	2	=	22	12	26	10.9	238	100.0
C07-C08	Salivary Gland	20	54.1	94	(-	15	40.5	-	-	1	2.7	1	2.7	37	100.0
C09	Tonsil	52	78.8	1	1.5	9	13.6	_	-	_	-	4	6.1	66	100.0
C10	Oth. Oropharynx	17	85.0	9.5	1.0	2	10.0	-			-	1	5.0	20	100.0
C11	Nasopharynx	19	70.4	1	3.7	5	18.5	2	-	2	-	2	7.4	27	100.0
C12-C13	Hypopharynx	63	79.7	2	2.5	12	15.2	- 2	- 0	2	12	2	2.5	79	100.0
C14	Pharynx Unspecified	13	68.4		2.0	1	5.3	-	-	-	-	5	26.3	19	100.0
C15	Oesophagus	372	65.3	4	0.7	24	4.2					170	29.8	570	100.0
C16	Stomach	106	74.1	1	0.7	5	3.5	-		-		31	21.7	143	100.0
C17	Small Intestine	16	72.7		1	4	18.2			-		2	9.1	22	100.0
C18	Colon	103	85.1	9	7.4	3	2.5					6	5.0	121	manuscus and
				5		3	2.5				- 5	6	7.0	86	100.0
C19-C20	Rectum	75	87.2		5.8				-				10.000000	1500	100.0
C21	Anus & Anal Canal	43	93.5	1	2.2	1	2.2		_	-		1	2.2	46	100.0
C22	Liver	55	27.9	1	0.5	49	24.9		-	Ε,		92	46.7	197	100.0
C23-C24	Gallbladder etc.	52	62.7	1	1.2	19	22.9		-		(4)	11	13.3	83	100.0
C25	Pancreas	21	35.6	1	1.7	27	45.8	-	-	*		10	16.9	59	100.0
C30-C31	Nose, Sinuses etc.	10	83.3		V 	1	8.3		-		15	1	8.3	12	100.0
C32	Larynx	157	77.0	8	3.9	23	11.3	-				16	7.8	204	100.0
C33-C34	Lung etc.	199	53.2	4	1.1	125	33.4		-	-	-	46	12.3	374	100.0
C37-C38	Other Thoracic Organs	3	37.5	72	N <u>4</u>	4	50.0	. 2	2	2	<u></u>	1	12.5	8	100.0
C40-C41	Bone	35	64.8	2	3.7	3	5.6	-		1	1.9	13	24.1	54	100.0
C43	Melanoma of Skin	60	76.9	-	0-	13	16.7	-	-	- 4	ï	5	6.4	78	100.0
C44	Other Skin	26	72.2	(#)	\ +	10	27.8	*	-		æ	:=	15	36	100.0
C45	Mesothelioma	85	5 -		(#	5			5				1.5	-	-
C46	Kaposi Sarcoma	1.7	14 5 .		W 2			70	-	- 5		17	1.77	1.7	
C47+C49	Conn. & Soft Tissue	26	60.5	1	2.3	12	27.9	1	2.3			3	7.0	43	100.0
C50	Breast	42	53.8	25	04	18	23.1	9		2	12	18	23.1	78	100.0
C60	Penis	59	80.8	2	2.7	5	6.8	2	2	- 2	(2)	7	9.6	73	100.0
C61	Prostate	281	82.6	11	3.2	19	5.6	-	*	*	78	29	8.5	340	100.0
C62	Testis	39	79.6	1	2.0	8	16.3	-	-		æ	1	2.0	49	100.0
C63	Other Male Genital	2	66.7		(c .				-			1	33.3	3	100.0
C64	Kidney etc.	54	62.1	2	2.3	15	17.2		-	5	-	16	18.4	87	100.0
C65	Renal Pelvis	3	-	-		- 8	¥		ĕ	-		-	-	-	-
C66	Ureter	- 1	12	14	1/4	2	2	2	12	2	12	12	120	12	-
C67	Bladder	170	86.3	4	2.0	7	3.6	2	1.0	*	(4)	14	7.1	197	100.0
C68	Uns.Urinary Organs	-	-	8.	(r -	-	*	-	-	9	1=	-	3.40	-	-
C69	Eye	9	60.0	000	n -	3	20.0				E-	3	20.0	15	100.0
C70-C72	Brain, Nervous System	144	72.7		14	1	0.5	- 1	0.5	:=		52	26.3	198	100.0
C73	Thyroid	14	53.8	1	3.8	10	38.5	-	-	-		1	3.8	26	100.0
C74	Adrenal Gland	4	50.0	72		4	50.0		2	- 6	-		-	8	100.0
C81	Hodgkins Disease	21	53.8	1	2.6	16	41.0	2	19	2	12	1	2.6	39	100.0
C82-C85	NHL	89	62.2	2	1.4	41	28.7	9	-	6	4.2	5	3.5	143	100.0
C88	Malig Imn.Prol D		-	-			20.1	_				-	0.0		.00.0
C90	Multiple Myeloma	8	11.6	1	1.4	6	8.7	2	2.9	42	60.9	10	14.5	69	100.0
C91	Lymphoid Leuk.	7	5.0	3/4)	1.4	-	0.7	2	1.4	118	83.7	14	9.9	141	100.0
C92-C94	Myeloid Leukaemia	12	6.0	2E	(15)	- 8	- 2	9	4.5	129	64.8	49	24.6	199	100.0
C92-C94	Leukaemia Uns	12	0.0		150 110	- 5 .		3	11.1	129	3.7	23	85.2	27	100.0
C95	CMD,O&U LHM	240	1944	360			-	3	11.1	1	5.0	7555	95.0	550	
O&U *	41-515 Maria (1977)	-	-	44		-	44.0		-	- 20	2000	19	225000	20	100.0
0&0 -	Other and Uns	50	6.3	11	1.4	90	11.3	-	-	1	0.1	648	81.0	800	100.0
	All Sites	2933	54.4	93	1.7	663	12.3	20	0.4	300	5.6	1385	25.7	5394	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Females Patiala district

100.40	0.4	Pri.	Hist	Sec	Hist	Cyto	ology	Blood	Film	Bone M	larrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-			-	-	-	-	-	-		3	100.0
C01-C02	Tongue	47	83.9		2	6	10.7	- 2	_	72	72	3	5.4	56	100.0
C03-C06	Mouth	43	68.3	2	-	12	19.0	- 2	12	12	74	8	12.7	63	100.0
C07-C08	Salivary Gland	8	50.0	=	_	8	50.0	100	-	X#	(*)	-	-	16	100.0
C09	Tonsil	6	66.7		_	3	33.3	:=:	-	5 + 3			×	9	100.0
C10	Oth. Oropharynx	3	60.0	-		1	20.0	2.00		-	(-)	1	20.0	5	100.0
C11	Nasopharynx	14	93.3	1	6.7	-	-		-		-	-	-	15	100.0
C12-C13	Hypopharynx	25	86.2	9	5	1	3.4	2			82	3	10.3	29	100.0
C14	Pharynx Unspecified	5	62.5	2	9	2	25.0			35	84	1	12.5	8	100.0
C15	Oesophagus	297	75.8	2	0.5	6	1.5	949	-	923	-	87	22.2	392	100.0
C16	Stomach	56	56.0	1	1.0	5	5.0	:=	-	7.4	-	38	38.0	100	100.0
C17	Small Intestine	16	88.9	_	- 1.0	1	5.6	_			_	1	5.6	18	100.0
C18	Colon	64	87.7			5	6.8	-			100	4	5.5	73	100.0
C19-C20	Rectum	67	87.0	3	3.9	2	2.6	201	1949	333	35.5	5	6.5	77	100.0
C21	Anus & Anal Canal	15	93.8		9.0	1	6.3	120		22	7.2		0.0	16	100.0
C22	Liver	20	25.0		i i	14	17.5		1888	(12)	57. 57.5	46	57.5	80	100.0
C23-C24	Gallbladder etc.	108	51.7	4	1.9	79	37.8	72	1980	82	192	18	8.6	209	100.0
C25-C24	Pancreas	20	40.0	1	2.0	24	48.0			0,0	192	5	10.0	50	100.0
C30-C31	Nose, Sinuses etc.	8	80.0	3215	2.0	24	40.0			· *		2	20.0	10	100.0
C32	Company of the Company	36	81.8			5	11.4				NE.	3	6.8	44	100.0
C33-C34	Larynx Lung etc.	42	31.3	4	3.0	67	50.0			1.7	(5	21	15.7	134	100.0
C37-C38		5	83.3	- 4	3.0	- 07	30.0		10.70 10.40	· · · · · · · · · · · · · · · · · · ·	1.71	1	16.7	6	100.0
C40-C41	Other Thoracic Organs Bone	25	58.1		-	9	20.9	200	1.5	(5)	9600	9	20.9	43	100.0
C40-C41	100000 (1925)000	36	75.0	4	8.3	5	10.4		-			3	6.3	48	100000000000000000000000000000000000000
C43	Melanoma of Skin	23	79.3	4	0.3	2	6.9	7.4	:-			4	13.8	29	100.0
C44	Other Skin	23	79.3				6.9	:=:	()	7	5.5	4	13.0	29	100.0
C45	Mesothelioma	7	7.0			語	1E	:5:	1.7	5.75	3.5	-	7.0		
-	Kaposi Sarcoma	10	96.4				4.5			\$## 200	15	-	0.4		100.0
C47+C49	Conn. & Soft Tissue	19	86.4	-	- 0.4	1	4.5	-	•	-	0.4	2	9.1	22	100.0
C50 C51	Breast Vulva	1108 13	60.7 92.9	38	2.1	524 1	28.7 7.1	1-	-	1	0.1	154	8.4	1825 14	100.0
C52	10.00	17	9372 10		-	1	5.6	2 = 3	-			-		18	100.0
TO-SANCELEC	Vagina	SERVICE OF A	94.4	7	4.0	make	10000	-	-	14	(=)	-	0.4	110000000000000000000000000000000000000	NAME OF STREET
C53	Cervix Uteri	550	82.1			57	8.5	-		1. ±	- 0.0	56	8.4	670	100.0
C54	Corpus Uteri	143	85.6	3	110000	14	8.4	:::	(*	1	0.6	6	3.6	167	100.0
C55	Uterus Unspecified	55	50.5	2	1.8	4	3.7			12	15	48	44.0	109	100.0
C56	Ovary etc.	188	59.3	8	2.5	101	31.9	(*				20	6.3	317	100.0
C57	Other Female Genital	1	25.0		-	1	25.0	:=		12	-	2	50.0	4	100.0
C58	Placenta	1	50.0				450	-	-	**	(·	1	50.0	2	100.0
C64	Kidney etc.	40	67.8	-1	1.7	9	15.3	-	-	1.4		9	15.3	59	100.0
C65	Renal Pelvis	-	-		-	18	(-	-		:=	(*	(#)			-
C66	Ureter	2	100.0			17	70.74	:=:	137	(A)	V. T .	-		2	100.0
C67	Bladder	60	93.8			2	3.1	47/		1.5	1/5	2	3.1	64	100.0
C68	Uns.Urinary Organs	-		-	-	-	-		•	-	-	-	•	-	-
C69	Eye	6	60.0		-	~ ~	- 1		-		-	4	40.0	10	100.0
C70-C72	Brain, Nervous System	74	72.5	=	-	12720	100.00	19	-	-	-	28	27.5	102	100.0
C73	Thyroid	25	58.1		-	16	37.2		-	(a) €	-	2	4.7	43	100.0
C74	Adrenal Gland	4	100.0	5			(g		1.7	:#:		250	5	4	100.0
C81	Hodgkins Disease	19	100.0					1.70		17.				19	100.0
C82-C85	NHL	56	60.2	-	-	33	35.5	-	-	3	3.2	1	1.1	93	100.0
C88	Malig Imn.Prol D				-	12	-	72	194		-	72			400
C90	Multiple Myeloma	8	15.1	<u> </u>	-	1	1.9	12		38	71.7	6	11.3	53	100.0
C91	Lymphoid Leuk.	2	2.8	Ψ.	-	# 32	14	2	2.8	63	87.5	5	6.9	72	100.0
C92-C94	Myeloid Leukaemia	13	8.7		*	1	0.7	2	1.3	98	65.3	36	24.0	150	100.0
C95	Leukaemia Uns		=	=	-	湯	S #	1.70	19	1	4.3	22	95.7	23	100.0
C96	CMD,O&U LHM	5			-		17		15	1	8.3	11	91.7	12	100.0
O&U *	Other and Uns	34	4.9	20	2.9	67	9.7	-	-	-	-	569	82.5	690	100.0
	All Sites	3430	56.4	99	1.6	1091	18.0	4	0.1	206	3.4	1247	20.5	6077	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males Patiala district

IOD 40	014-	0-64	Years	0-74 \	ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.4	0.4	0.5	0.5
C03-C06	Mouth	0.4	0.4	0.6	0.6
C07-C08	Salivary Gland	0.0	0.0	0.1	0.1
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.0	0.0	0.1	0.1
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	0.0	0.0	0.1	0.1
C15	Oesophagus	0.8	0.8	1.4	1.3
C16	Stomach	0.0	0.0	0.3	0.3
C17	Small Intestine	0.0	0.0	0.3	0.1
C18	Colon	0.0	0.0	0.1	0.1
C19-C20	33 3	0.2	0.2	0.3	0.3
C21	Rectum	0.0	Victoria	040000	20,00
C22	Anus & Anal Canal	20,000	0.0	0.1	0.1
C23-C24	Liver	0.3	0.3	0.5	0.5
CONTROL OF CONTROL	Gallbladder etc.	0.1	0.1	0.2	0.2
C25 C30-C31	Pancreas	0.1	0.1	0.2	0.2
1000	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.3	0.3	0.5	0.5
C33-C34	Lung etc.	0.6	0.6	1.0	1.0
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	0.1	0.1	0.2	0.2
C44	Other Skin	0.0	0.0	0.1	0.1
C45	Mesothelioma	-	•	(-	-
C46	Kaposi Sarcoma			02	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	0.1	0.1	0.2	0.2
C60	Penis	0.1	0.1	0.2	0.2
C61	Prostate	0.2	0.2	8.0	0.8
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis	2	-	R#	-
C66	Ureter	2	140	N2	-
C67	Bladder	0.2	0.2	0.5	0.5
C68	Uns.Urinary Organs	-	7-	9.5	-
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.3	0.3	0.4	0.4
C73	Thyroid	0.0	0.0	0.1	0.1
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	1-	10-	3.0
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.2	0.2
C92-C94	Myeloid Leukaemia	0.2	0.2	0.4	0.4
C95	Leukaemia Uns	0.0	0.0	0.4	0.4
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	1.0	1.0	1.7	1.7
The state of the s	Other and Ons	1.0	1.0	1.1	1.7

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 2(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Females Patiala district

ICD-10	Site	0-64	Years	0-74	Years
100-10	Oito	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.1	0.1	0.1	0.1
C03-C06	Mouth	0.1	0.1	0.2	0.2
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.0	0.0	0.1	0.1
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.5	0.5	1.0	1.0
C16	Stomach	0.1	0.1	0.3	0.3
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.4	0.4	0.5	0.5
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.2	0.2	0.3	0.3
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	0.1	0.1	0.1	0.1
C44	Other Skin	0.0	0.0	0.1	0.1
C45	Mesothelioma	-	0.0	2.1	0.1
C46	Kaposi Sarcoma	2	-	12	
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	3.0	2.9	4.1	4.0
C51	Vulva	0.0	0.0	0.0	0.0
C52	Vagina	0.0	0.0	0.0	0.0
C53	Cervix Uteri	1.1	1.1	1.5	1.5
C54	Corpus Uteri	0.3	0.3	0.5	0.5
C55		0.3	0.3	0.3	0.3
C56	Uterus Unspecified	0.5	0.2	0.3	0.3
C57	Ovary etc. Other Female Genital		10000	19/06/	200
C58		0.0	0.0	0.0	0.0
C64	Placenta	0.0	0.0	0.0	0.0
C65	Kidney etc.	0.1	0.1	0.1	0.1
UNIDATINET C	Renal Pelvis	-	-	- 00	-
C66	Ureter	0.0	0.0	0.0	0.0
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.1	0.1	0.2	0.2
C88	Malig Imn.Prol D	2 0	- E		
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.2	0.2	0.3	0.3
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	0.0	0.0	0.0	0.0
O&U *	Other and Uns	0.9	0.9	1.7	1.7
	All Sites	9.34	8.92	14.00	13.06

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)