

## LIST OF ANNEXURE TABLES

Table No.	Title of annexure table	Pg. No
Table 2	Mapping and Listing - Definitions	156
Table 4.1.2.1a	Household characteristics by area of residence (Percentage)	161
Table 4.1.2.2a	Fuel used for cooking among households by area of residence (Percentage)	162
Table 4.1.2.3a	Oil used for cooking among households by area of residence (Percentage)	163
Table 4.1.2.4a	Type of ration card among households by area of residence (Percentage)	163
Table 4.1.3.1a	Background characteristics of adults by area of residence and gender (Percentage)	164
Table 4.1.3.2a	Background characteristics of adolescents by area of residence and gender (Percentage)	166
Table 4.2.1.1a	Tobacco use (any form) by area of residence and gender (Percentage)	167
Table 4.2.1.1b	Tobacco use (any form) by area of residence, gender and age categories (Percentage)	167
Table 4.2.1.2a	Smoked tobacco use by area of residence and gender (Percentage)	168
Table 4.2.1.2b	Smoked tobacco use by area of residence, gender and age categories (Percentage)	168
Table 4.2.1.3a	Smokeless tobacco use by area of residence and gender (Percentage)	169
Table 4.2.1.3b	Smokeless tobacco use by area of residence, gender and age categories (Percentage)	169
Table 4.2.1.4a	Tobacco use among adults by area of residence and gender (Percentage)	170
Table 4.2.1.4b	Tobacco use among adults by area of residence, gender and age categories (Percentage)	170
Table 4.2.1.5a	Current daily tobacco use by area of residence and gender (Percentage)	171
Table 4.2.1.5b	Current daily tobacco use by area of residence, gender and age categories (Percentage)	171
Table 4.2.1.6a	Daily tobacco use (any form) by type of product, area of residence and gender (Percentage)	172
Table 4.2.1.6b	Daily tobacco use (any form) by type of product, area of residence, gender and age categories (Percentage)	173
Table 4.2.1.7a	Number of tobacco products of different types used daily by area of residence and gender (Mean)	174
Table 4.2.1.7b	Number of tobacco products of different types used daily by area of residence, gender and age categories (Mean)	175
Table 4.2.1.8a	Exposure to second hand tobacco smoke in past 30 days by area of residence and gender (Percentage)	176

Table 4.2.1.8b	Exposure to second hand tobacco smoke in past 30 days by area of residence, gender and age categories (Percentage)	177
Table 4.2.1.9a	Age (in years) of initiation and cessation of any form of tobacco use by area of residence and gender (Mean)	178
Table 4.2.1.9b	Age (in years) of initiation and cessation of any form of tobacco use by area of residence, gender and age categories (Mean)	178
Table 4.2.1.10a	Quit attempts/advices by doctor/health care worker on tobacco use by area of residence and gender (Percentage)	179
Table 4.2.1.10b	Quit attempts/advices by doctor/health care worker on tobacco use by area of residence, gender and age categories (Percentage)	180
Table 4.2.2.1a	Alcohol use by area of residence and gender (Percentage)	181
Table 4.2.2.1b	Alcohol use by area of residence, gender and age categories (Percentage)	181
Table 4.2.2.2a	Patterns of alcohol use daily or almost daily in the past 12 months by area of residence and gender (Percentage)	182
Table 4.2.2.2b	Patterns of alcohol use daily or almost daily in the past 12 months by area of residence, gender and age categories (Percentage)	182
Table 4.2.2.3a	Patterns of alcohol use weekly in the past 12 months by area of residence and gender (Percentage)	183
Table 4.2.2.3b	Patterns of alcohol use weekly in the past 12 months by area of residence, gender and age categories (Percentage)	183
Table 4.2.2.4a	Number of standard drinks consumed in one drinking occasion in the past 30 days by area of residence and gender (Mean)	184
Table 4.2.2.4b	Number of standard drinks consumed in one drinking occasion in the past 30 days by area of residence, gender and age categories (Mean)	184
Table 4.2.2.5a	Maximum number of standard drinks consumed in one drinking occasion by area of residence and gender (Percentage)	184
Table 4.2.2.5b	Maximum number of standard drinks consumed in one drinking occasion by area of residence, gender and age categories (Percentage)	185
Table 4.2.2.6a	Adults who engaged in heavy episodic drinking in last 30 days by area of residence and gender (Percentage)	185
Table 4.2.2.6b	Adults who engaged in heavy episodic drinking in last 30 days by area of residence, gender and age categories (Percentage)	185
Table 4.2.2.7a	Consumption of alcohol from unauthorized sources in past 7 days by area of residence and gender (Percentage)	186
Table 4.2.2.7b	Consumption of alcohol from unauthorized sources in past 7 days by area of residence, gender and age categories (Percentage)	186

Table 4.2.2.8a	Age (in years) of initiation of alcohol consumption by area of residence and gender (Mean)	187
Table 4.2.2.8b	Age (in years) of initiation of alcohol consumption by area of residence, gender and age categories (Mean)	187
Table 4.2.3.1a	Type of oil most often used for cooking in households by area of residence (Percentage)	188
Table 4.2.3.2a	Number of servings of fruits, vegetables and fruit and/or vegetable juices per day by area of residence and gender (Mean)	189
Table 4.2.3.2b	Number of servings of fruits, vegetables and fruit and/or vegetable juices consumed per day by area of residence, gender and age categories (Mean)	189
Table 4.2.3.3a	Number of servings of fruits and/or vegetables consumed per day by area of residence and gender (Mean)	189
Table 4.2.3.3b	Number of servings of fruits and/or vegetables consumed per day by area of residence, gender and age categories (Mean)	190
Table 4.2.3.4a	Inadequate consumption of fruits and/or vegetables per day by area of residence and gender (Percentage)	190
Table 4.2.3.4b	Inadequate consumption of fruits and/or vegetables per day by area of residence, gender and age categories (Percentage)	190
Table 4.2.3.5a	Minimum servings of fruits and vegetables consumed per day by area of residence and gender (Percentage)	191
Table 4.2.3.5b	Minimum servings of fruits and vegetables consumed per day by area of residence, gender and age categories (Percentage)	191
Table 4.2.3.6a	Salt intake of population by area of residence and gender (g/day) (Mean)	191
Table 4.2.3.6b	Salt intake of population by area of residence, gender and age categories (g/day) (Mean)	192
Table 4.2.3.7a	Salt intake of population by area of residence and gender (Percentage)	192
Table 4.2.3.7b	Salt intake of population by area of residence, gender and age categories (Percentage)	192
Table 4.2.3.8a	Adults who believe that extra salt intake affects health by area of residence and gender (Percentage)	193
Table 4.2.3.8b	Adults who believe that extra salt intake affects health by area of residence, gender and age categories (Percentage)	193
Table 4.2.3.9a	Adults who believe lowering salt in diet is important by area of residence and gender (Percentage)	193
Table 4.2.3.9b	Adults who believe lowering salt in diet is important by area of residence, gender and age categories (Percentage)	194
Table 4.2.3.10a	Perception about consumption of salt/high salt containing food items by area of residence and gender (Percentage)	194

Table 4.2.3.10b	Perception about consumption of salt/high salt containing food items by area of residence, gender and age categories (Percentage)	195
Table 4.2.3.11a	Adults who added extra salt to food by area of residence and gender (Percentage)	195
Table 4.2.3.11b	Adults who added extra salt to food by area of residence, gender and age categories (Percentage)	196
Table 4.2.3.12a	Adults who practiced salt control measures regularly by area of residence and gender (Percentage)	197
Table 4.2.3.12b	Adults who practiced salt control measures regularly by area of residence, gender and age categories (Percentage)	198
Table 4.2.3.13a	Consumption of high salt containing foods among adults by area of residence and gender (Percentage)	199
Table 4.2.3.13b	Consumption of high salt containing foods among adults by area of residence, gender and age categories (Percentage)	200
Table 4.2.3.14a	Adults who consumed food cooked at home/outside home in a week by area of residence and gender (Percentage)	203
Table 4.2.3.14b	Adults who consumed food cooked at home/outside home in a week by area of residence, gender and age categories (Percentage)	203
Table 4.2.3.15a	Number of meals consumed outside home in a week by area of residence and gender (Mean)	203
Table 4.2.3.15b	Number of meals consumed outside home in a week by area of residence, gender and age categories (Mean)	204
Table 4.2.4.1a	Physical activity levels by area of residence and gender (Percentage)	204
Table 4.2.4.1b	Physical activity levels by area of residence, gender and age categories (Percentage)	205
Table 4.2.4.2a	Time (minutes) spent in physical activity per day by area of residence and gender (Mean)	205
Table 4.2.4.2b	Time (minutes) spent in physical activity per day by area of residence, gender and age categories (Mean)	206
Table 4.2.4.3a	Voluntary physical activity during recreational time by area of residence, gender and age categories (Percentage)	207
Table 4.2.4.4a	Time (minutes) spent being sedentary per day by area of residence, gender and age categories (Mean)	207
Table 4.2.5.1a	Measurements of height, weight, BMI and waist circumference by area of residence and gender (Mean)	208
Table 4.2.5.1b	Measurements of height, weight, BMI and waist circumference by area of residence, gender and age categories (Mean)	208

Table 4.2.5.2a	BMI categories (WHO cut off) by area of residence and gender (Percentage)	209
Table 4.2.5.2b	BMI categories (WHO cut off) by area of residence, gender and age categories (Percentage)	209
Table 4.2.5.3a	BMI categories (Asian cut off) by area of residence and gender (Percentage)	210
Table 4.2.5.3b	BMI categories (Asian cut off) by area of residence, gender and age categories (Percentage)	210
Table 4.2.5.4a	Adults categorized as overweight (including obesity) and obese by area of residence and gender (Percentage)	211
Table 4.2.5.4b	Adults categorized as overweight (including obesity) and obese by area of residence, gender and age categories (Percentage)	211
Table 4.2.5.5a	Adults with central obesity by area of residence, gender and age categories (Percentage)	211
Table 4.2.5.6a	Blood pressure measurements by area of residence and gender (Mean)	212
Table 4.2.5.6b	Blood pressure measurements by area of residence, gender and age categories (Mean)	212
Table 4.2.5.7a	Adults with raised blood pressure (known and newly detected) by area of residence and gender (Percentage)	212
Table 4.2.5.7b	Adults with raised blood pressure (known and newly detected) by area of residence, gender and age categories (Percentage)	213
Table 4.2.5.8a	Adults with raised blood pressure including those on medication by area of residence, gender and age categories (Percentage)	213
Table 4.2.5.9a	Blood pressure categories among those measured by area of residence and gender (Percentage)	214
Table 4.2.5.9b	Blood pressure categories among those measured by area of residence, gender and age categories (Percentage)	214
Table 4.2.6.1a	Fasting blood glucose levels (mg/dl) by area of residence, gender and age categories (Mean)	215
Table 4.2.6.2a	Adults with raised fasting blood glucose (known and newly detected) by area of residence and gender (Percentage)	215
Table 4.2.6.2b	Adults with raised fasting blood glucose (known and newly detected) by area of residence, gender and age categories (Percentage)	215
Table 4.2.6.3a	Adults with raised fasting blood glucose including those on medication by area of residence, gender and age categories (Percentage)	216
Table 4.2.6.4a	Fasting blood glucose categories among those measured by area of residence and gender (Percentage)	216
Table 4.2.6.4b	Fasting blood glucose categories among those measured by area of residence, gender and age categories (Percentage)	216

Table 4.2.6.5a	Spot urinary Sodium, Potassium and Creatinine excretion levels by area of residence and gender (Mean)	217
Table 4.2.6.5b	Spot urinary Sodium, Potassium and Creatinine excretion levels by area of residence, gender and age categories (Mean)	217
Table 4.2.7.1a	Clustering of at least $\geq 3$ risk factors among adults (18-69 years) by area of residence, gender and age categories (Percentage)	218
Table 4.2.7.2a	Adults (40–69 years) with 10-year CVD risk (as per WHO guidelines) by area of residence and gender (Percentage)	218
Table 4.2.7.2b	Adults (40-69 years) with 10-year CVD risk (as per WHO guidelines) by area of residence, gender and age categories (Percentage)	219
Table 4.2.7.3a	Adults (40–69 years) with 10-year CVD risk of $\geq 30\%$ or with existing CVD by area of residence, gender and age categories (Percentage)	220
Table 4.3.1.1a	Tobacco use of any form among adolescents by area of residence and gender (Percentage)	220
Table 4.3.1.2a	Smoked tobacco use among adolescents by area of residence and gender (Percentage)	221
Table 4.3.1.3a	Smokeless tobacco use among adolescents by area of residence and gender (Percentage)	221
Table 4.3.1.4a	Current daily tobacco use among adolescents by area of residence and gender (Percentage)	221
Table 4.3.1.5a	Tobacco products used in past 30 days among adolescents by area of residence and gender (Percentage)	222
Table 4.3.1.6a	Adolescents who thought that inhaling smoke from other people's tobacco smoking can cause harm by area of residence and gender (Percentage)	222
Table 4.3.1.7a	Age (in years) of initiation of tobacco use among adolescents by area of residence and gender (Mean)	223
Table 4.3.1.8a	Adolescents who attempted to quit tobacco use by area of residence and gender (Percentage)	223
Table 4.3.2.1a	Alcohol use among adolescents by area of residence and gender (Percentage)	223
Table 4.3.2.2a	Alcohol use among adolescents by type, area of residence and gender (Percentage)	224
Table 4.3.2.3a	Maximum number of standard drinks consumed in one drinking occasion by area of residence and gender (Percentage)	224
Table 4.3.2.4a	Adolescents engaged in binge drinking in past 30 days by area of residence and gender (Percentage)	225

Table 4.3.2.5a	Age (in years) of initiation of alcohol use among adolescents by area of residence and gender (Mean)	225
Table 4.3.2.6a	Source from where alcohol was consumed in past 30 days by area of residence and gender (Percentage)	225
Table 4.3.3.1a	Adolescents who skipped breakfast in the past 30 days by area of residence and gender (Percentage)	226
Table 4.3.3.2a	Number of days breakfast was skipped in past 30 days by area of residence and gender (Mean)	226
Table 4.3.3.3a	Frequency of consumption of food items by area of residence and gender (Percentage)	227
Table 4.3.4.1a	Physical activity levels among adolescents by area of residence and gender (Percentage)	229
Table 4.3.4.2a	Time (minutes) spent in physical activity per day at school by area of residence and gender (Mean)	230
Table 4.3.4.3a	Time (minutes) spent in physical activity per day by area of residence and gender (Mean)	230
Table 4.3.4.4a	Time (minutes) spent being sedentary in a day by area of residence and gender (Mean)	230
Table 4.3.5.1a	Measurements of height, weight and BMI by area of residence and gender (Mean)	231
Table 4.3.5.2a	Adolescents categorized as overweight (including obesity) and obese by area of residence and gender (Percentage)	231
Table 4.3.6.1a	Reported presence of school/college canteen by area of residence and gender (Percentage)	232
Table 4.3.6.2a	Reported availability of food items in school/college canteen by area of residence and gender (Percentage)	232
Table 4.3.6.3a	Noticed school teacher/staff smoking tobacco within premises and its sale around 100 metres by area of residence and gender (Percentage)	233
Table 4.3.6.4a	Health promotion and education related information by area of residence and gender (Percentage)	233
Table 4.3.6.5a	Adolescents engaged in physical activity in school/college in last 12 months by area of residence and gender (Percentage)	234
Table 4.4.1.1a	Practices reported for blood glucose measurement by area of residence and gender (Percentage)	234
Table 4.4.1.1b	Practices reported for blood glucose measurement by area of residence, gender and age categories (Percentage)	234
Table 4.4.1.2a	Awareness, treatment and control of blood glucose among those with raised blood glucose by area of residence and gender (Percentage)	235



Table 4.4.1.2b	Awareness, treatment and control of blood glucose among those with raised blood glucose by area of residence, gender and age categories (Percentage)	235
Table 4.4.1.3a	Source of current consultation and treatment among those with known raised blood glucose by area of residence and gender (Percentage)	236
Table 4.4.1.3b	Source of current consultation and treatment among those with known raised blood glucose by area of residence, gender and age categories (Percentage)	237
Table 4.4.2.1a	Practices reported for blood pressure measurement by area of residence and gender (Percentage)	238
Table 4.4.2.1b	Practices reported for blood pressure measurement by area of residence, gender and age categories (Percentage)	238
Table 4.4.2.2a	Awareness, treatment and control of blood pressure among those with raised blood pressure by area of residence and gender (Percentage)	239
Table 4.4.2.2b	Awareness, treatment and control of blood pressure among those with raised blood pressure by area of residence, gender and age categories (Percentage)	239
Table 4.4.2.3a	Source of current consultation and treatment among those with known raised blood pressure by area of residence and gender (Percentage)	240
Table 4.4.2.3b	Source of current consultation and treatment among those with known raised blood pressure by area of residence, gender and age categories (Percentage)	240
Table 4.4.3.1a	Practices reported for blood cholesterol measurement ever in life and history of raised cholesterol by area of residence and gender (Percentage)	241
Table 4.4.3.1b	Practices reported for blood cholesterol measurement ever in life and history of raised cholesterol by area of residence, gender and age categories (Percentage)	242
Table 4.4.3.2a	Source of current consultation, treatment and medication for raised blood cholesterol by area of residence and gender (Percentage)	242
Table 4.4.3.2b	Source of current consultation, treatment and medication for raised blood cholesterol by area of residence, gender and age categories (Percentage)	243
Table 4.4.4.1a	Adults aged 30–69 years with known cardiovascular conditions and the source of diagnosis by area of residence and gender (Percentage)	244
Table 4.4.4.1b	Adults aged 30–69 years with known cardiovascular conditions and the source of diagnosis by area of residence, gender and age categories (Percentage)	244
Table 4.4.4.2a	Adults aged 30–69 years who were on medication to prevent or treat known cardiovascular conditions among those with CVDs by area of residence and gender (Percentage)	245



Table 4.4.4.2b	Adults aged 30–69 years who were on medication to prevent or treat known cardiovascular conditions among those with CVDs by area of residence, gender and age categories (Percentage)	245
Table 4.4.5.1a	Adults aged 30–69 years who had ever undergone oral cancer screening by area of residence, gender and age categories (Percentage)	246
Table 4.4.5.2a	Women aged 30–69 years who had ever undergone clinical breast cancer screening by area of residence and age categories (Percentage)	246
Table 4.4.5.3a	Women aged 30–69 years who had ever undergone cervical cancer screening by area of residence and age categories (Percentage)	246
Table 4.4.6.1a	Adults aged 40–69 years with 10-year CVD risk of $\geq 30\%$ or with existing CVD received drug therapy and counselling to prevent heart attacks and stroke (as per WHO guidelines) by area of residence, gender and age categories (Percentage)	247
Table 4.5.1a	IEC materials related to NCDs displayed/available in waiting room/ outpatient department in public primary care facilities and secondary health care facilities (CHCs and DHs) (Percentage)	247
Table 4.6.1a	Adults who practiced yoga by area of residence, gender and age categories (Percentage)	248
Table 4.6.2a	Adults who practiced asana, pranayam, meditation among those who practiced yoga by area of residence and gender (Percentage)	248
Table 4.6.2b	Adults who practiced asana, pranayam, meditation among those who practiced yoga by area of residence, gender and age categories (Percentage)	249
Table 4.6.3a	Time (minutes) spent to practice asana, pranayam and meditation in a day among those who practiced yoga by area of residence and gender (Mean)	250
Table 4.6.3b	Time (minutes) spent to practice asana, pranayam and meditation in a day among those who practiced yoga by area of residence gender and age categories (Mean)	251